



NBS TECHNICAL NOTE 622



Thermophysical Properties of Helium-4 from 4 to 3000 R with Pressures to 15000 PSIA

U. S.
PARTMENT
OF
OMMERCE
National
Rureau
of

5153

072

NATIONAL BUREAU OF STANDARDS

The National Bureau of Standards1 was established by an act of Congress March 3, 1901. The Bureau's overall goal is to strengthen and advance the Nation's science and technology and facilitate their effective application for public benefit. To this end, the Bureau conducts research and provides: (1) a basis for the Nation's physical measurement system, (2) scientific and technological services for industry and government, (3) a technical basis for equity in trade, and (4) technical services to promote public safety. The Bureau consists of the Institute for Basic Standards, the Institute for Materials Research, the Institute for Applied Technology, the Center for Computer Sciences and Technology, and the Office for Information Programs.

THE INSTITUTE FOR BASIC STANDARDS provides the central basis within the United States of a complete and consistent system of physical measurement; coordinates that system with measurement systems of other nations; and furnishes essential services leading to accurate and uniform physical measurements throughout the Nation's scientific community, industry, and commerce. The Institute consists of a Center for Radiation Research, an Office of Measurement Services and the following divisions:

Applied Mathematics-Electricity-Heat-Mechanics-Optical Physics-Linac Radiation²—Nuclear Radiation²—Applied Radiation²—Quantum Electronics³— Electromagnetics3—Time and Frequency3—Laboratory Astrophysics3—Cryo-

genics3.

THE INSTITUTE FOR MATERIALS RESEARCH conducts materials research leading to improved methods of measurement, standards, and data on the properties of well-characterized materials needed by industry, commerce, educational institutions, and Government; provides advisory and research services to other Government agencies; and develops, produces, and distributes standard reference materials. The Institute consists of the Office of Standard Reference Materials and the following divisions:

Analytical Chemistry—Polymers—Metallurgy—Inorganic Materials—Reactor Radiation—Physical Chemistry.

THE INSTITUTE FOR APPLIED TECHNOLOGY provides technical services to promote the use of available technology and to facilitate technological innovation in industry and Government; cooperates with public and private organizations leading to the development of technological standards (including mandatory safety standards), codes and methods of test; and provides technical advice and services to Government agencies upon request. The Institute also monitors NBS engineering standards activities and provides liaison between NBS and national and international engineering standards bodies. The Institute consists of the following divisions and offices:

Engineering Standards Services—Weights and Measures—Invention Innovation—Product Evaluation Technology—Building Research—Electronic Technology—Technical Analysis—Measurement Engineering—Office of Fire Programs.

THE CENTER FOR COMPUTER SCIENCES AND TECHNOLOGY conducts research and provides technical services designed to aid Government agencies in improving cost effectiveness in the conduct of their programs through the selection, acquisition, and effective utilization of automatic data processing equipment; and serves as the principal focus within the executive branch for the development of Federal standards for automatic data processing equipment, techniques, and computer languages. The Center consists of the following offices and divisions:

Information Processing Standards—Computer Information—Computer Services -Systems Development-Information Processing Technology.

THE OFFICE FOR INFORMATION PROGRAMS promotes optimum dissemination and accessibility of scientific information generated within NBS and other agencies of the Federal Government; promotes the development of the National Standard Reference Data System and a system of information analysis centers dealing with the broader aspects of the National Measurement System; provides appropriate services to ensure that the NBS staff has optimum accessibility to the scientific information of the world, and directs the public information activities of the Bureau. The Office consists of the following organizational units:

Office of Standard Reference Data-Office of Technical Information and Publications—Library—Office of International Relations.

¹ Headquarters and Laboratories at Gaithersburg, Maryland, unless otherwise noted; mailing address Washington, D.C. 20234.
² Part of the Center for Radiation Research.
³ Located at Boulder, Colorado 80302.

NOV 2 0 1972 not acc

2.2

No. 6 22 Thermophysical Properties of Helium-4 from 4 to 3000 R with Pressures to 15000 PSIA

Robert D. McCarty Cryogenics Division **Institute for Basic Standards** U.S. National Bureau of Standards Boulder, Colorado 80302

techyins he no was



U.S. DEPARTMENT OF COMMERCE. Peter G. Peterson, Secretary NATIONAL BUREAU OF STANDARDS, Lawrence M. Kushner, Acting Director

National Bureau of Standards Technical Note 622 Nat. Bur. Stand. (U.S.), Tech. Note 622, 146 pages (September 1972) CODEN: NBTNAE **Issued September 1972** (Order by SD Catalog No. C13.46:622).

Contents

		Page
1.	ntroduction	1
2.	hermodynamic and Related Properties	1
	2.1 PVT Surface	1
	2.2 Derived Thermodynamic Properties	3
	2.3 Related Properties	3
	2.4 Heat Capacities	3
3.	ransport Properties	4
	3.1 Thermal Conductivity, 300 K and Below	4
	3.2 Thermal Conductivity, 300 K and Above	5
	3.3 Viscosity Below 100 K	9
	3.4 Viscosity Between 100 and 300 K	10
	3.5 Viscosity for Temperatures Above 300 K	10
4.	urface Tension	11
5.	Pielectric Constant	11
6.	ndex of Refraction	13
7.	hermal Diffusivity	16
8.	randtl Number	16
9.	oule-Thomson Inversion Curve	16
10.	the Melting Line	19
11.	he Lambda Line	20
12.	ummary	20
13.	sibliography	21
Appe	dix A, List of Symbols and Units	23
Appe	dix B, Fixed Points	24
Appe	dix C, Conversion Factors	24
Appe	dix D, Saturation Properties	26
Anne	div F. Isobaric Properties	30



List of Tables

		Pag
Table		
1.	Uncertainties in the PVT Data	1
2.	Index of Refraction of Saturated Liquid Helium at Three Wavelengths	14
3.	Joule-Thomson Inversion Curve	17
4.	Melting Line for Helium-4	19
5.	PpT of the Lambda Line	20
	List of Figures	
Figur	re_	
1.	Range of PT Covered	2
2.	PVT Range of Experimental Data for Thermal Conductivity	6
3.	Deviations between Calculated Thermal Conductivity and Data by Kerrisk (1968)	7
4.	Deviations between Calculated Thermal Conductivities and Data by Golubev and Shpagina (1966).	8
5.	Deviations between Calculated and Experimental Surface Tension Data	12
6.	Index of Refraction for Saturated Liquid and Gaseous Helium. Points are from Edwards (1957,1958)	15
7.	Joule-Thomson Inversion Curve	18

THERMOPHYSICAL PROPERTIES OF HELIUM-4 FROM 4 TO 3000 R WITH PRESSURES TO 15000 PSIA*

Robert D. McCarty

Tables of thermophysical properties of helium 4 are presented for temperatures from 4 to 3000 Rankine for pressures to 15000 psia. The tables include, entropy, enthalpy, internal energy, density, volume, speed of sound, specific heat, thermal conductivity, viscosity, thermal diffusivity, Prandtl number and the dielectric constant for 74 isobars. Also included in the isobaric tables are quantities of special utility in heat transfer calculations: $(\partial P/\partial V)_T$, $(\partial P/\partial T)_\rho$, $V(\partial H/\partial V)_P$, $V(\partial P/\partial U)_V$, $-V(\partial P/\partial V)_T$, $1/V(\partial V/\partial T)_P$.

In addition to the isobaric tables, tables for the saturated vapor and liquid are given which include all of the above properties, plus the surface tension. Tables for the $P\rho T$ of the freezing liquid, $P\rho T$ of the lambda line, index of refraction and the derived Joule-Thomson inversion curve are also presented.

Key Words: Density; dielectric constant; enthalpy; entropy; equation of state; fixed points; heat transfer coefficients; helium 4; index of refraction; Joule-Thomson coefficient; lambda line; latent heat; melting point; Prandtl number; specific heats; speed of sound; surface tension; thermal conductivity; thermal diffusivity; vapor pressure; viscosity; volume.

^{*} This work carried out at the National Bureau of Standards, supported by NASA-MSC Contract T-1813A.

1. Introduction

The purpose of this document is to assemble data on many of the properties of helium commonly used in engineering calculations over as wide a temperature and pressure range as is practical, and present these properties in a form which is convenient to the engineer. All of these properties have been critically evaluated and represent the "best values" for that property at this time.

The properties of helium 4 have been of great interest to the scientific and engineering community for many years. Much of the interest, and consequently the work, has been in the more spectacular properties of helium II, the superfluid phase. The properties of the superfluid are not included here except for the $P\rho T$ of the boundary where the transition to the superfluid begins.

2. Thermodynamic and Related Properties

2.1 PVT Surface

The PVT surface described by McCarty (1972) was used to calculate all of the thermodynamic and related properties. The tables given here are essentially the same as those found in the referenced document. Figure 1 shows the range of PT covered by these tables, and table 1 gives estimates of uncertainties in density.

Table 1. Uncertainties in the PVT Data

Temperature Range	Pressure Range	Uncertaint	y in Density
		Average	Maximum
2 - 20 K	0 - 2 atm	0.1%	0.5% (except in
2 - 20 K	2 - 1000 atm	0.5%	0.5% (except in 1.5%) critical region)
Critical region	$T_c \pm 5\%$, $\rho_c \pm 20\%$	3%	8%
20 - 70 K	0 - 20 atm	0.5%	1%
20 - 70 K	20 - 1000 atm	í %	2% (no reliable experi- mental data)
70 - 150 K	0 - 100 atm	0.1%	0.5%
70 - 150 K	100 - 1000 atm	0.5%	2%
150 - 400 K	0 - 100 atm	0.05%	0.2%
150 - 400 K	100 - 1000 atm	0.1%	1%
400 - 1500 K	0 - 100 atm	0.1%	0.5%
400 - 1500 K	100 - 1000 atm	.2%	2%




Figure 1. Kange of PT Covered

2.2 Derived Thermodynamic Properties

The enthalpy, H, speed of sound, W, entropy, S, and the internal energy, U, were calculated directly from the equations taken from McCarty (1972) and should be identical to those of McCarty when the proper unit conversions are applied.

2.3 Related Properties

A number of parameters such as the specific heat input $[V(\partial H/\partial V)_p]$ are of use to the engineer. Several of the more useful quantities of this kind have been tabulated here for the convenience of the user. These quantities have been derived from the equation of state in the following manner.

Specific heat input

$$\theta = V \left(\frac{\partial H}{\partial V} \right)_{P} = \rho C_{p} \left[\left(\frac{\partial P}{\partial \rho} \right)_{T} / \left(\frac{\partial P}{\partial T} \right)_{V} \right]$$
 (1)

Energy derivative

$$\Phi = V \left(\frac{\partial P}{\partial U} \right)_{V} = \frac{V}{C_{V}} \left(\frac{\partial P}{\partial T} \right)_{V}$$
 (2)

Isothermal bulk modulus

$$\alpha = V \left(\frac{\partial P}{\partial V} \right)_{T} = -\rho \left(\frac{\partial P}{\partial \rho} \right)_{T}$$
 (3)

Volume expansivity

$$\beta = \frac{1}{V} \left(\frac{\partial V}{\partial T} \right)_{\mathbf{P}} = -\frac{1}{\rho} \left(\frac{\partial \mathbf{P}}{\partial T} \right)_{0} / \left(\frac{\partial \mathbf{P}}{\partial \rho} \right)_{\mathbf{T}}$$
 (4)

2.4 Heat Capacities

The heat capacities, C_V , C_P which appear in this document are taken from McCarty (1972). Except for the critical region and near the boundaries of phase changes, the uncertainty of the tabulated specific heats is estimated to be no greater than 5%.

At the critical point, and along the lambda line, the specific heats become anomalous and no realistic estimates of accuracy may be made.

3. Transport Properties

3.1 Thermal Conductivity, 300 K and Below

For temperatures below 300 K, the thermal conductivity for helium-4 has been calculated using the following equations.

$$\lambda = \lambda_{o}(T) \lambda_{v}(\rho, T) + \lambda_{c}(\rho, T)$$
 (5)

where $\lambda_{o}(T)$ is the dilute gas contribution, $\lambda_{y}(\rho,T)$ corrects the dilute gas value for increasing densities and $\lambda_{c}(\rho,T)$ predicts the enhancement in thermal conductivity in the region near the critical point. The dilute gas contribution, $\lambda_{o}(T)$ for this temperature region has been calculated from

$$\lambda_{O}(T) = e^{Z(\ln T)} \tag{6}$$

If x = ln T, then

$$Z(T) = -4.3611622157 + 1.9250159286 \times -0.52544120165 \times^{2} + 0.090045763885 \times^{3} -0.0054773874708 \times^{4}$$
 (7)

where T is in Kelvin and λ_0 is in mW/cm-K.

The $\lambda_{\mathbf{v}}(\rho, T)$ of equation (5) is given by

$$\lambda_{\mathbf{y}}(\rho, \mathbf{T}) = e^{(\mathbf{B}(\mathbf{T})\rho + \mathbf{C}(\mathbf{T})\rho^{2})}, \qquad (8)$$

if x = ln T, then

$$B(T) = EXP(4.7470660612 - 5.3641468153x + 3.4639703698x^{2} - 1.0702455443x^{3} + 0.1571349306x^{4} - 0.00892140047x^{5}$$
(9)

and

$$C(T) = 2.2109006708 + 187.74174808/T - 1281.0947055/T^2 + 3645.2393216/T^3$$

- 3986.6937948/T⁴ (10)

where T is in Kelvin and ρ is in g/cm³. The $\lambda_c(\rho, T)$ of equation (5) is given by

$$\lambda_{c}(\rho, T) = 0.000649578 \Delta C_{p}(\rho, T)$$
 (11)

where the ΔC is the C at ρ and T minus the C at ρ and T = 11.83 K. For T > 11.83 K, ρ > .12 g/cm³ or ΔC negative, $\lambda_c(\rho,T)$ is taken to be zero. The units of C must be J/mol-K and the resulting units of thermal conductivity are mW/cm-K. There are no known thermal conductivity measurements for helium-4 in the region of the critical

point, and equation (11) is based on values scaled from hydrogen. The other term in equation (5), the λ_0 (T) $\lambda_y(\rho,T)$ term relies heavily on two sources of experimental data, Golubev and Shpagina (1966) and Kerrisk (1968). These data were used by Roder (1971) and Arp (1971) to determine equations (7, 9, 10). Figure 2 shows the pressure and temperature regions covered by these two sources and figures 3 and 4 show typical differences, including the maximum differences, between the calculated and experimental conductivities.

3.2 Thermal Conductivity, 300 K and Above

When correlating thermal conductivity data it is common procedure to separate the equation into additive parts, with the $\lambda_{\rm O}(T)$, or dilute gas contribution being a function of temperature only and $\lambda_{\rm E}(\rho,T)$, called the excess or dense gas contribution being a function of density and temperature. For the heavier fluids, the temperature dependence of $\lambda_{\rm E}(\rho,T)$ is so slight that it is usually neglected; however for helium this is not the case, and although equation (5) is multiplicative rather than additive, it does take into account the temperature dependence of the excess function. Since no experimental data above 300 K were used in obtaining the various parts of equation (5) it was not used for temperatures above 300 K. For temperatures greater than 300 K, the thermal conductivity has been calculated using the following equations

$$\lambda = \lambda_{O}'(T) + \lambda_{E}(\rho, T)$$
 (12)

$$\lambda_{O}'(T) = \left(1.53220256T\right)^{0.71938} \left(\frac{(12.451/T - 295.67/T^{2} - 4.1249)}{e}\right) + C$$
 (13)

where T is in Kelvin, $\lambda_0'(T)$ is in mW/cm-K and C is a constant such that $\lambda_0'(T)$ from equation (13) = $\lambda_0(T)$ from equation (6) at T = 300 K.




Figure 2. PVT Range of Experimental Data for Thermal Conductivity.




Figure 3. Deviations between Calculated Thermal Conductivities and Data by Kerrisk (1968).




Figure 4. Deviations between Calculated Thermal Conductivities and Data by Golubev and Shpagina (1966).

In selecting a suitable representation of the dilute gas contribution for temperatures above 300 K, the correlation by Tsederberg, et al., (1969) was considered but was not used for two reasons. First, their value at 300 K was in disagreement with our best estimates by an excessive amount and, second, the λ_0 at higher temperatures, (2000 °C), were not theoretically consistent with the recently measured dilute gas viscosities, Guevara, et al., (1969). The representation which was finally selected (equation 13) is from Maitland and Smith (1971), and was selected because the above two objections to the equation proposed by Tsederberg, et al., (1969) were not present. The original equation from Maitland and Smith (1971) is for the dilute gas viscosity and has been converted to thermal conductivity by a proportionality constant.

The $\lambda_{\mathbf{r}}(\rho, T)$ of equation (12) is given by

$$\lambda_{E}(\rho, T) = \lambda_{E}(\rho) = \lambda_{O}(300) [\lambda_{V}(\rho, 300) - 1]$$
 (14)

evaluated at ρ and T = 300 K. Thus equation (5) and equation (12) will give identical results for all ρ at 300 K.

3.3 Viscosity Below 100 K

For temperatures of 100 K and below the equation

$$\ell n \eta = \eta_0' (T) + \eta_E' (\rho, T)$$
 (15)

was used to calculate the viscosity for helium. If $x = \ln (T)$, then

 η_0' (T) = -0.135311743/x + 1.00347841 + 1.20654649x -0.149564551x²

$$+ 0.0125208416x^3$$
 (16)

and

$$\eta'_{\mathbf{E}}(\rho, \mathbf{T}) = \rho B(\mathbf{T}) + \rho^{2} C(\mathbf{T}) + \rho^{3} D(\mathbf{T})$$
(17)

where ρ is in g/cm^3 , and

$$B(T) = -47.5295259/x + 87.6799309 - 42.0741589x + 8.33128289x^{2} - 0.589252385x^{3}$$
 (18)

$$C(T) = 547.309267/x - 904.870586 + 431.404928x - 81.4504854x^2 + 5.37008433x^3$$
 (19)

$$D(T) = -1684.39324/x + 3331.08630 - 1632.19172x + 308.804413x^{2} - 20.2936367x^{3}.$$
 (20)

The resulting viscosities are in μ g/cm·s. Equations (15-20) are from Steward, et al.(1971). Steward's work included new measurements from 4 to 20 K at pressures from the dilute gas region to 10 MN/m². Steward reports a standard deviation of .032 in the natural log of the viscosity in the units of μ g/cm·s. In addition, Steward proposes the possibility of an uncertainty of \pm 8%.

3.4 Viscosity Between 100 and 300 K

Steward included a few points calculated from the Enskog theory (Hanley, et al., 1971) when the equations (15-20) were derived. He found this necessary to enable the use of these equations up to 300 K; however, from 100 to 300 K the dilute gas values of Steward differ by 2.5% from a recent correlation by Maitland and Smith (1971). Since Steward reports using calculated dilute gas values and the correlation of Maitland and Smith is based on experimental data, the dilute gas values of Maitland and Smith were used for all T > 110. Between 100 and 110 K, a linear average of the dilute gas values of Steward and Maitland and Smith was used. In the 100 to 110 K temperature range the dense gas contribution for viscosity was calculated from Steward's equations. The equations for viscosity between 100 and 300 K are:

$$\eta(\rho, T) = \eta_{o}(T) + \eta_{E}(\rho, T) \tag{21}$$

where

$$T_{o}(T) = 196T \cdot ^{71938} e^{(12.451/T - 295.67/T^{2} - 4.1249)}$$
(22)

and

$$\eta_{E} = e^{[\eta'_{0}(T) + \eta'_{E}(\rho, T)]} - e^{[-\eta'_{0}(T) + \eta'_{E}(0, T)]}$$
(23)

where ρ is in g/cm³, T in Kelvin, and η is in μ g/cm·s.

3.5 Viscosities for Temperatures Above 300 K

Since Steward's analysis did not include any dense gas data for temperatures above 300 K, either calculated or experimental, the temperature dependence of the excess function given by equation (23) was frozen at 300K. When equation (23) is fixed at 300 K, the resulting equation is a function of density alone and gives results similar to the excess

function of Tsederberg, et al., (1969). Therefore, for temperatures above 300 K, the viscosities were calculated using equations (21-23) except that equation (23) was always evaluated at ρ and T = 300 K. The uncertainty of the viscosity for T > 100 K is estimated to be maximum of \pm 10%.

4. Surface Tension

The surface tension for helium-4 has been calculated using the equation

$$\gamma = \gamma_0 (1 - T/T_c) \tag{24}$$

where γ_0 = 0.5308 dyn/cm and T_c = 5.2014 K. The γ_0 is based on a least squares fit of equation (24) to the data of van Urk, et al., (1925). Since the least squares fit of equation (24) was performed two sources of experimental data have appeared. These are Dickson, et al., (1970), and Devaraj and Hollis-Hallett (1967). Figure 5 shows that γ_0 would not change appreciably if these new data were included in

Figure 5 shows that γ_0 would not change appreciably if these new data were included in a refit.

5. Dielectric Constant

The dielectric constant of a fluid may be calculated from the Clausius-Mossotti equation:

$$\frac{\epsilon - 1}{\epsilon + 2} \quad \frac{1}{\rho} = p \tag{25}$$

where ε is the dielectric constant, ρ is the density, and p is the specific polarizability, a property of the substance having dimensions of specific volume. Recent measurements of the dielectric constant by Kerr and Sherman (1970) indicate that for helium-4 the specific polarizability is a weak function of density and that the first density correction is negative. For the calculations here, the equation:

$$p = 0.123396 - 0.0014 p \tag{26}$$

was used, where p is the specific polarizability in $\,\mathrm{cm^3/g}$ and $\,\rho$ is the density in $\,\mathrm{g/cm^3}$. The uncertainty of the tabulated values of dielectric constant is estimated to be 0.01%.




Figure 5. Deviations between Calculated and Experimental Surface Tension Data.

6. Index of Refraction

The refractive index of a non-polar fluid depends on the wavelength of the incident radiation and on the density of the fluid. However, the dependence on wavelength can be treated independently of the dependence on density. The Cauchy dispersion formula:

$$r_{\Lambda} = r(\rho, \Lambda) = r_{\infty}(\rho) + \theta_{1} / \Lambda^{2} + \theta_{2} / \Lambda^{4}$$
 (27)

assuming the equivalence of the Maxwell's relation

$$\epsilon = n \frac{2}{m}$$
 (28)

to

$$p = r_{\infty} \tag{29}$$

allows the calculation of r_{∞} from the polarizability as a function of density and

$$r_{\infty}(\rho) = 0.123396 - 0.0014 \rho$$
 (30)

where ρ is density in g/cm³. Equation (30) was then substituted for the first term in equation (27) and θ_1 and θ_2 were determined by least squares estimation using dispersion data from Landolt-Börnstein (1962). The resulting values were $\theta_1 = 33701.617944$ and $\theta_2 = -12325284955$. The specific refraction, r_{Λ} , is in cm³/g, density, ρ , is in g/cm³, and the wavelength, Λ , is in Å. Values of the index of refraction n in table 2 have been calculated from equations (27), (30), and (31).

$$r_{\Lambda} = \frac{n^2 - 1}{n^2 + 2} \cdot \frac{1}{\rho} \qquad (31)$$

A comparison between experimental measurements of the index of refraction (Edwards, 1956, 1957, and 1958) and those calculated using equation (31) shows agreement to better than 0.1%, except with those values from the 1956 reference. Edwards (1956) and (1958) papers both report values of the index of refraction for the saturated liquid of helium-4. However, the values in the 1956 paper are about 4% higher than those in the 1958 paper, and the 1956 values are presumed to be in error. Figure 6 shows n as a function of density for the saturated vapor and saturated liquid conditions. The points are from Edwards (1957 and 1958).

Table 2. Index of Refraction of Saturated Liquid Helium at Three Wavelengths

Temp K	4358 Å n	5462 Å n	6939 Å n
2.2	1.02881	1.02867	1.02857
2.4	1.02864	1.02849	1.02839
2.6	1.02841	1.02827	1.02817
2.8	1.02814	1.02800	1.02790
3.0	1.02782	1.02768	1.02759
3.2	1.02745	1.02731	1.02722
3.4	1.02703	1.02690	1.02681
3.6	1.02656	1.02643	1.02634
3.8	1.02602	1.02589	1.02580
4.0	1.02541	1.02528	1.02520
4.2	1.02471	1.02459	1.02450
4.4	1.02389	1.02377	1.02369
4.6	1.02290	1.02278	1.02270
4.8	1.02163	1.02152	1.02145
5.0	1.01986	1.01976	1.01969




Figure 6. Index of Refraction for Saturated Liquid and Gaseous Helium. Points are from Edwards (1957, 1958).

7. Thermal Diffusivity

The thermal diffusivity of a fluid is defined as

$$\alpha = \lambda/(\rho C_p) \tag{32}$$

where α is the thermal diffusivity, λ is the thermal conductivity, and C_p is the specific heat at constant pressure. The tabulations of thermal diffusivity in appendices D and E have been calculated using the above equation, and ρ , λ , and C_p in the tables. The uncertainty of α is estimated to be 20%, except in the critical region.

8. Prandtl Number

The Prandtl number is frequently used in engineering calculations and is defined as:

$$P_r = C_p \eta / \lambda \tag{33}$$

where Pr is the Prandtl number, C_p is the specific heat at constant pressure, η is the viscosity, and λ is the thermal conductivity. The tabulations of the Prandtl number in appendices D and E have been calculated from equation (33) using values of η , λ , and C_p from adjacent entries in the tables. Since Pr is a function of both η and λ , the uncertainty in Pr could be as much as 25%.

9. Joule-Thomson Inversion Curve

The Joule-Thomson coefficient for a fluid is defined as:

$$J = (\partial T/\partial P)_{H} . \tag{34}$$

The locus of points where J = 0 is called the Joule-Thomson inversion curve: see figure 7. The inversion curve as given in table 3 has been calculated using the relationship:

$$T \left(\frac{\partial P}{\partial T}\right)_{0} = \rho \left(\frac{\partial P}{\partial \rho}\right)_{T} \tag{35}$$

and the equation of state from McCarty (1972).

Table 3. Joule-Thomson Inversion Curve

Temperature		P	ressure		Density
K	R	atm	psia	mol/l	lb/ft ³
4.5	8.1	1.821	26.76	30.83	7.703
5	9.0	3.768	55.37	30.68	7.667
6	10.8	7.266	106.8	30.03	7.504
7	12.6	10.74	157.8	29.53	7.378
8	12.4	14.10	207.2	28.99	7.245
9	16.2	17.31	254.4	28.43	7.106
10	18.0	20.36	299.2	27.86	6.962
12	21.6	25.57	375.8	26.42	6.602
14	25.2	29.29	430.5	24.72	6.177
16	28.8	32.07	471.3	23.07	5.764
18	32.4	34.44	506.2	21.61	5.400
20	36.0	36.18	531.7	20.20	5.046
22	39.6	37.33	548.6	18.82	4.703
24	43.2	37.93	557.4	17.48	4.367
26	46.8	37.98	558.2	16.15	4.035
28	50.4	37.48	550.8	14.83	3.705
30	54.0	36.40	535.0	13.49	3.372
32	57.6	34.71	510.1	12.13	3.030
34	61.2	32.32	475.0	10.71	2.675
36	64.8	29.13	428.0	9.194	2.297
38	68.4	24.89	365.8	7.527	1.881
40	72.0	19.11	280.8	5.567	1.391
42	75.6	9.80	144.0	2.780	.695
43	77.4	.03	. 5	.009	.002




Figure 7. Joule-Thomson Inversion Curve

10. The Melting Line

The melting curve for helium may be calculated using the Simon melting equation.

$$P = -17.80 + 17.31457 T^{1.555414}$$
 (36)

where P is in kg/cm² and T is in Kelvin. The constants in equation (36) were reported by Mills and Grilly (1955), and were based on their experimental data which extended from the upper lambda point to 30.77 K where they found the melting pressure to be 3555.6 kg/cm². In a later paper (Grilly and Mills, 1959) a separate equation is reported for temperatures between 1.8 and 5.2 K. This equation is:

$$P = 33.28 - 44.156 T + 31.799 T^{2} - 4.8159 T^{3} + 0.30313 T^{4}$$
 (37)

where P is in kg/cm² and T is in Kelvin. The values in table 4 have been calculated using equation (37) for $T \le 5.2$ and equation (36) for T > 5.2

Table 4. Melting Line for Helium-4

Temperature		Pres	sure	Liquid	Density
K	R	atm	psia	mol/£	lb/cu-ft
2.0	3.60	37.25	547.4	46.18	11.540
2.5	4.50	56.35	828.2	48.67	12.162
3.0	5.40	78.91	1159.6	50.97	12.737
3.5	6.30	103.83	1525.9	52.94	13.229
4.0	7.20	130.49	1917.7	54.63	13.650
5.0	9.00	188.67	2772.8	57.54	14.378
6.0	10.80	254.77	3744.1	60.25	15.055
7.0	12.60	328.47	4827.1	62.85	15.704
8.0	14.40	408.27	5999.9	65.30	16.317
9.0	16.20	493.81	7257.1	67.63	16.900
10.0	18.00	584.82	8594.4	69.85	17.455
12.0	21.60	782.21	11495.4	73.91	18.468
14.0	25.20	998.83	14678.8	77.37	19.332
16.0	28.80	1233.37	18125.7	80.43	20.096
18.0	32.40	1484.81	21820.8	83.34	20.824
20.0	36.00	1752.29	25751.6	86.07	21.507
22.0	39.60	2035.05	29907.1	88.67	22.156
24.0	43.20	2332.48	34278.1	91.17	22.780
26.0	46.80	2644.01	38856.3	93.60	23.387
28.0	50.40	2969.14	43634.5	95.98	23.983
30.0	54.00	3307.44	48606.2	98.34	24.573

Table 5. PoT of the Lambda Line

Temperature		Press	ure	Dens	sity
K	R	atm	psia	g/cm³	lb/ft ³
2.172	3.910	0.0497	.730	0.1462	9.127
2.15	3.87	2.33	34.24	0.1506	9.402
2.10	3.78	6.84	100.5	0.1576	9.839
2.05	3.69	10.91	160.3	0.1627	10.16
2.00	3.6	14.68	215.7	0.1669	10.42
1.95	3.51	18.22	267.8	0.1705	10.64
1.90	3.42	21.55	316.7	0.1736	10.84
1.85	3.33	24.70	363.0	0.1763	11.01
1.80	3.24	27.67	406.6	0.1788	11.16
1.763	3.174	29.74	437.1	0.1804	11.26

11. The Lambda Line

The boundary of the superfluid phase (helium II) of liquid helium-4 is known as the lambda line. The lambda line begins at 2.172 K on the saturated liquid line and continues through the liquid phase to intersect the melting curve at 1.763 K. Table 5 gives the $P_{\rho}T$ of the lambda line as reported by Kierstead (1967).

12. Summary

The lack of sufficiently accurate experimental data for helium between the temperatures of 2 and 70 K has hampered the efforts of correlating the PVT surface by McCarty (1972). This is especially important for the temperature range of 2 - 20 K where small amounts of accurate data do exist but these data cover very restricted ranges of temperature and pressure. A single set of self consistent data covering the entire pressure and temperature range is needed.

The purpose of the previous sections has been to describe where or how the values were obtained in assembling the various tables and graphs presented here. Most of the material has been taken from McCarty (1972) and formulas and descriptions given there have not been repeated here.

In addition, an effort has been made to assign realistic uncertainties in the data wherever possible. Uncertainty is defined here to be an estimate of accuracy at a 95% confidence level. These assignments are made in the text of the section or subsection concerned with that property. Finally, the number of digits in the tables of appendices D and E should not be taken as an indication of accuracy of the number. The tabulations are a direct copy of computer printouts where it is often necessary to present more digits for a property than its accuracy justifies.

13. Bibliography

- Allen, J. F. and Miesner, A. D., The Surface Tension of Liquid Helium, Camb. Phil. Soc. 34, 299 (1938).
- Arp, V., Ballinger, E. R., Giarratano, P. J., Roder, H. M., Smith, R. V., Snyder, N. S., Steward, W. G., and Wallace, G. H., Helium Heat Transfer, Unpublished Data (1971).
- Devaraj, N. and Hollis-Hallet, A. G., The Surface Tension of Liquid Helium I and the Law of Corresponding States, Can. J. Phys. 45, 2113 (1967).
- Dickson, D. P. E., Caroline, D., and Mendoza, E., Surface Tension of Liquid ⁴Helium, Phys. Lett. 33A, No. 3, 139 (1970).
- Edwards, M. H., The Index of Refraction of Liquid Helium, Can. J. Phys. 34, 898 (1956).
- Edwards, M. H., Refractive Index of He⁴: Saturated Vapor, Phys. Rev. <u>108</u>, No. 5, 1243 (Dec 1957).
- Edwards, M. H., Refractive Index of He⁴: Liquid, Can. J. Phys. 36, 884 (1958).
- Grilly, E. R. and Mills, R. L., Melting Properties of He³ and He⁴ up to 3500 kg/cm², Ann. Phys. 8, 1 (1959).
- Golubev, I. F. and Shpagina, I. B., Thermal Conductivity of Helium at Temperatures from 273.65 to 21.15 Degrees K and Pressures From 1 to 500 Atmospheres, Gaz. Prom. 11, No. 8, 40 (Aug 1966).
- Guevara, F. A., McInteer, B. B., and Wageman, W. E., High Temperature Viscosity Ratios for Hydrogen, Helium, Argon and Nitrogen, Phys. Fluids 12, No. 12, 2493 (Dec 1969).
- Hanley, H. J. M., McCarty, R. D., and Cohen, E. G. D., Analysis of Transport Coefficients for Simple Dense Fluids: Application of the Modified Enskog Theory, Physica (1972).
- Kerr, E. C. and Sherman, R. H., The Molar Polarizability of ³He at Low Temperatures and its Density Dependence, J. Low Temp. Phys. 3, No. 5, 451 (1970).
- Kerrisk, J. F., The Thermal Conductivity of Liquid Helium-4 and Liquid Helium-3, Doctoral Dissertation, University of New Mexico, Albuquerque, N.M. (Jun 1968).
- Kierstead, H. A., Lambda Curve of Liquid He⁴, Phys. Rev. <u>162</u>, No. 1, (Oct 1967). Landolt-Börnstein Tables, 6th Edition II, Part 8, 872 (1962).
- Maitland, G. C. and Smith, E. B., The Viscosities of Eleven Common Gases: A Critical Compilation, Physical Chemistry Laboratory, South Parks Road, Oxford, England (Sep 1971).
- McCarty, R. D., The Thermodynamic Functions for Helium-4 for Temperatures from 2 to 1500 K with Pressures to 100 MN/m², NSRD Monograph (to be published) (1972).

- Mechtly, E. A., The International System of Units, Physical Constants and Conversion Factors, NASA-SP-7012 (1964).
- Mills, R. L. and Grilly, E. R., Melting Curves of He^3 , He^4 , H_2 , D_2 , Ne, N_2 and O_2 up to 3500 kg/cm², Phys. Rev. 99, No. 2, 480 (Jul 1955).
- Roder, H. M., Private Communication (1971).
- Steward, W. G. and Wallace, G. H., Helium⁴ Viscosity Measurements 4 to 20 K, 0 to 10 MN/m², Unpublished Data (Sep 1971).
- Tsederberg, N. V., Popov, V. N., and Morozova, N. A., Thermodynamic and Thermophysical Properties of Helium, Moscow (1969), Translated by the Israel Program for Scientific Translations, Jerusalem (1971), Available from the U. S. Department of Commerce National Technical Information Service, Springfield, Va.
- van Urk, A. Th., Keesom, W. H., and Onnes, H. K., Measurements of the Surface Tension of Liquid Helium, Communs. Phys. Lab. Univ. Leiden, No. 179a (1925).

Appendix A. List of Symbols and Units

The calculation of the tables and properties presented here was performed in many different systems of units, and converted to engineering units at the very end of the calculations; therefore the reader is cautioned to pay particular attention to the units when consulting individual sections of this document. All conversion factors have been taken from the National Aeronautics and Space Administration Report Number SP-7012 (Mechtly 1964).

 $R = gas constant, 2.68111 ft^3 - psia/lb_m - R$

P = pressure, psia

V = specific volume, ft³/lb_m

T = absolute temperature, degrees Rankine

 $\rho = density, lb_m/ft^3$

C_p = specific heat at constant pressure, BTU/lb_m -R

C_v = specific heat at constant volume, BTU/lb_m -R

 $S = entropy, BTU/lb_m - R$

H = enthalpy, BTU/lbm

U = internal energy BTU/lbm

W = speed of sound, ft/s

 $(\partial P/\partial T)_0$ = isochore derivative, psia/R

 $(\partial P/\partial \rho)_T$ = isotherm derivative, ft³ - psia/lb_m

 θ = specific heat input, BTU/lb_m

Φ = energy derivative, psia ft³/BTU

 α = isothermal bulk modulus, psia

 β = volume expansivity, 1/R

n = index of refraction, dimensionless

r = specific refraction, ft3/lbm

Pr = Prandtl number, dimensionless

p = specific polarizability, ft3/lbm

J = Joule-Thomson coefficient, R/psia

 λ = thermal conductivity, BTU/ft-h-R

 $\eta = \text{viscosity}, 1b_m/\text{ft-s}$

€ = dielectric constant, dimensionless

 γ = surface tension, lb_f/in

 Λ = wavelength, angstrom

≈ = thermal diffusivity, ft²/h

Appendix B. Fixed Points*

Critical Point

 $P_c = 32.99 \text{ psia } (2.245 \text{ atm})$

 $T_c = 9.3625 R (5.2014 K)$

 $\rho_c = 4.348 \text{ lb}_m/\text{ft}^3 (0.017399 \text{ mol/cm}^3)$

Normal Boiling Point

P = 14.696 psia (1 atm)

T = 7.604 R (4.224 K)

 $\rho_{gas} = 1.054 \text{ lb}_{\text{m}}/\text{ft}^3 (0.004220 \text{ mol/cm}^3)$

 $\rho_{\text{liquid}} = 7.802 \text{ lb}_{\text{m}}/\text{ft}^3 (0.03122 \text{ mol/cm}^3)$

Lower Lambda Point

P = 0.730 psia (0.0497 atm)

T = 3.919 R (2.177 K)

 $\rho_{\text{liquid}} = 9.127 \text{ lb}_{\text{m}}/\text{ft}^{3} (0.03653 \text{ mol/cm}^{3})$

Upper Lambda Point

P = 437.1 psia (29.74 atm)

T = 3.174 R (1.763 K)

 $\rho_{\text{liquid}} = 11.26 \text{ lb}_{\text{m}}/\text{ft}^{3} (0.04507 \text{ mol/cm}^{3})$

Appendix C. Conversion Factors

Temperature 1.8 R = 1 K

Pressure $14.695949 \text{ psia} = 1 \text{ atm} = 1.01325 \times 10^5 \text{ N/m}^2$

Specific Volume $0.004002013 \text{ ft}^3/\text{lb}_m = 1 \text{ cm}^3/\text{mol}$

Internal Energy 0.107483 BTU/lbm = 1 J/mol

Entropy, Specific Heat 0.0597126 BTU/lbm R = 1 J/mol-K

Thermal Conductivity 0.0578176 BTU/ft-hr-R = 1 mW/cm-K

Viscosity $0.067196897 \text{ lb}_{m}/\text{ft-s} = 1 \text{ g/cm-s}$

Speed of Sound 3.2808 ft/s = 1 m/s = m/s

Molecular Weight 4.0026**

Surface Tension $0.5710147 \times 10^{-5} \text{ lb}_f/\text{in} = 1 \text{ dyn/cm}$

 $(1 \text{ dyn} = 10^{-5} \text{ N})$

* Fixed Points from McCarty (1972)

** On the $C^{12} = 12.000$ scale

Appendix D, Saturation Properties THERMODYNAMIC PROPERTIES OF COEXISTING GASEOUS AND LIQUID HELIUM

		THERMOO'	YNAHIC PROPER	TIES OF COE	XISTING GAS	SEOUS AND L	IQUID HELIUM				
TEMP OEG. R	PRESS PSIA		ISOTHERM DERIVATIVE J FT-PSIA/LB	ISOCHORE OERIVATIVE PSIA/R		ENTHALPY BTU/LB	ENTPOPY BTU/LE-R	CV BTU /	CP LB -R	VELOCITY OF SOUND FT/SEC	SURFACE TENSION LB/IN X 107
* 3.919 * 3.919	0.7303 0.7303	0.1096 13.61	9.36	0.201	9.093	10.93	2.848	0.764	1.34	275.9	
4 • 0 4 • 0	0.8146 0.8146	0.1097 12.40	106.8	13.7 0.220	1.423 9.141	1.440 11.01	0.4068 2.817	0.699 0.765	0.715 1.35	709.4 278.2	17.36
4 • 1 4 • 1	0.9266 0.9266	0.1098 11.12	105.0 9.61	15.7 0.246	1.490 9.200	1.509 11.11	0 • 4233 2 • 780	0.614 0.766	0.635 1.36	710.5 280.8	17.04
4 • 2 4 • 2	1.049	0.1100 10.01	104.0 9.73	17.5 0.274	1.550 9.258	1.572 11.20	0.4379 2.746	0.553 0.767	0.580 1.37	711.9 283.4	16.71
4.3 4.3	1.181 1.181	0.1102 9.052	103.0 9.85	19.0 0.303	1.606 9.316	1.630 11.30	0.4510 2.713	0.510 0.768	0.544 1.38	713.2 285.9	16.39
4.4	1.325 1.325	0.1104 8.211	102.0 10.0	20.4	1.659	1.686 11.39	0.4632 2.681	0.480 0.770	0.521 1.39	714.2 288.3	16.07
4.5 4.5	1.481 1.481	0.1106 7.473	100.0 10.1	21.6	1.710 9.427	1.740 11.48	0 • 47 46 2 • 650	0.461 0.771	0.508 1.40	714.8 290.7	15.74
4.6 4.6	1.649 1.649	0-1109 6-821	98.3 10.1	22.6 0.404	1.760 9.481	1.794 11.56	0.4857 2.620	0.448 0.772	0.503 1.41	714.7 292.9	15.42
4.7 4.7	1.829	0.1112 6.244	96.6 10.2	23.5	1.810 9.534	1.847 11.65	0.4964 2.592	0.442 0.773	0.503 1.42	714.1 295.1	15.09
4.8	2.022	0.1115 5.731	94.8 10.3	24.3 0.482	1.860 9.58€	1.932 11.73	0.5069 2.564	0.439 0.774	0.508 1.43	712.7 297.2	14.77
4.9 4.9	2.229 2.229	0-1118 5-273	92.8 10.4	25.1 0.525	1.910 9.636	1.956 11.81	0.5174 2.538	0.439 0.775	0.516 1.45	710.8 299.2	14.45
5.0 5.0	2.450 2.450	0.1121 4.862	90.9 10.4	25.7 0.570	1.962 9.68f	2.012 11.89	0.5278 2.512	0.441 0.776	0.526 1.46	708.2 301.2	14.12
5.1 5.1	2.686 2.686	0.1124 4.494	88.8 10.5	26.3 0.618	2.014 9.734	2.070 11.97	0.5381 2.487	0.445 0.777	0.538 1.47	705.2 303.1	13.80
5 • 2 5 • 2	2.936 2.936	0.1127 4.162	86.7 10.5	26.8 0.668	2.067 9.781	2 • 128 12 • 04	0.5485 2.462	0.449 0.778	0.551 1.49	701.8 304.9	13.48
5 • 3 5 • 3	3.202 3.202	0.1131 3.861	84.6 10.5	27.3 0.722	2.122 9.827	2.189 12.12	0.5589 2.439	0.454 0.779	0.565 1.50	698.0 306.7	13.15
5.4 5.4	3.484 3.484	0.1135 3.589	82.4 10.5	27.7 0.778	2.177 9.871	2.251 12.19	0.5694	0.459 0.780	0.579 1.52	694.0 308.4	12.83
5 • 5 5 • 5	3.782 3.782	0.1139 3.342	80.2 10.5	28.1 0.837	2.234 9.914	2.314 12.25	0.5799 2.393	0.464 0.781	0.595 1.54	689.7 310.0	12.50
5.6 5.6	4.097 4.097	0.1143 3.116	77.9 10.5	28.5 N.899	2.293 9.96	2.380 12.32	0.5905 2.371	0.470 0.782	0.611 1.55	685.2 311.5	12.18
5.7 5.7	4.430 4.430	0.1147 2.910	75.7 10.5	28.8 0.965	2.353 10.00	2.447 12.38	0.6012 2.349	0.475 0.782	0.627 1.57	680.5 313.0	11.86
5 • 8 5 • 8	4.780 4.780	0.1152 2.721	73.4 10.5	29.1	2.414	2.516 12.44	0.6119 2.328	0.480 0.783	0.645 1.59	675.6 314.5	11.53
5.9 5.9	5.148 5.148	0.1157 2.548	71.1 10.5	29.4	2.477 10.07	2.587 12.50	0.6227 2.307	0.485 0.784	0.662 1.62	670.7 315.8	11.21
6.0 6.0	5.536 5.536	0.1162 2.389	68.8 10.4	29.6	2.541 10.11	2.660 12.55	0.6336 2.286	0.490 0.785	0.681 1.64	665.6 317.1	10.89
6 • 1 6 • 1	5.942 5.942	0.1167 2.242	66.5 10.3	29.8 1.26	2.607 10.14	2.735 12.61	0.6445 2.266	0.495 0.786	0.700 1.66	660.4 318.3	10.56
6 • 2 6 • 2	6.368 6.368	9.1172 2.107	64.2 10.3	30.0 1.35	2.674 10.17	2.812 12.65	0.6556 2.246	0.500 0.787	0.721 1.69	655.0 319.5	10.24
8.3 6.3	6.815 6.815	0.1178 1-981	61.9 10.2	30.2	2.743 10.20	2.892 12.70	0.6667 2.226	0.504 0.788	0.742 1.72	649.6 320.6	9.914
6.4	7.282 7.282	0.1183 1.865	59.6 10.1	30.3 1.53	2.814 19.23	2.974 12.74	3.6780 2.207	0.509 0.789	0.764 1.74	644.1 321.6	9.591
6.5 6.5	7.770 7.770	0.1190 1.757	57.3 10.0	30.4	2.886 10.25	3.058 12.78	0.6394	0.513 0.790	0.788 1.78	638.4 322.6	9.267
6.6 6.6	8.280 8.230	0.1196 1.657	55.0 9.88	30.5 1.73	2.961 10.28	3 • 1 4 4 1 2 • 82	0.7009 2.168	0.518 0.791	0.813 1.81	632.6 323.5	8.943
6.7 6.7	8.311	0.1203 1.564	52.7 9.75	30.5 1.84	3.037 10.30	3.23 ⁷ 12.85	0.7125 2.150	0.522 0.792	0.840 1.84	626.7 324.3	8.619
6 · 8 6 · 8	9.365 9.365	0.1210 1-477	50.5 9.61	30.6 1.95	3.115 10.32	3.325 12.83	1.7242 2.131	0.527	0.868 1.88	620.6 325.1	8 • 296

THERMODYNAHIC PROPERTIES OF COEXISTING GASEDUS AND LIDUID HELIUM

		THERMODY	NAHIC PROPERTIE		TING GASEDUS	S AND LIDUID H	ELIUM			
TEMPERATURE DEG. R	DENSITY	V(0H/OV) P BTU/LB	V(DP/DU) _V -	PSIA	00/01)/V	THERMAL CONDUCTIVITY BTU/FT-HR-R	VISCOSITY LB/FT-SEC X 10	THERMAL DIFFUSIVITY SD FT/HR	DIELECTRIC CONSTANT	PRANDTL NUMBER
* 3.919 * 3.919	9.128 0.07350	4.60	3.57	0.688	0.292	0.00258	0.361	0.0262	1.02040 1.00028	0.675
4.0	9.119	50.4	2.16	969.0	0.0142	0.00866	2.44	0.00133	1.02039	0.724
4.0	0.08063	4.68	3.57	0.764	0.288	0. 0 0265	0.371	0.0244	1.00030	0.678
4.1	9.136	38.7	2.82	959.0	0.0164	0.00888	2.46	0.00154	1.02038	0.633
4.1	0.08993	4.77	3.57	0.864	0.285	0.00274	0.382	0.0225	1.00034	0.681
4.2	9.092	31.4	3.48	947.0	0.0185	0.00907	2 • 48	0.00172	1.02037	0.570
4.2	0.0999	4.86	3.57		0.281	0.00283	0 • 3 94	0.0207	1.00038	0.685
4.3	9.075	26.7	4.12	934.0	0 • 0 2 0 4	0.00924	2•49	0.00187	1.02036	0.527
4.3	0.1105	4.94	3.57		0 • 2 7 8	0.00292	0•406	0.0192	1.00042	0.689
4.4	9.057	23.5	4.69	919.0	0.0222	0.00938	2.50	0.00199	1.02035	0.499
	0.1218	5.03	3.57	1.21	0.276	0.00300	0.417	0.0178	1.00046	0.693
4.5	9.038	21.3	5.18	904.0	0.0239	0.00951	2.50	0.00207	1.02034	0.482
4.5	0.1338	5.11	3.57		0.273	0.00309	0.429	0.0165	1.00050	0.698
4.6	9.017	19.7	5.59	887.0	0.0255	0.00963	2.51	0.00212	1.02032	0.472
4.6	0.1466	5.19	3.57	1.49	0.271	0.00318	0.441	0.0154	1.00055	0.703
4.7	8.996	18.6	5.92	869.0	0.0271	0.00973	2.51	0.00215	1.02031	0.467
4.7	0.1602	5.27	3.57	1.64	0.270	0.00327	0.452	0.0144	1.00060	0.708
4 • 8	8.973	17.7	6.18	850 - 0	0-0286	0.00983	2.51	0.00216	1.02029	0.467
4 • 8	0.1745	5.34	3.57	1 - 8 0	0-268	0.00335	0.464	0.0134	1.00065	0.713
4.9	8.948	17 • 1	6.38	831.0	0.0302	0.00992	2.51	0.00215	1.02027	0.469
4.9	0.1897	5 • 41	3.57	1.97	0.267	0.00344	0.476	0.0126	1.00071	0.719
5.0	8.923	16.6	6.53	811.0	0.0317	0.0100	2.50	0.00213	1.02025	0.473
5.0	0.2057	5.48	3.57		0.266	0.00353	0.487	0.0118	1.00077	0.725
5.1	8.897	16.1	6.65	790.0	0.0333	0.0101	2.50	0.00211	1.02023	0.479
5.1	0.2225	5.55	3.57	2.33	0. 265	0.00362	0.499	0.0119	1.00083	0.732
5.2	8.869	15.8	6.74	769.0	0.0349	0.0102	2.49	0.00208	1.02021	0.485
5.2	0.2403	5.61	3.58	2.52	0.265	0.00370	0.511	0.0104	1.00090	0.739
5•3	8-841	15.5	6 • 81	748.0	0.0365	0.0102	2.48	0.00205	1.02019	0.493
5•3	0-2590	5.67	3 • 58	2.72	0.265	0.00379	0.523	0.00974	1.00097	0.747
5.4	8.811	15.2	6.86	726.0	0.0382	0.0103	2.47	0.00202	1.02017	0.500
5.4	0.2786	5.73	3.58	2.94	0.265	0.00388	0.535	0.00916	1.00104	0.755
5.5	8.780	14.9	6.90	704.0	0.0400	0.0104	2.46	0.00199	1.02015	0.508
5.5	0.2992	5.79	3.58	3.15	0.265	0.00397	0.547	0.00863	1.00112	0.763
5.6	8.749	14.6	6.93	682.0	0 • 0 41 8	0-0104	2.45	0.00195	1.02012	0.516
5.6	0.3239		3.59	3.38	0 • 266	0-00406	0.559	0.00813	1.00120	0.772
5.7	8.716	14.4	6.96	659.0	0.0437	0.0105	2.44	0.00192	1.02009	0.524
5.7	0.3436	5.89	3.59	3.61	0.267	0.00415		0.00767	1.00128	0.781
5 • 8	8 • 681	14.1	6.98	637.0	0.0457	0.0106	2.43	0.00189	1.02007	0.533
5 • 8	0 • 3675	5.94	3.59	3.85	0.268	0.00424	0.584	0.00723	1.00137	0.791
5.9	8.646	13.9	7.00	615.0	0.0478	0.0106	2.41	0.00186	1.02004	0.542
5.9	0.3924	5.99	3.60	4.10	0.270	0.00433	0.597	0.00682	1.00146	0.802
6.0	8.610	13.6	7.02	592 • 0	0.0500	0.0107	2.40	0.00182	1.02001	0.551
6.0	0.4186		3.60	4 • 35	0.272	0.00442	0.609	0.00644	1.00155	0.813
6.1	8.572	13.4	7.03	570 • 0	0.0523	0.0107	2.39	0.00179	1.01997	0.560
6.1	0.4460	6.07	3.60	4 • 61	0.274	0.00451	0.622	0.00608	1.00165	0.825
6.2	8.532	13.2	7.04	548.0	0.0548	0.0108	2.37	0.00176	1.01994	0.570
	0.4747	6.11	3.61	4.88	0.276	0.00460	0.635	0.00575	1.00176	0.838
6.3	8.492	12.9	7.05	526.0	0.0574	0.0109	2.36	0.00172	1.01991	0.580
6.3	0.5047		3.61	5.14	0.279	0.00470	0.648	0.00543	1.00186	0.852
6.4	8.450 0.5361	12.7 6.17	7.05 3.62	504.0 5.41	0.0602	0.0109 0.00480	2.34 0.661	0.00169 0.00513	1.01987 1.00198	0.590 0.866
6.5	8.436	12.5	7.05	492.0	0.0631	0.0110	2.33	0.00166	1.01983	0.602
8.5	0.5630		3.62	5.69	0.286	0.00489	0.675	0.00484	1.00210	0.882
6 • 6	8.361	12.3	7 • 0 4	460 • 9	0.0663	0.0110	2.31	0.00162	1.01979	0.614
6 • 6	0.6034	6.23	3 • 6 ₹	5 • 96	0.290	0.00499	0.688	0.00457		0.898
8.7 6.7	8.314 0.6394	12.1	7.03 3.63	438.0 6.23	0.0696	0.0111 0.00509	2.29 0.702	0.00159 0.00432	1.01974 1.00235	0.627 0.915
6.8 6.8	8.266 0.6771	11.8	7.02 3.54	417.0 6.50	0.0733 0.300	0.0111 0.00520	2.28 0.716	0.00155 0.00408	1.01970	0.640

THEPMODYNAMIC PROPERTIES OF COEXISTING GASEOUS AND LIQUID HELLIM

THEPHODYNAMIC PROPERTIES OF COEXISTING GASEOUS AND LIQUID HELIUM												
TEMP	PRESS		ISOTHERM OERIVATIVE	ISOCHORE OERIVATIVE	ENERGY	ENTHALPY	ENTROPY	cv	CP	VELOCITY OF SOUND	SURFACE TENSION	
DEG. R	PSIA		U FT-PSIA/LB	PSIA/R	BTU/LB B	BTU/LB	BTU/LB-R	BTU /		FT/SEC	L8/IN X 107	
6.9	9.942	0.1217	48.2	30.6	3.195	3.419	0.7362	0.531	0.898	614.3	7.972	
6.9	9.942	1.396	9.45	2.07	10.34	12.91	2.112	0.794	1.92	325.8		
7.0	10.54	0.1225	46.8	30.5	3.278	3.517	0.7482	0.536	0.930	607.9	7-648	
7.0	10.54	1.320	9.29	2.20	10.35	12.93	2.093	0.795	1.97	326.4		
7.1	11.17	0.1233	43.7	30.5	3.363	3.618	0.7605	0.541	0.965	601.2	7.324	
7.1	11.17	1.248	9.11	2.33	10.36	12.94	2.075	0.795	2.02	327.0		
7.2	11.82	0.1242	41.5	30.4	3.450	3.721	0.7729	0.545	1.00	594.4	7.001	
7.2	11.82	1.181	8.91	2.47	10.37	12.96	2.056	0.796	2.97	327.5		
7.3 7.3	12.49	0.1251 1.118	39.3 8.71	30.3 2.61	3.539 10.38	3.829 12.97	0.7856 2.038	0.550 0.797	1.04 2.13	587.3 327.9	6.677	
7.4	13.19	0.1260	37.1	30.1	3.632	3.939	0.7984	0.555	1.09	580.0	6.353	
7.4	13.19	1.059	8.48	2.77	10.38	12.97	2.019	0.798	2.19	328.2		
7.5 7.5	13.91 13.91	0.1271 1.003	34.9 8.25	29.9 2.93	3.727 10.38	4.054 12.97	0.8115 2.000	0.560 0.799	1.14	572•4 328•4	6.030	
7.6	14.67	0.1281	32.8	29.7	3.825	4.173	0.8249	0.566	1.19	564.6	5.706	
7.6	14.67	0.9505	7.99	3.11	10.38	12.96	1.981	0.800	2.33	328.6		
7.604	14.70	0.1282	32.7	29.7	3.829	4.178	0.8255	0.566	1.19	564.2	5.693	
7.604	14.70	0.9484	7.98	3.11	10.38	12.96	1.981	0.800	2.34	328.6		
7.7	15.44	0.1293	30.6	29.5	3.926	4.296	0.8386	0.571	1.25	556.4	5.382	
7.7	15.44	0.9004	7.72	3.29	10.37	12.95	1.962	0.801	2.42	328.7		
7.8	16.25	0.1305	28.5	29.2	4.031	4.424	0.8526	0.577	1.31	547.9	5.058	
7.8	16.25	0.8530	7.43	3.48	10.36	12.93	1.943	0.802	2.52	328.7		
7.9	17.09	0.1318	26.4	28.9	4.140	4.557	0.8670	0.583	1.39	539.1	4.735	
7.9	17.09	0.8078	7.13	3.69	10.35	12.90	1.923	0.803	2.63	328.6		
8.0	17.95	0.1332	24.3	28.5	4.253	4.696	0.8817	0.589	1.47	530.0	4.411	
8.0	17.95	0.7649	6.80	3.91	10.33	12.87	1.903	0.804	2.75	328.4		
8.1	18.84 18.84	0.1347 0.7238	22.2 6.45	28.2 4.15	4.370 10.30	4.840 12.83	0.8969 1.882	0.595 0.805	1.56 2.90	520.5 328.0	4.087	
8.2	19.77	0.1363	20.2	27.7	4.493	4.992	0.9127	0.602	1.68	510.5	3.763	
8.2	19.77	0.6845	6.08	4.40	10.27	12.77	1.861	0.806	3.07	327.6		
8.3 8.3	20.72 20.72	0.1381 0.6467	18.2 5.69	27.3 4.67	4.621 10.23	5.150 12.71	0.9290 1.839	0.608	1.81 3.27	500.2 327.1	3.440	
8 - 4 8 - 4	21.71 21.71	0.1400 0.6103	16.2 5.28	26.8 4.97	4.755 10.18	5.318 12.64	3.9460 1.816	0.616	1.96 3.52	489.4 326.5	3.116	
8.5	22.73	0.1421	14.3	26.2	4.897	5.495	0.9638	0.623	2.16	478.2	2.792	
8.5	22.73	0.5751	4.83	5.30	10.12	12.55	1.793	0.808	3.83	325.7		
8.6	23.79	0.1445	12.3	25.6	5.047	5.684	0.9826	0.631	2.40	466.4	2.469	
8.6	23.79	0.5409	4.36	5.66	10.06	12.44	1.767	0.809	4.22	324.9		
8.7 8.7	24.87 24.87	0.1472 0.5073	10.5 3.86	25.0 6.06	5.208 9.97	5.886 12.31	1.003	0.640 0.809	2.72 4.75	454.1 323.9	2.145	
8.8	26.00 26.00	0.1503 0.4742	8.86 3.33	24.3 6.51	5.382 9.873	6.196 12.16	1.024 1.711	0.649 0.810	3.15 5.47	441.2 322.9	1.821	
8.9 8.9	27.15 27.15	0.1540 0.4412	6.90 2.77	23.5 7.03	5.573 9.751	6.348 11.97	1.048 1.679	0.669	3.78 6.54	427.7 321.9	1.497	
9.0 9.0	28.35 28.35	0.1585 0.4076	5.21 2.18	22.5 7.66	5.787 9.596	6.519 11.74	1.074	0.671 0.809	4.75 8.26	413.3 321.0	1.174	
9.1 9.1	29.58 29.58	0.1642 0.3726	3.61 1.56	21.5 8.43	6.035 9.393	6.934 11.43	1.105 1.599	0.684	6.48 11.5	398-1 320-3	0.8499	
9.2 9.2	30.85 30.85	0.1721 0.3342	2.13 0.915	20.2 9.48	6.339 9.107	7.322 11.02	1.143	0.700 0.805	10.3 19.5	391.4 320.4	0.5261	
9.3	32.15	0.1857	0.793	18.3	6.778	7.893	1.199	0.724	25.8	361.6	0.2024	
9.3	32.15	0.2867	0.293	11.2	8.627	10.33	1.463	0.797	61.2	322.9		
* 9.363 * 9.363	32.99 32.99	0.2300 0.2300									0.000	

THERMODYNAMIC PROPERTIES OF COEXISTING GASEOUS AND LIQUID HELIUM

		THERMODY	NAMIC PROPERTIES	OF COEXIS	TING GASEOUS	S AND LIQUID H	IELIUM			
TEMPERATURE DEG. R	DENSITY	V (DH/DV) P BTU/LB	V(DP/DU) V PSIA-CU FT/9TU	PSIA	DEG. R	THERMAL CONDUCTIVITY BTU/FT-HR-R	VISCOSITY L9/FT-SEC X 10°	THERMAL C DIFFUSIVITY SQ FT/HR	DIELECTRIC CONSTANT	PRANDTL NUMBER
6.9	8.215	11.6	7.00	396.0	0.0771	0.0112	2.26	0.00151	1.01965	0.655
6.9	0.7165	6.29	3.64	6.77	0.306	0.00530	0.730	0.00385	1.00262	0.954
7.0	8.163	11.4	6.98	375.0	0.0814	0.0112	2•24	0.00147	1.01960	0.671
7.0	0.7578	6.30	3.65	7.04	0.312	0.00541	0•745	0.00363	1.00277	0.975
7.1	8.109	11.2	6.95	355 • 0	0.0859	0.0112	2•22	0.00143	1.01954	0.688
7.1	0.8011	6.31	3.66	7 • 30	0.319	0.00552	0•759	0.00342	1.00292	1.00
7.2	8.053	11.0	6•92	334.0	0.0909	C.0113	2.21	0.00139	1.01949	0.707
7.2	0.8465	6.32	3•66	7.55	0.327	O.00563	0.774	0.00322	1.00308	1.02
7•3	7.995	10.8	6.88	314.0	0.0963	0.0113	2.19	0.00135	1.01942	0.728
7•3	0.8941		3.67	7.78	0.336	0.00575	0.790	0.00303	1.00325	1.05
7.4	7.934	10.6	6.83	294.0	0.102	0.0113	2.17	0.00131	1.01936	0.750
7.4	0.9441	6.33	3.67	8.01	0.346	0.00587	0.805	0.00284	1.00342	1.08
7.5	7.871	10.4	6.78	275.0	0.109	0.0113	2.15	0.00127	1.01929	0.775
7.5	0.997	6.33	3.68	8.22	0.357	0.00600	0.821	0.00267	1.00360	1.11
7•6	7-805	10.2	6•73	256.0	0.116	0.0114	2.13	0.00122	1.01922	0.803
7•6	1-052	6.32	3•69	8.41	0.369	0.00614	0.837	0.00250	1.00379	1.15
7.604	7.802	10.2	6.73	255.0	0.117	0.0114	2.13	0.00122	1.01921	0.804
7.604	1.054	6.32	3.69	8.42	0.370	0.00614	0.838	0.00249	1.00380	1.15
7•7	7.736	10.0	6.67	237.0	0.124	0.0114	2.11	0.00118	1.01914	0.833
7•7	1.111	6.31	3.70	8.58	0.383	0.00628	0.854	0.00234	1.00399	1.18
7.8	7.664	9.82	6.60	218.0	0 • 134	0.0114	2.09	0.00113	1.01906	0.868
7.8	1.172	6.30	3.70	8.72	0 • 399	0.00643	0.871	0.00218	1.00420	1.23
7.9 7.9	7.588 1.238	9.61 6.28	6.53 3.71	200.0	0.144	0.0114 0.00659	2.07 0.888	0.00108 0.00203	1.01897 1.00442	0.907 1.27
8 • 0	7.509	9.39	6.45	182.0	0.156	0.0114	2.05	0.00193	1.01887	0.952
8 • 0	1.307	6.26	3.72	8.89	0.440	0.00676	0.906	0.00188	1.00466	1.33
8 • 1	7.426	9.18	6.37	165.0	0.171	0.0115	2.03	0.000988	1.01877	0.994
8 • 1	1.382	6.23	3.73	8.92	0.465	0.00694	0.924	0.00173	1.00490	1.39
8 • 2	7.337	8.95	6.28	148.0	0.187	0.0115	2.09	0.000937	1.01866	1.05
8 • 2	1.461	6.20	3.74	8.89	0.495	0.00715	0.944	0.00160	1.00517	1.46
8•3	7.244	8.73	6 • 1 9	132.0	0.207	0.0116	1.98	0.000884	1.01853	1.11
8•3	1.546	6.16	3 • 7 5	8.80	0.531	0.00738	0.964	0.00146	1.00545	1.54
8 • 4	7.144	8.49	6.09	116.0	0.231	0.0116	1.96	0.000829	1.01840	1.19
8 • 4	1.638	6.12	3.76	8.64	0.575	0.00764	0.984	0.00132	1.00575	1.63
8.5	7.036	8.25	5.98	100.0	0.261	0.0117	1.93	0.000771	1.01825	1.28
8.5	1.739	6.06	3.77	8.40	0.630	0.00795	1.01	0.00119	1.00607	1.75
8 • 6	6.920	8.00	5.87	85.4	0.300	0.0118	1.90	0.000709	1.01809	1.40
8 • 6	1.849	6.02	3.78	8.06	0.701	0.00832	1.03	0.00136	1.00642	1.88
8.7	6.793	7.75	5.75	71.2	0.351	0.0119	1.88	0.000645	1.01790	1.54
8.7	1.971	5.97	3.80	7.61	0.796	0.00877	1.05	0.000937	1.00680	2.05
8 • 8	6.652	7.48	5.62	57.6	0.421	0.0121	1.84	0.000576	1.01769	1.73
8 • 8	2.109	5.90	3.81	7.03	0.927	0.00936		0.000812	1.00723	2.27
8•9	6.494	7.21	5.48	44.8	0.524	0.0124	1.81	0.009504	1.01745	1.99
8•9	2.267	5.84	3.83	6.28	1.12	0.0102	1.11	0.000687	1.00771	2.56
9.0	6.310	6.93	5.32	32.9	0.685	0.0128	1.77	0.000428	1.01715	2.37
9.0	2.453	5.77	3.86	5.34	1.43	0.0114	1.14	0.009565	1.00827	2.97
9•1	6.091	6.64	5.15	22.0	0.975	0.0137	1.73	0.000348	1.01679	2.94
9•1	2.684	5.69	3.89	4.18	2.02	0.0137	1.18	0.000444	1.00894	3.57
9•2	5.810	6.34	4.95	12.4	1.63	0.0159	1.68	0.000265	1.01629	3.93
9•2	2.993	5.63	3.94	2.74	3.46	0.0190		0.000326	1.00982	4.54
9.3	5.385	6.02	4.69	4.27	4.28	0.0252	1.60	0.000181	1.01549	5.90
9.3	3.488	5.59	4.02	1.02	10.9	0.0457	1.30	0.000214	1.01115	6.29
* 9.363	4.349									

^{* 9.363 4.349} * 9.363 4.348

Appendix E, Isobaric Properties THERMOOYNAMIC PROPERTIES OF HELIUM 4

1 PSIA ISOBAR

TEMPERAT	URE VOLUME	ISOTHERM OERIVATIVE	ISOCHORE DERIVATIVE	INTERNAL ENERGY	ENTHALPY	ENTROPY	CV	CP	VELOCITY OF SOUND
OEG.	R CU FT/L8	CU FT-PSIA/LB	PSIA/R	8TU/L8	8TU/L8	8TU/L8-R	BTU /	L8 -R	FT/SEC
4. 2	3 4306	106.0	13.7	1.423	1.443	0 4067	6 6007	0.7444	700.0
4.0 * 4.16	3.1096 1 0.1099	105.0	16.8	1.528	1.548	0.4067	0.6983	0.7141	709.9
4120						0.4324	0.5740	0.5992	711.3
* 4.16		9.69	0.263	9.236	11.17	2.759	0.7668	1.363	282.4
5.0	12.84	12.3	0.211	9.906	12.28	3.004	0.7551	1.309	314.0
6.0	15.65	15.2	0.172	10.68	13.58	3-240	0.7492	1.281	347.1
7.0	18.41	18.0	0.146	11.44	14.85	3.436	0.7466	1.268	376.7
8.0	21.14	20.8	0.127	12.20	16.11	3.605	0.7455	1.260	404.0
9.0	23.87	23.6	0.113	12.95	17.37	3.753	0.7450	1.256	429.3
10.0	26.58	26.4	0.101	13.70	18.63	3.885	0.7447	1.252	453.1
11.0	29.29	29.1	0.0918	14.45	19.88	4.004	0.7446	1.250	475.7
12.0	32.00	31.8	0.0840	15.20	21.13	4.113	0.7446	1.249	497-2
13.0	34.70	34.5	0.0774	15.95	22.38	4.213	0.7446	1.248	517.8
14.0	37.39	37.3	0.0718	16.70	23.62	4.305	0.7446	1.247	537.5
15.0	40.09	40.0	0.0670	17.45	24.87	4.391	0.7446	1.246	556.6
16.0	42.78	42.7	0.0628	18.19	26.11	4.472	0.7446	1.245	575.C
17.0	45.48	45.4	0.0591	18.94	27.36	4.547	0.7446	1.245	592.8
18.0	48.17	48.1	0.0558	19.69	28.60	4.618	0.7446	1.245	610.1
19.0	50.86	50.8	0.0528	20.43	29.85	4.686	0.7447	1.244	626.9
				21.18					
20.0	53.55	53.5	0.6501		31.59	4.750	0.7447	1.244	643.2
22.0	58.92	58.9	0.0456	22.67	33.58	4.868	0.7447	1.244	674.7
24.0	64.30	64.2	0.0417	24.16	36.07	4.976	0.7447	1.243	704-8
26.0	69.67	69.6	0.0385	25.65	38.55	5.076	0.7447	1.243	733.7
28.D	75.04	75.0	0.0358	27.14	41.04	5.168	0.7447	1.243	761.4
30.0	80.41	80.4	0.0334	28.63	43.52	5.254	0.7447	1.242	788.2
32.0	85.78	85.8	0.0313	30.13	46.01	5.334	0.7447	1.242	814.0
34.0	91.14	91.1	0.0294	31.62	48.49	5.409	0.7447	1.242	839.1
36.0	96.51	96.5	0.0278	33.11	50.98	5.480	0.7447	1.242	863.4
38.0	101.9	102.0	0.0278	34.60	53.46	5.547			
							0 • 7447	1.242	887.1
40.0	107.2	107.0	0.0250	36.09	55.95	5.611	0.7447	1.242	910.2
45.0	120.7	121.0	0.0222	39.81	62.15	5.757	0.7447	1.242	965.4
50.0	134.1	134.0	0.0200	43 • 54	68.36	5.888	0.7447	1.242	1018.0
55.0	147.5	147.0	0.0182	47.26	74.57	6.006	0.7447	1.242	1067.0
60.0	160.9	161.0	0.0167	53.99	80.78	6.114	0.7447	1.242	1115.0
70.0	187.7	188.0	0.0143	58.43	93.19	6.306	0.7447	1-241	1204.0
80.0	214.5	215.0	0.0125	65.88	105.6	6.471	0.7447	1.241	1287.0
96.0	241.3	241.0	0.0111	73.33	118.0	6.618	0.7447	1.241	1365.0
100.0	268.2	268.0	0.0100	80.78	130.4	6.748	0.7447	1.241	1439.0
120.0			0.00833	95.67			0.7447	1.241	1576.0
140.0	321.8	322.0			155.3	6.975			
140.0	375.4	375.0	0.00714	110.6	180-1	7-166	0.7447	1.241	1703.0
160.0	429.0	429.0	0.00625	125.5	204.9	7.332	0.7447	1.241	1820.0
180.0	482.6	483.û	0.00556	140.4	229.7	7.478	0.7447	1.241	1930.0
200.0	536.3	536.0	0.60500	155.3	254.6	7.609	0.7447	1.241	2035.0
250.0	674.3	670.0	0.00400	192.5	316.6	7.886	0.7447	1.241	2275.0
300.0	804.4	804.0	0.00333	229.7	378.7	8.112	0.7447	1.241	2492.0
350.0	938.4	938.0	0.00286	267.0	440.7	8.303	0.7447	1.241	2692.0
466.0	1072.0	1070.0	0.00250	304.2	502.8	8.469	0.7447	1.241	2878.0
450.0	1207.0	1210.0	0.60222	341.4	564.8	8.615	0.7447	1.241	3052.0
500.0		1340.0	0.00222					1.241	3217.0
	1341.0			378.7	626.9	8.746	0.7447		
600.0	1609.0	1610.0	0.00167	453-1	751.0	8.972	0.7447	1.241	3524.0
700.0	1877.0	1880.0	0.00143	527.6	875.1	9.164	0.7447	1.241	3807.0
800.0	2145.0	2140.0	0.0ú125	602.1	999.0	9.329	0.7447	1.241	4069.0
900.0	2413.0	2410.0	0 - 5 u 111	676.5	1123.0	9.476	0.7447	1.241	4316.0
1000.0	2681.0	2680.0	3.00100	751.ŭ	1247.0	9.606	0.7447	1.241	4550.0
1200.0	3217.0	3220.0	0.500833	900.0	1496.0	9.833	0.7447	1.241	4984.0
1400.0	3754.D	3750.0	0.000714	1049.0	1744.0	10.02	0.7447	1.241	5383·0
1600.0	4290.0	4290.0	0.030625	1198.û	1992.0	10.19	0.7447	1.241	5755.0
1800.0	4826.D	4830.0	0.000556	1347.0	2240.0	10.34	0.7447	1.241	6104.0
2000.0	5362.0	5360.0	0.000500	1496.0	2489.0	10.47	0.7447	1.241	6434.0
2500-0	6703.0	6700.0	0.000900	1868.0	3109.0	10.74	0.7447	1.241	7194.0
3000.0	8043.0	8040.0	0.000333	2240.0	3730.0	10.97	0.7447	1.241	7880.0

^{*} TWO-PHASE BOUNDARY

1 PSIA ISOBAR

T E	HPERATURE	DENSITY	V (DH/DV)	V (DP/OU) - V	(OP/OV)_	(DV/DT)/V	THERMAL	VISCOSITY	THERMAL	OIELECTRIC	PRANOTL
						P C	ONOUCTIVITY		DIFFUSIVITY	CONSTANT	NUMBER
	DEG. R	LB/CU FT	BTU/LB	PSIA-CU FT/BTU	PSIA	1/0EG. R	BTU/FT-HR-R		SQ FT/HR		
								X 10E+6			
	4.0	9.121	50.4	2.16	970.0	0.0142	0.00866	2.44	0.00133	1.02039	0.724
*	4.161	9.097	33.9	3.23	952.0	0.0177	0.00900	2.47	0.00165	1.02038	0.592
*	4.161	0.09592	4.82	3.57	0.929	0.283	0.00283	0.390	0.0214	1.00036	0.684
	5 • 0	0-07786	5.93	3.59	0.956	0.221	0.00340	0.481	0.0333	1.00029	0.667
	6.0	0.06392	7.22	3.60	0.972 0.980	0.177	0.00409	0.581	0.0499	1.00024	0.656 0.650
	7 • 0 8 • 0	0.05433	8 • 49 9 • 76	3.61 3.61	0.986	0.149	0.00534	0.674	0.0688 0.0896	1.00018	0.647
	9.0	0.04190	11.0	3.61	0.989	0.114	0.00591	0.846	0.112	1.00016	0.647
	10.0	0.03762	12.3	3.61	0.991	0.102	0.00644	0.925	0.137	1.00014	0.648
	11.0	0.03414	13.5	3.61	0.993	0 • 0 92 4	0.00694	1.00	0.163	1.00013	0.650
	40.0	0 07405	44.0	7.64	0 001	0.0845	2 26712	4 00	0.190	4 03343	0.652
	12.0	0.03125	14.8 16.0	3.61 3.61	0.994 1.00	0.0778	0.00742	1.08	0.219	1.00012 1.00011	0.654
	14.0	0.02674	17.3	3.61	1.00	0.0721	0.00830	1.21	0.249	1.00010	0.657
	15.0	0.02494	18.5	3.61	1.00	0.0672	0.00872	1.28	0.280	1.00009	0.659
	16.0	0.02337	19.8	3.61	1.00	0.0629	0.00911	1.35	0.313	1.00009	0.662
	17.0	0.02199	21.0	3.61	1.00	0.0592	0.00950	1.41	0.347	1-00008	0.665
	18.0	0.02076	22.3 23.5	3.61	1.00	0.0559 0.0529	0.00987 0.0102	1.47	0.382 0.418	1.00008	0.667 0.669
	20.0	0.01966	24.8	3.61 3.61	1.00	0.0502	0.0102	1.59	0.456	1.00007	0.672
	22.0	0.01697	27 • 3	3.60	1.00	0.0456	0.0113	1.70	0.533	1.00006	0.676
	24.0	0.01555	29.8	3.60	1.00	0.0418	0.0119	1.81	0.615	1.00006	0.680
	26.0	0.01435	32.2	3.60	1.00	0.0385	0.0125	1.91	0.702 0.792	1.00005	0.683 0.686
	28.0 30.0	0.01333	34.7 37.2	3.60 3.60	1.00	0.0358 0.0334	0.0131 0.0137	2.01 2.11	0.885	1.00005 1.00005	0.689
	32.0	0.01166	39.7	3.60	1.00	0.0313	0.0142	2.20	0.983	1.00004	0.692
	34.0	0.01097	42.2	3.60	1.00	0.0294	0.0148	2.29	1.08	1-00004	0.694
	36-0	0.01036	44.7	3.60	1.00	0.0278	0.0153	2.38	1.19	1.00004	0.696
	38.0	0.009816	47.2	3.60	1.00	0.0263	0.0158	2.47	1.30	1.00004	0.698
	40.0	0.009325	49.6	3.60	1.00	0.0250	0.0163	2.55	1.41	1.00004	0.699
	45.0	0.008288	55.9	3.60	1.00	0.0222	0.0175	2.76	1.70	1.00003	0.703
	50.0	0.007459	62.1	3.60	1.00	0.0200	0.0187	2.95	2.02	1.00003	0.705
	55.0	0.006781	68.3	3.60	1.00	0.0182	0.0198	3.13	2.35	1.00003	0.706
	60-0	0.006215	74.5	3.60	1.00	0.0167	0.0209	3.31	2.71	1.00002	0.707
	70.0 80.0	0.005327	86.9 99.3	3.60 3.60	1.00	0.0143 0.0125	0.0230 0.0250	3.65 3.96	3.48 4.32	1.00002 1.00002	0.708
	90.0	0.004144	112.0	3.60	1.00	0.0111	0.0269	4.26	5.24	1.00002	0.707
	100.0	0.003729	124.0	3.60	1.00	0.0100	0.0288	4.55	6.23	1.00001	0.705
	120.0	0.003108	149.0	3.60	1.00	0.00833	0.0324	5.09	8.41	1.00001	0.702
	140.0	0.002664	174.0	3.60	1.00	0.00714	0.0359	5.61	10.9	1-00001	0.698
	160.0	0.002331	199.0	3.60	1.00	0.00625	0.0392	6.09	13.6	1.00001	0.694
	180.0	0.002072	223.0	3.60	1.00	0.00556	0.0425	6.56	16.5	1.00001	0.691
	200.0	0.001865	248.0	3.60	1.00	0.00500	0.0456	6.89	19.7	1.00001	0.675
	250-0	0.001492	310.0	3.60	1.00	0.00400	0.0531	7.98	28.7	1.00001	0.671
	300.0	0.001243	372.0	3.60	1.00	0.00333	0.0602	9.00	39.0	1.00000	0.669
	350.0 400.0	0.001066	434.0 496.0	3.60 3.60	1.00	0.00286 0.00250	0.0669	10.0	50.6 63.3	1.00000	0.667 0.666
	450.0	0.0008288	559.0	3.60	1.00	0.00222	0.0793	11.8	77.1	1.00000	0.667
	500.0	0.0007459	621.0	3.60	1.00	0.00200	0.0850	12.7	91.8	1.00000	0.668
	600.0	0.0006216	745.0	3.60	1.00	0.00167	0.0962	14.4	125.0	1.00000	0.669
	700.0	0.0005328	869.0	3.60	1.00	0.00143	0 167	16.0	162.0	1.00000	0.668
	800.0	0.0004662	993.0	3.60	1.00	0.00143	0.107 0.117	17.6	203.0	1.00000	0.668
	900.0	0.0004144	1120.0	3.60	1.00	0.00111	0.128	19.1	248.0	1.00000	0.668
	0.000	0.0003730	1240.0	3.60	1.00	0.00100	0.137	20.5	297.0	1.00000	0.667
	206.0	0.0003108	1490.0	3.60	1.00	0.000833	0.156	23.3	405.0	1.00000	0.667
	400.0	0.0002664	1740.0	3.60	1.00	0.000714	0.174	26.0	526 - 0	1.03000	0.667
	800.0	0.0002331	2230.0	3.60 3.60	1.00	0.000625 0.000556	0.191	28.5 31.0	661.0 809.0	1.00000	0.666
	000.0	0.0001865	2480.0	3.60	1.00	0.000500	0.224	33.4	968.0	1.00000	0.666
	500-0	0.0001492	3100-0	3.60	1.00	0-000400	0.263	39.2	1420.0	1.00000	0.666
			7700							4 2220	
3	8000.0	0.0001243	3/20.0	3.60	1.00	0.000333	0.299	44.6	1940.0	1.00000	0.666

^{*} TWO-PHASE BOUNDARY

2 PSIA ISOBAR

TEMPERAT	TURE VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
DEG.	R CU FT/L8	DERIVATIVE CU FT-PSIA/LB	DERIVATIVE PSIA/R	ENERGY BTU/LB	BTU/L8	8TU/L8-R	BTU /	L8 -R	OF SOUND FT/SEC
4.0	0.1095	107.0	13.7	1.421	1.462	0.4063	0.6951	0.7107	713.0
* 4.78		95.0	24.3	1.854	1.895	0.5058	0.4392	0.5074	712.9
+ 4.78	9 5.786	10.3	0.477	9.580	11.72	2.567	0.7737	1.431	297.0
5.0	6.110	11.0	0.450	9.759	12.02	2.629	0.7686	1.403	305.5
6.0	7.589	14.3	0.358	10.57	13.38	2.877	0.7547	1.330	341.4
7.0	9.016	17.3	0.300	11.36	14.70	3.079	0.7490	1.298	372.7
8.0	10.42	20.2	0.259	12.13	15.98	3.251	0.7465	1.281	400.9
9.0	11.80	23.1	0.229	12.89	17.26	3.402	0.7453	1.271	426.9
10.0	13.18	25.9	0.205	13.65	18.53	3.535	0.7448	1.264	451.3
11.0	14.54	28.7	0.185	14.40	19.79	3.656	0.7446	1.260	474.2
12.0	15.91	31.5	0.169	15.16	21.05	3.765	0.7445	1.257	496.0
13.0	17.27	34.2	0.156	15.91	22.30	3.866	0.7444	1.254	516.8
14.0	18.63	37.0	0.145	16.66	23.56	3.958	0.7445	1.252	536.8
15.0	19.98	39.7	0.135	17.41	24.81	4.045	0.7445	1.251	556.0
16.0	21.33	42.4	0.126	18 - 16	26.06	4.125	0.7445	1.250	574.5
17.0	22.69	45.2	0.119	18.91	27.31	4.201	0.7446	1.249	592.4
18.0	24.04	47.9	0.112	19.65	28.56	4.273	0.7446	1.248	609.8
19.0	25.39	50.6	0.106	20.40	29.80	4.340	0-7446	1.247	626.6
20.0	26.73	53.3	0.101	21.15	31.05	4.404	0.7446	1.247	643.1
22.0	29.43	58.7	0.0913	22.64	33.54	4.523	0.7447	1.246	674.7
24.0	32.12	64.1	0.0837	24.14	36.03	4.631	0.7447	1.245	704-8
26.0	34.81	69.5	0.0772	25.63	38.52	4.731	0.7447	1.245	733.7
28.0	37.50	74.9	0.0716	27.12	41.01	4.823	0.7448	1.244	761.5
30.0	40.19	80.3	0.0668	28.62	43.50	4.909	0.7448	1.244	788.3
32.0	42.88	85.7	0.0626	30.11	45.99	4.989	0.7448	1.243	814.2
34.0	45.56	91.1	0.0589	31.60	48.47	5.064	0.7448	1.243	839.3
36.0	48.25	96.5	0.0557	33.09	50.96	5.135	0.7448	1.243	863.7
38.0	50.94	102.0	0.0527	34.58	53.45	5.203	0.7448	1.243	887.3
40.0	53.62	107.0	0.0501	36.07	55.93	5.266	0.7448	1.243	910.4
45.0	60.33	121.0	0.0445	39.80	62.14	5.413	0.7448	1.242	965.6
50.0	67.04	134.0	0.0400	43.53	68.35	5.544	0-7448	1.242	1018.0
55.0	73.75	148.0	0.0364	47.25	74.56	5.662	0.7448	1.242	1068.0
60.0	80.46	161.0	0.0334	50.98	80.77	5.770	0.7448	1.242	1115.0
70.0	93.87	188.0	0.0286	58.43	93.19	5.961	0.7448	1.242	1204.0
80.0	107.3	215.0	0.0250	65.88	105.6	6.127	0.7448	1.242	1287.0
90.0	120.7	241.0	0.0222	73.33	118.0	6.274	0.7448	1.241	1365.0
100.0	134.1	268.0	0.0200	80.77	130.4	6.404	0.7447	1.241	1439.0
120.0	160.9	322.0	0.0167	95.67	155.3	- 6.631	0.7447	1.241	1577.0
146.0	187-7	376.0	0.0143	110.6	180-1	6.822	0.7447	1.241	1703.0
160.0	214.5	429.0	0.0125	125.5	204.9	6.988	0.7447	1.241	1820.0
180.0	241.3	483.0	0.0111	140.4	229.7	7.134	0.7447	1.241	1931.0
200.0	268.2	536.0	0.0100	155.3	254.6	7.265	0.7447	1.241	2035.0
250.0	335.2	670.0	0.00800	192.5	316.6	7.542	0.7447	1.241	2275.0
300.0	402.2	805.0	0.00667	229.7	378.7	7.768	0.7447	1.241	2492.0
350.0	469.2	939.0	0.00571	267.0	440-7	7.959	0-7447	1.241	2692.0
400.0	536.3	1070.0	0.00500	304.2	502.8	8.125	0.7447	1.241	2878.0
450.0	603.3	1210.0	0.00444	341.4	564.9	8.271	0.7447	1.241	3052.0
500.0	670.3	1340.0	0.00400	378.7	626.9	8.402	0.7447	1-241	3217.0
600.0	804-4	1610.0	0.00333	453.1	751.0	8.628	0.7447	1.241	3524.0
700.0	938.4	1880.0	0.00286	527.6	875.2	8.820	0.7447	1.241	3807.0
800.0	1072.0	2150.0	0.00250	602.1	999.0	8.985	0.7447	1.241	4070.0
900-0	1207.0	2410.0	0.00222	676.5	1123.0	9.132	0.7447	1.241	4316.0
1000.0	1341.0	2680.0	0.00200	751.0	1248.0	9.262	0.7447	1.241	4550.0
1200.0	1609.0	3220.0	0.00167	900.0	1496.0	9.489	0.7447	1.241	4984.0
1400.0	1877.0	3750.0	0.00143	1049.0	1744-0	9.680	0-7447	1.241	5383.0
1600.0	2145.0	4290.0	0.00125	1198.0	1992.0	9.846	0.7447	1.241	5755.0
1800.0	2413.0	4830.0	0.00111	1347.0	2240.0	9.99	0.7447	1.241	6104.0
2000.0	2681.0	5360.0	0.00100	1496.0	2489.0	10.12	0.7447	1.241	6434.0
2500-0	3351.0	6700.0	0.000800	1868.0	3109.0	10.40	0.7447	1.241	7194.0
3000.0	4022.0	8040.0	0.000667	2240.0	3730.0	10.63	0.7447	1.241	7880.0

^{*} TWO-PHASE BOUNDARY

2 PSIA ISDBAR

TE	MPERATURE	DENSITY	V(DH/DV) _p	V (DP/DU) -1	V (DP/DV)_	(T0\VO)	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
				·	_		001100011111		DIFFUSIVITY	CONSTANT	NUMBER
	DEG. R	L8/CU FT	8TU/L8	PSIA-CU FT/BTU	PSIA	1/DEG. R	BTU/FT-HR-R		SQ FT/HR		
								X 10E+6			
		0 474	50.7	2.17	980.0	0.0140	0.00868	2.45	0.60134	1.02040	0.723
	4.0	9.131			852.0	0.0285	0.00982	2.51	0.00134	1.02029	0.467
T	4.789 4.789	8.975 0.1728	17.8 5.33	6.15 3.57	1.78	0.268	0.00334	0.463	0.0135	1.00065	0.713
_	5.0	0.1637	5.63	3.58	1.81	0.249	0.00348	0.485	0.0152	1.00061	0.704
		0.1318	6.98	3.60	1.88	0.191	0.00346	0.587	0.0236	1.00049	0.679
	6 • û 7 • 0	0.1109	8.30	3.61	1.92	0.156	0.00414	0.680	0.0332	1.00049	0.666
	8.0	0.09601	9.59	3.62	1.94	0.134	0.00537	0.768	0.0437	1.00036	0.659
	9.0	0.08474	10.9	3.62	1.96	0.117	0.00593	0.851	0.0551	1.00032	0.656
	10.0	0.07589	12.1	3.62	1.97	0.104	0.00646	0.931	0.0673	1.00029	0.656
	11.0	0.06875	13.4	3.62	1.97	0.0939	0.00696	1.01	0.0804	1.00026	0.656
	11.0	0.00013	10.4	0.02	2.77	****	0,000,0			2.0000	0.000
	12.0	0.06286	14.7	3.62	1.98	0.0856	0.00743	1.08	0.0941	1.00024	0.657
	13.0	0.05791	15.9	3.62	1.98	0.0787	0.00789	1.15	0.109	1.00022	0.659
	14.0	0.05369	17.2	3.62	1.98	0.0728	0.00832	1.22	0.124	1.00020	0.661
	15.0	0.05005	18.5	3.61	1.99	0.0678	0.00873	1.29	0.139	1.00019	0.663
	16.0	0.04687	19.7	3.61	1.99	0.0634	0.00913	1.35	0.156	1.00018	0.665
	17.0	0.04408	21.0	3.61	1.99	0.0596	0.00952	1.41	0.173	1.00017	0.667
	18.0	0.04160	22.2	3.61	1.99	0.0562	0.00989	1.47	0.190	1.00016	0.669
	19.0	0.03939	23.5	3.61	1.99	0.0531	0.0102	1.53	0.209	1.00015	0.672
	20.0	0.03740	24.7	3.61	1.99	0.0504	0.0106	1.59	0.227	1.00014	0.674
	22.0	0.03398	27.2	3.61	2.00	0-0458	0.0113	1.70	0.266	1.00013	0.678
	24.0	0.03113	29.7	3.61	2.00	0.0419	0.0119	1.81	0.307	1.00012	0.681
	26.0	0.02872	32.2	3.61	2.00	0.0386	0.0125	1.91	0.350	1.00011	0.684
	28.0	0.02666	34.7	3.61	2.00	0.0358	0-0131	2.01	0.395	1.00010	0.687
	30.0	0.02488	37.2	3.61	2.00	0.0334	0.0137	2.11	0.442	1.00009	0.690
	32.0	0.02332	39.7	3.61	2.00	0.0313	0.0142	2.20	0.491	1.00009	0.692
	34.0	0.02195	42.2	3.61	2.00	0.0295	0.0148	2-29	0.542	1.00008	0.695
	36.0	0.02072	44-7	3.61	2.00	0.0278	0.0153	2.38	0.594	1.00008	0.697
	38.0	0.01963	47.1	3.61	2.00	0.0264	0.0158	2.47	0.649	1.00007	0.698
	40.0	0.01865	49.6	3.60	2.00	0.0250	0.0163	2.55	0.705	1.00007	0.700
	45.0	0.01657	55.9	3.60	2.00	0.0222	0.0175	2.76	0.852	1.00006	0.703
	50.0	0.01492	62.1	3.60	2.00	0.0200	0.0187	2.95	1.01	1.00006	0.705
	55.0	0.01356	68.3	3.6û	2.30	0.0182	0.0198	3.13	1.18	1.00005	0.707
	60.0	0-01243	74-5	3.60	2-00	0.0167	0.0209	3.31	1.36	1.00005	0.707
	70.0	0.01065	86.9	3.60	2.00	0.0143	0.0230	3.65	1.74	1.00004	0.708
	80.0	0.009322	99.3	3.60	2.00	0.0125	0.0250	3.96	2.16	1.00004	0.708
	90.0	0.008286	112.0	3.60	2.00	0.0111	0.0270	4.26	2.62	1.00003	0.707
	100.0	0.007457	124.0	3.60	2.00	0.0100	0.0288	4.55	3.11	1.00003	0.705
	120.0	0.006215	149.0	3.60	2.00	0.00833	0.0324	5.09	4.21	1.00002	0.702
	140.0	0.005327	174.0	3.60	2.00	0.00714	0.0359	5.61	5.43	1.00002	0.698
	160.0	0.004661	199.0	3.60	2.00	0.00625	0.0392	6.09	6.78	1.00002	0.694
	180.0	0.004143	223.0	3.60	2.00	0.00555	0.0425	6.56	8.26	1.00002	0.691
	200.0	0.003729	248.0	3.60	2.00	0.00500	0.0456	6.89	9.85	1-00001	0.675
	250.0 300.0	0.002983	310.0	3.60	2.00	0.00400	0.0531	7.98	14.3	1.00001	0.671
	350.0	0.002486	372.0	3.60	2.00	0.00333	0.0602	9.00	19.5 25.3	1.00001	0.669 0.667
	400.0	0.002131	434.0 497.0	3.60 3.60	2.00	0.00286	0.0669 0.0732	10.0	31.6	1.00001	0.666
	450.0	0.001658	559.0	3.60		0.00250 0.00222	0.0732	10.9	38.5	1.00001	0.667
	500.0	0.001492	621.0		2.00	0.00222	0.0793		45.9	1.00001	0.668
	600.0	0.001243	745.0	3.60 3.60	2.00 2.00	0.00200	0.0962	12.7 14.4	62.3	1.00001	0.669
	000.0	0.001273	745.0	3.00	2.00	0.00101	0.0302	14.4	05.0	1.0000	0.009
	766.0	0.001066	869.0	3.60	2.00	0.00143	0.107	16.0	80.9	1.00000	0.668
	860.0	0.0009324	993.0	3.60	2.00	0.00125	0.117	17.6	102.0	1.00000	0.668
	900.0	0.0008288	1120.0	3.60	2.00	0.00111	0.128	19.1	124.0	1.00000	0.668
	1000-0	0.0007459	1240.0	3.60	2.00	0.00100	0.137	20.5	148.0	1.00000	0.667
	1200.0	0.0006216	1490.0	3.60	2.00	0.000833	0.156	23.3	202.0	1.00000	0.667
	L40C.0	0.0005328	1740.0	3.60	2.00	0.000714	0.174	26.0	263.0	1-00000	0.667
	1600-0	0.0004662	1990.0	3.60	2.00	0.000625	0.191	28.5	331.0	1.00000	0.666
	1860.0	0.0004144	2230.0	3.60	2.00	0.000556	0.208	31.0	404.0	1.00000	0.666
	2066.0	0.0003730	2480.0	3.60	2.00	0.000500	0.224	33.4	484.0	1.00000	0.666
	2500.0	0.0002984	3100.0	3-60	2.00	0.000400	0.263	39.2	709.0	1.00000	0.666
,	3006.0	0.0002487	3720.0	3.60	2.00	0.000333	0.299	44 • 6	970.0	1.00000	0.666

^{*} TWD-PHASE BOUNDARY

4 PSIA ISOBAR

Temperature										
### Color Free Color Free Color Free Color Color	TEMPERATU	JRE VOLUME				ENTHALPY	ENTROPY	CV	CP	
\$\begin{array}{c c c c c c c c c c c c c c c c c c c										
5 - 0	OEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU /	LB -R	FT/SEC
5 - 0	4. 0	0.4007	100.0	17 7	1 (18	1 400	n 4.054	0 6000	0.7041	710 1
** 5.570 0.1142 76.6 26.4 2.275 2.360 0.5673 0.4660 0.6056 686.5 5.570 0.1142 76.6 0.480 0										
*** 5.570** 3.182** 11.5** 0.880 9.943 12.30 2.377 0.7813 1.549 311.1 6.10 3.1536 12.2** 0.784 11.37 12.95 2.489 0.7693 1.1.49 328.6 7.										
6.0 3,5366 12.2 0.764 10.33 12.95 2.489 0.7695 1.469 328.6 7.0 1.319 15.7 0.636 11.17 14.36 2.707 0.7593 1.374 364.0 8.0 5.166 16.9 0.500 11.17 14.36 2.707 0.7593 1.374 364.0 8.0 5.166 16.9 0.500 11.17 14.36 2.707 0.7593 1.374 364.0 10.0 6.671 12.0 0.650 11.17 14.36 2.707 0.7893 1.333 334.5 11.0 0.0 6.671 12.0 0.419 11.53 11.53 3.179 0.7651 1.330 334.5 11.0 0.0 6.671 12.0 0.419 11.53 16.32 3.179 0.7651 1.200 471.2 11.0 0.7651 1.200 471.2 11.0 0.471 1.200 471.2 11.0 0.500 1.20										
7.0 4.319 15.7 0.636 11.17 14.36 2.707 0.7553 1.374 364.0 8.0 5.046 11.97 0.506 11.97 15.71 2.888 0.7592 1.330 394.5 9.0 5.764 22.0 0.418 12.75 17.62 3.0.03 0.7461 1.330 394.5 11.0 7.170 22.0 0.418 12.75 17.62 3.0.03 0.7461 1.330 394.5 11.0 7.170 27.9 0.376 14.30 12.75 17.62 3.0.03 0.7461 1.330 394.5 11.0 7.170 27.9 0.376 14.30 12.75 17.62 3.0.03 0.7466 1.280 477.2 11.0 0.306 11.0 0										
8.0 5,046 18.9 0.550 11.97 12.76 2.888 0.7492 1.330 394.5 9.0 5.764 22.0 0.471 12.76 17.03 3.04.3 0.746.6 1.305 422.1 10.0 6.771 25.0 0.471 12.76 17.03 3.04.3 0.746.6 1.305 422.1 10.0 6.771 25.0 0.471 12.76 1.4.50 19.61 1.20 0.761										
9.0 5.764 22.0 0.471 12.76 17.03 3.043 0.7464 1.305 422.1 11.0 6.471 27.9 0.378 14.30 19.61 3.302 0.7464 1.205 477.1 11.0 7.170 27.9 0.378 14.30 19.61 3.302 0.7466 1.280 477.2 11.0 7.1804 30.7 0.344 15.06 20.89 3.613 3.302 0.7466 1.280 477.2 11.0 8.554 33.6 0.316 15.62 22.16 3.515 0.7442 1.266 514.9 11.0 8.554 33.6 0.316 15.62 22.16 3.515 0.7442 1.266 514.9 11.0 3.227 36.4 0.292 16.58 23.42 3.608 0.7442 1.265 514.9 11.0 3.227 36.4 0.292 16.58 23.42 3.608 0.7442 1.265 514.9 11.0 11.29 44.6 0.293 18.64 27.20 3.655 3.777 0.7443 1.265 5514.9 11.0 11.29 44.6 0.239 18.64 27.20 3.655 3.777 0.7443 1.265 573.5 11.0 11.29 44.6 0.239 18.64 27.20 3.655 0.774 0.7443 1.257 591.6 11.0 11.97 47.5 0.225 19.59 26.46 3.925 0.7445 1.255 609.1 11.0 11.91 47.5 0.225 19.59 26.46 3.925 0.7445 1.255 609.1 12.0 11.88 59.5 0.3 0.213 20.34 22.71 3.993 0.7445 1.255 609.1 22.0 11.88 59.5 0.124 22.29 3.30.77 4.176 0.7447 1.251 667.5 22.0 11.89 59.5 0.124 22.29 3.30.77 4.176 0.7447 1.251 667.5 22.0 11.80 63.9 0.168 22.99 33.47 4.176 0.7447 1.251 667.5 22.0 17.39 69.4 0.155 25.59 38.46 4.385 0.7449 1.254 733.8 3.0 17.39 69.4 0.155 25.59 38.46 4.385 0.7449 1.246 733.8 3.0 17.39 69.4 0.155 25.59 8.445 4.385 0.7449 1.246 733.8 3.0 17.39 69.4 0.155 25.59 8.445 4.385 0.7449 1.245 733.8 3.0 17.39 69.4 0.155 25.59 8.445 4.385 0.7449 1.245 733.8 3.0 17.39 69.4 0.155 25.59 8.445 4.385 0.7449 1.246 733.8 3.0 17.39 69.4 0.155 25.59 8.445 4.385 0.7449 1.245 733.8 3.0 17.39 69.4 0.155 25.59 8.445 4.385 0.7449 1.245 733.8 3.0 17.39 69.4 0.155 25.59 8.445 4.385 0.7449 1.245 733.8 3.0 17.39 69.4 0.155 6.745 0.7449 1.245 733.8 3.0 17.39 69.4 0.155 6.745 0.7449 1.245 733.8 3.0 17.39 60.2 0.134 28.58 4.455 0.7449 1.245 733.8 3.0 17.39 60.2 0.134 28.58 4.455 0.7449 1.245 733.8 3.0 17.39 60.2 0.134 28.58 4.455 0.7449 1.245 733.8 3.0 17.40 0.100 3.505 5.50 5.90 0.7449 1.245 93.90 0.7449 1.245 93.90 0.7449 1.245 93.90 0.7449 1.245 93.90 0.7449 1.245 93.90 0.7449 1.245 93.90 0.7449 1.245 93.90 0.7449 1.245 93.90 0.7449 1.245 93.90 0.7449 1.245 93.90 0.7449 1.245 93.9										
11.0 6.471 25.0 0.449 13.53 16.32 3.179 0.7851 1.290 477.5 11.1 7.7170 27.9 0.376 14.30 19.61 3.302 0.7466 1.280 477.5 11.2 7.864 30.7 0.346 15.82 22.16 3.515 0.7462 1.283 493.6 13.0 8.554 33.6 0.346 15.82 22.16 3.515 0.7462 1.266 5315.2 15.0 9.622 36.4 0.292 16.58 23.42 3.608 0.7462 1.266 5315.2 15.0 9.422 36.4 0.292 16.58 23.42 3.608 0.7462 1.266 5315.2 15.0 9.927 39.2 0.272 17.33 24.69 3.698 0.7462 1.266 5315.2 15.0 10.51 40.20 0.254 18.09 25.95 3.777 0.7463 1.255 594.7 16.0 11.51 42.0 0.254 18.09 25.95 3.777 0.7463 1.255 9773.5 16.0 11.97 47.5 0.225 19.59 22.66 1.225 0.7745 0.7463 1.255 699.1 19.0 12.65 50.3 0.213 20.34 29.71 3.993 0.7465 1.256 699.1 19.0 12.65 50.3 0.213 20.34 29.71 3.993 0.7465 1.256 699.1 19.0 12.65 50.3 0.213 20.34 29.71 3.993 0.7465 1.256 626.7 22.0 14.68 58.5 0.184 22.59 33.47 4.176 0.7447 1.251 674.5 22.0 14.68 58.5 0.184 22.59 33.47 4.176 0.7447 1.251 674.5 22.0 17.39 69.4 0.155 25.59 3.66 4.385 0.7464 1.288 733.8 22.0 17.39 69.4 0.155 25.59 3.66 4.385 0.7464 1.248 7761.7 32.0 21.03 80.2 0.114 27.08 40.986 4.677 0.7460 1.248 733.8 22.0 16.73 74.8 0.144 27.08 40.986 4.677 0.7460 1.248 733.8 22.0 16.73 74.8 0.144 27.08 40.986 4.677 0.7460 1.248 733.8 22.0 16.73 74.8 0.144 27.08 40.986 4.677 0.7460 1.248 733.8 22.0 12.73 3.00 0.18 80.2 0.114 27.08 40.986 4.677 0.7460 1.248 733.8 22.0 12.73 3.00 0.10 0.10 35.05 55.90 4.052 0.7449 1.248 733.8 24.12 96.4 0.114 33.66 50.3 4.791 0.7449 1.248 733.8 25.0 14.72 96.4 0.114 33.66 50.3 4.791 0.7449 1.248 733.8 25.0 14.72 96.4 0.114 33.66 50.3 4.791 0.7449 1.245 884.1 36.0 25.47 102.0 0.106 34.55 55.90 4.022 0.7449 1.245 884.1 36.0 25.47 102.0 0.106 34.55 55.90 4.022 0.7449 1.245 884.1 36.0 25.47 102.0 0.106 34.55 55.90 4.022 0.7449 1.245 884.1 36.0 25.47 102.0 0.106 34.55 55.90 4.022 0.7449 1.245 884.1 36.0 25.47 102.0 0.106 34.55 55.90 4.022 0.7449 1.245 884.1 36.0 25.47 102.0 0.106 34.55 55.90 4.022 0.7449 1.245 884.1 36.0 0.406 4.606 4.607 0.706 4.706 4.706 4.706 4.706 4.706 4.706 4.706 4.706 4.706 4.706 4.706 4.706 4.706 4.706 4.706 4.706 4.7				0.540						
11.0 7,170 27.9 0.376 14.30 19.61 3.302 0.7446 1.220 471.2 12.0 7.864 30.7 0.346 15.82 22.16 3.515 0.7442 1.273 493.6 13.0 8.664 30.7 0.346 15.82 22.16 3.515 0.7442 1.273 493.6 13.0 9.272 30.4 0.316 15.82 22.16 3.515 0.7442 1.263 493.6 15.0 9.927 30.2 0.272 17.33 24.69 3.696 0.7443 1.264 155.2 16.0 10.61 42.0 0.234 18.09 25.95 3.777 0.7443 1.264 155.2 16.0 11.61 42.0 0.239 18.84 27.20 3.653 0.7444 1.257 591.6 16.0 11.97 47.5 0.225 19.59 28.46 3.923 0.7444 1.257 591.6 16.0 11.97 47.5 0.225 19.59 18.84 27.20 3.653 0.7444 1.257 591.6 16.0 11.97 47.5 0.225 19.59 18.84 27.20 3.653 0.7444 1.257 591.6 18.0 11.97 47.5 0.225 19.59 3.777 4.157 0.7443 1.264 1.255 691.1 22.0 11.373 93.0 0.212 21.09 30.97 4.057 0.7444 1.252 662.7 22.0 14.68 58.5 0.184 22.59 33.47 4.157 0.7444 1.252 662.7 24.0 16.04 63.9 0.168 24.09 35.97 4.285 0.7447 1.249 704.8 25.0 17.33 65.4 0.0144 22.59 33.47 4.176 0.7447 1.251 674.5 24.0 16.04 63.9 0.168 24.09 35.97 4.285 0.7447 1.249 704.8 25.0 17.33 65.4 0.0144 22.59 33.47 4.764 1.744 1.249 704.8 25.0 21.43 65.6 0.126 30.07 45.95 4.64 4.764 0.7449 1.246 814.5 32.0 21.43 65.6 0.126 30.07 45.95 4.64 4.719 0.7449 1.246 814.5 32.0 21.43 65.6 0.126 30.07 45.95 4.64 4.719 0.7449 1.246 814.5 32.0 21.45 65.6 0.126 30.07 45.95 4.64 4.719 0.7449 1.246 814.5 32.0 21.45 65.6 0.126 30.07 45.95 4.64 4.719 0.7449 1.246 814.5 32.0 21.45 65.6 0.126 30.07 45.95 4.64 4.719 0.7449 1.245 839.7 36.0 22.12 96.4 0.111 33.55 59.93 4.491 0.7449 1.245 839.7 36.0 22.12 96.4 0.111 33.55 59.93 4.791 0.7449 1.245 839.7 36.0 22.12 96.4 0.111 33.05 59.93 4.791 0.7449 1.245 839.7 36.0 22.12 96.4 0.111 33.05 59.93 4.791 0.7449 1.241 91.00 0.7449 1.245 839.7 36.0 22.12 96.4 0.0110 36.05 59.93 4.491 0.7449 1.245 839.7 36.0 2.12 96.4 0.0110 36.05 59.93 4.791 0.7449 1.245 839.7 36.0 2.12 96.4 0.0100 0.0000 0.0000 0.0000 0.7449 1.244 91.00 0.7449 1.245 839.7 36.0 2.12 96.4 0.0000 0.0000 0.0000 0.7449 1.244 91.00 0.7449 1.244 91.00 0.7449 1.245 91.00 0.7449 1.245 91.00 0.7449 1.245 91.00 0.7449 1.241 91.00 0.74										
12.0 7.864 30.7 0.344 15.06 20.89 3.413 0.7443 1.273 493.6 1.1.0 8.55.2 31.6 0.316 11.02 22.16 3.515 0.7442 1.26 51.2 1.1.0 8.55.2 31.6 0.316 11.03 22.16 3.515 0.7442 1.26 51.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2										
13.0	11.0	1.11.0	21.09	0.370	14.30	17.01	3.002	0.1440	1.200	411.5
13.0	12.0	7.864	30.7	0.344	15.06	20.89	3.413	0.7443	1.273	493.6
14.0 9.242 36.4 0.292 16.58 23.42 3.608 0.7742 1.264 535.2 15.0 9.927 39.2 0.272 17.33 24.69 3.696 0.7742 1.261 554.7 16.0 10.61 42.0 0.254 18.09 25.95 3.777 0.7443 1.255 554.7 17.0 11.29 44.8 0.235 18.89 27.20 3.777 0.7443 1.257 591.6 19.0 12.65 50.3 0.213 20.34 29.71 3.993 0.7745 1.256 626.1 20.0 13.33 53.0 0.202 21.09 30.97 4.057 0.7446 1.252 626.1 22.0 14.68 58.5 0.186 22.199 30.97 4.057 0.7445 1.252 626.1 24.0 11.09 69.4 0.155 5.593 3.47 4.176 0.7747 1.251 674.5 24.0 11.09 69.4 0.155 5.593 38.46 4.285 0.77447 1.251 674.5 26.0 11.09 69.4 0.155 5.593 38.46 4.285 0.77447 1.251 674.5 26.0 11.09 3 69.4 0.155 25.59 38.46 4.285 0.77448 1.249 773.8 26.0 11.73 3.80 20.18 60.2 0.134 28.58 43.49 4.563 0.77446 1.247 7761.7 30.0 20.08 60.2 0.134 28.58 43.49 4.563 0.77448 1.246 786.6 32.0 21.43 85.6 0.126 30.07 45.95 44.64 0.7749 1.246 814.5 34.0 22.76 91.0 0.118 31.57 48.44 4.719 0.7749 1.246 814.5 34.0 22.76 91.0 0.118 31.57 48.44 4.719 0.7749 1.245 839.7 36.0 24.12 96.4 0.111 33.06 50.33 4.791 0.7749 1.245 864.1 36.0 30.17 121.0 0.0891 39.78 62.12 4.838 0.7449 1.245 864.1 36.0 30.17 22.10 0.160 34.55 55.99 4.838 0.7449 1.245 864.1 36.0 30.17 22.10 0.100 36.05 55.90 4.838 0.7449 1.245 866.1 36.0 30.17 121.0 0.0891 39.78 62.12 5.068 0.7449 1.245 866.1 36.0 30.17 121.0 0.0891 39.78 62.12 5.068 0.7449 1.245 866.1 36.0 30.17 121.0 0.0891 39.78 62.12 5.086 0.7449 1.245 110.0 36.0 55.0 33.53 134.0 0.0381 43.51 68.34 5.799 0.7749 1.245 110.0 36.0 55.0 36.88 148.6 0.0728 47.23 74.55 5.318 0.7749 1.244 110.0 36.0 55.0 36.88 148.6 0.0728 47.23 74.55 5.318 0.7749 1.243 1101.0 36.0 55.0 36.88 148.6 0.0728 47.23 74.55 5.318 0.7749 1.243 1101.0 36.0 55.0 36.88 148.6 0.0028 110.6 0.0067 5.99 10.0 0.7747 1.241 1274 110.0 37.6 37.6 37.7 37.7 37.7 37.7 37.7 37.7										
15.0 9.927 39.2 0.272 17.33 24.69 3.696 0.7443 1.261 554.7 16.0 10.61 42.0 0.2596 18.0.9 25.95 3.777 0.7443 1.259 573.5 17.0 11.29 44.8 0.239 18.04 27.20 3.053 0.7644 1.259 573.5 17.0 11.29 44.8 0.239 18.04 27.20 3.053 0.7646 1.255 0.069.1 11.97 47.5 0.223 19.50 20.66 3.353 0.7646 1.255 0.069.1 11.97 47.5 0.223 19.50 20.66 3.352 0.7646 1.255 0.069.1 12.00 11.33 53.0 0.202 21.09 30.97 4.057 0.7446 1.255 0.069.1 12.00 11.33 53.0 0.202 21.09 30.97 4.057 0.7446 1.255 0.069.1 12.00 11.35 0.069.1 12.00 11										
16.0 10.61 42.0 0.256 18.09 25.95 3.777 0.7443 1.257 591.6 17.0 11.29 44.8 0.239 18.84 27.20 3.853 0.7744 1.257 591.6 18.0 11.97 47.5 0.225 19.59 28.46 3.925 0.7445 1.257 591.6 18.0 11.97 47.5 50.23 0.213 20.34 29.71 3.933 0.7445 1.254 626.1 20.0 13.33 53.0 0.202 21.09 30.97 4.057 0.7445 1.254 626.1 22.0 13.33 53.0 0.202 21.09 30.97 4.057 0.7446 1.254 626.1 22.0 17.39 69.4 0.155 25.59 33.47 4.168 0.7447 1.251 674.5 24.0 16.04 63.9 0.168 24.09 35.97 4.285 0.7447 1.248 733.8 26.0 17.39 69.4 0.155 25.59 38.46 4.365 0.7448 1.246 733.8 26.0 18.73 74.8 0.144 27.08 40.96 44.97 0.7448 1.246 733.8 28.0 21.43 85.6 0.144 27.08 40.96 44.97 0.7448 1.246 783.8 32.0 21.43 85.6 0.126 30.07 45.95 4.69 4.07 0.7448 1.246 783.8 33.0 22.78 8 91.0 0.111 331.56 48.44 0.749 0.749 1.246 814.5 33.0 22.78 91.0 0.110 31.55 48.44 0.749 0.749 1.246 814.5 33.0 25.47 102.0 0.106 34.55 43.45 4.858 0.7449 1.246 887.7 46.0 26.81 107.0 0.100 36.05 55.90 4.922 0.7449 1.244 887.8 46.0 33.17 121.0 0.0891 39.78 62.12 5.068 0.7449 1.244 887.8 46.0 26.81 107.0 0.100 36.05 55.90 4.922 0.7449 1.244 887.8 55.0 33.17 121.0 0.0891 39.78 62.12 5.068 0.7449 1.244 887.8 55.0 33.53 134.0 0.0801 43.51 68.35 55.90 4.922 0.7449 1.244 887.8 55.0 33.53 134.0 0.0801 39.78 62.12 5.068 0.7449 1.244 887.8 55.0 33.53 33.40 0.0801 39.78 62.12 5.068 0.7449 1.244 108.0 55.0 33.53 33.93 0.00 0.0801 39.78 62.12 5.068 0.7449 1.244 108.0 55.0 33.53 33.90 0.00 0.0801 39.78 62.12 5.068 0.7449 1.244 108.0 55.0 33.53 33.90 0.00 0.00 0.00 0.00 0.00 0.00 0.										
17.0 11.29 44.6 0.239 18.64 27.20 3.653 0.7444 1.257 591.6 18.0 11.97 47.5 0.225 19.59 28.46 3.925 0.7445 1.255 609.1 19.0 12.65 50.3 0.213 20.34 29.71 3.993 0.7445 1.254 626.1 22.0 13.33 53.0 0.222 21.09 30.97 4.176 0.7447 1.251 674.5 22.0 11.08 98.5 0.104 22.59 33.47 4.176 0.7447 1.251 674.5 22.0 11.08 98.5 0.104 22.59 33.47 4.176 0.7447 1.251 674.5 22.0 11.08 69.4 0.155 25.59 38.46 4.385 0.7446 1.248 733.8 28.0 11.39 69.4 0.155 25.59 38.46 4.385 0.7446 1.248 733.8 28.0 11.39 69.4 0.155 25.59 38.46 4.385 0.7446 1.248 733.8 28.0 21.88 80.2 0.134 28.59 4.56 4.385 0.7448 1.246 788.6 32.0 21.88 80.2 0.134 28.59 4.56 4.385 0.7448 1.247 761.7 30.0 21.88 80.2 0.134 28.59 4.56 4.385 0.7448 1.246 788.6 32.0 21.38 80.2 0.134 28.59 4.56 30.7448 1.246 788.6 32.0 21.39 89.4 0.115 30.77 48.35 4.59 4.56 30.7448 1.246 788.6 32.0 21.39 89.4 0.111 33.06 50.93 4.791 0.7449 1.246 88.45 38.0 25.47 102.0 0.166 34.55 53.42 4.56 30.7449 1.244 910.9 45.0 25.47 102.0 0.166 34.55 53.42 4.56 0.7449 1.244 910.9 45.0 25.47 102.0 0.106 34.55 53.42 4.56 0.7449 1.244 910.9 45.0 33.53 134.0 0.106 34.55 53.42 4.56 0.7449 1.244 910.9 45.0 33.53 134.0 0.0891 39.78 62.12 5.06 0.7449 1.244 910.9 45.0 33.53 134.0 0.0891 39.78 62.12 5.06 0.7449 1.244 910.9 60.0 33.53 134.0 0.0891 39.78 62.12 5.06 0.7449 1.244 910.9 60.0 33.53 134.0 0.0891 39.78 62.12 5.06 0.7449 1.244 910.9 60.0 34.55 53.42 4.56 0.7449 1.244 910.9 60.0 36.0 55.6 215.0 0.0806 65.87 105.6 5.99 4.922 0.7448 1.242 1265.0 66.0 4.695 1.66.0 0.0806 43.51 68.34 1.56.0 0.7448 1.242 1265.0 66.0 4.695 1.66.0 0.0806 43.51 68.34 1.56.0 0.7448 1.242 1265.0 66.0 5.66 215.0 0.0806 65.87 105.6 6.749 1.242 1266.0 0.7448 1.242 1266.0 0.0806 65.87 105.6 6.749 1.242 1266.0 0.7448 1.242 1266.0 0.0808 376.0 0.08										
18.0 11.97 47.5 0.225 19.59 28.46 3.925 0.7445 1.255 689.1 19.0 12.65 50.3 0.213 20.34 29.71 3.993 0.7445 1.255 626.1 20.0 13.33 53.0 0.202 21.09 30.97 4.057 0.7446 1.252 642.7 22.0 14.68 58.5 0.184 22.59 33.47 4.076 0.7447 1.251 674.5 24.0 16.04 63.9 0.168 24.09 35.97 4.285 0.7447 1.294 704.8 26.0 17.39 69.4 0.155 25.59 38.46 4.385 0.7447 1.249 704.8 26.0 17.39 69.4 0.155 25.59 38.46 4.585 0.7446 1.292 704.8 26.0 14.73 74.8 0.144 27.08 40.96 4.977 0.7448 1.247 761.7 30.0 2.108 80.2 0.134 28.58 43.45 4.563 0.7446 1.246 783.8 34.0 22.18 85.6 0.126 30.07 45.95 4.644 0.7449 1.246 814.5 34.0 22.78 31.0 0.118 31.57 48.44 4.719 0.7449 1.245 83.97 36.0 22.12 36.4 0.118 31.57 48.44 4.719 0.7449 1.245 814.5 34.0 22.78 31.0 0.116 34.55 51.42 4.052 0.7449 1.245 864.1 10.0 0.116 36.05 55.4 4.922 0.7449 1.244 887.8 4.00 28.61 107.0 0.106 38.05 55.142 4.052 0.7449 1.244 887.8 4.00 28.61 107.0 0.106 34.55 55.42 4.052 0.7449 1.244 897.8 45.0 0.33.53 134.0 0.1081 39.78 62.12 50.66 0.7449 1.243 1016.0 60.0 40.24 161.0 0.0801 43.51 68.34 5.199 0.7449 1.243 1016.0 60.0 40.24 161.0 0.0801 43.51 68.34 5.199 0.7449 1.243 1016.0 60.0 40.24 161.0 0.0867 50.95 4.1 10.0 0.0868 3.1 10.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0										
19.0 12.65 50.3 0.213 20.34 29.71 3.993 0.7445 1.254 626.17 22.0 116.68 58.5 0.184 22.59 33.47 4.176 0.7446 1.252 642.7 22.0 116.68 58.5 0.184 22.59 33.47 4.176 0.7447 1.251 674.5 24.0 116.00 58.5 0.184 22.59 33.47 4.176 0.7447 1.251 674.5 24.0 117.39 69.4 0.186 24.09 35.97 4.285 0.7447 1.29 784.6 22.0 117.39 69.4 0.155 25.79 38.46 4.385 0.7447 1.249 783.8 20.0 117.39 69.4 0.154 27.78 40.95 4.387 0.7468 1.247 783.8 20.0 2.108 60.2 0.134 28.58 43.49 4.585 0.7448 1.247 783.7 283.0 2.2.00 60.2 2.1.03 60.2 0.134 28.58 43.49 4.553 0.7448 1.247 783.7 283.0 2.2.108 60.2 0.134 28.58 43.49 4.553 0.7448 1.246 788.6 32.0 21.43 85.6 0.126 30.07 45.95 46.4 0.749 1.245 83.97 36.0 2.1.12 96.4 0.111 33.06 59.93 4.791 0.7449 1.245 83.97 36.0 2.1.12 96.4 0.111 33.06 59.93 4.791 0.7449 1.245 83.97 36.0 2.1.12 96.4 0.111 33.06 59.5 53.42 4.858 0.7449 1.244 887.8 46.0 25.81 107.0 0.100 36.05 55.90 4.922 0.7449 1.244 887.8 46.0 25.81 107.0 0.100 36.05 55.90 4.922 0.7449 1.244 887.8 46.0 5.81 107.0 0.100 36.05 55.90 4.922 0.7449 1.244 887.8 46.0 55.0 33.53 134.0 0.0001 43.55 66.34 5.199 0.7449 1.243 106.0 55.0 33.53 134.0 0.0001 43.55 66.34 5.199 0.7449 1.243 106.0 55.0 33.53 134.0 0.0001 43.55 66.34 5.199 0.7449 1.243 106.0 55.0 33.55 134.0 0.0001 43.55 66.34 5.199 0.7449 1.243 106.0 55.0 33.55 134.0 0.0001 43.55 66.34 5.199 0.7449 1.243 106.0 60.0 40.24 161.0 0.0667 59.6 60.77 5.16 0.7449 1.242 106.0 90.0 60.36 242.0 0.0001 4.75 10.000 1.728 47.23 74.55 5.18 0.7449 1.242 106.0 90.0 60.36 242.0 0.0001 4.75 10.000 1.77 130.4 6.95 10.600 0.0001 4.77 130.4 6.000 53.66 215.0 0.0000 60.77 130.4 6.95 10.600 0.0001 4.77 130.4 6.000 53.600 0.0001 4.77 130.4 6.000 53.600 0.0001 4.77 130.4 6.000 0.0001 4.744 1.242 1205.0 90.0 60.36 242.0 0.0000 0.										
20.0 13.33 53.0 0.202 21.09 30.97 4.057 0.7446 1.252 642.7 22.0 14.68 58.5 0.164 22.59 33.47 4.176 0.7447 1.251 674.5 24.0 16.04 63.9 0.168 24.09 35.97 4.285 0.7447 1.251 674.5 26.0 17.39 69.4 0.155 25.59 38.46 4.385 0.7448 1.248 733.8 28.0 18.73 74.8 0.114 27.08 40.96 4.777 0.7448 1.248 733.8 28.0 18.73 74.8 0.114 27.08 40.96 4.777 0.7448 1.247 761.7 30.0 20.0 86.2 0.134 28.50 43.49 4.565 0.7449 1.246 78.8 40.5 34.0 22.18 86.2 0.134 28.50 43.49 4.565 0.7449 1.246 78.8 40.5 34.0 22.78 91.0 0.118 31.57 48.44 4.563 0.7449 1.246 84.5 38.0 22.12 96.4 0.111 33.06 50.93 4.791 0.7449 1.245 83.9 7.3 36.0 25.47 102.0 0.106 34.55 53.42 4.858 0.7449 1.244 887.8 46.0 25.81 107.0 0.100 36.05 55.90 4.922 0.7449 1.244 910.9 45.0 33.17 12.10 0.0891 39.78 62.12 5.068 0.7449 1.244 910.9 45.0 33.53 134.0 0.0801 43.51 66.34 5.199 0.7449 1.243 966.1 50.0 33.53 134.0 0.0801 43.51 66.34 5.199 0.7449 1.243 1018.0 55.0 33.68 148.6 0.0728 47.23 74.55 5.318 0.7449 1.243 1018.0 55.0 35.88 148.6 0.0728 47.23 74.55 5.318 0.7449 1.243 1018.0 55.0 38.88 148.6 0.0728 47.23 74.55 5.318 0.7449 1.242 1116.0 0.0667 50.96 80.77 5.266 0.7449 1.242 1116.0 0.0667 50.96 80.77 5.266 0.7449 1.242 1116.0 100.0 67.07 268.0 0.0001 80.77 5.266 0.7448 1.242 1116.0 100.0 67.07 268.0 0.0001 80.77 5.266 0.7448 1.242 1116.0 100.0 67.07 268.0 0.0001 80.77 5.266 0.7448 1.242 1105.0 0.0001 80.77 5.32 1118.0 0.7448 1.242 1105.0 0.0001 80.77 5.266 0.7448 1.242 1105.0 0.0001 80.77 5.32 1118.0 0.7448 1.242 1105.0 0.0001 80.77 5.32 1118.0 0.7448 1.242 1105.0 0.0001 80.77 5.266 0.7448 1.241 1205.0 0.0001 80.77 5.32 1118.0 0.7448 1.241 1205.0 0.0001 80.77 5.32 1118.0 0.7447 1.241 1331.0 0.0001 80.77 5.32 1118.0 0.7447 1.241 1331.0 0.0001 134.1 537.0 0.0001 80.77 5.32 1118.0 0.7447 1.241 1331.0 0.0001 134.1 537.0 0.0001 80.77 5.32 1118.0 0.7447 1.241 1331.0 0.0001 134.1 537.0 0.0001 135.2 29.7 38.7 7.7 7.424 0.7447 1.241 1331.0 0.0001 134.1 537.0 0.0001 155.2 254.6 6.921 0.7447 1.241 1331.0 0.0001 134.1 537.0 0.00001 135.2 29.7 37.7 7.7 7.424 0.7447 1.241 1331.0 0.0001 134.										
22.0 14.68 58.5 0.184 22.59 33.47 4.176 0.7447 1.251 674.5 24.0 16.04 63.9 0.168 24.09 35.97 4.285 0.7447 1.249 704.8 26.0 17.39 69.4 0.155 25.59 38.46 4.385 0.7448 1.248 733.8 28.0 18.73 74.8 0.144 27.08 40.96 4.477 0.7448 1.247 761.7 30.0 2.108 80.2 0.136 38.7 30.0 2.108 80.2 0.136 38.57 48.40 0.7449 1.247 761.7 30.0 2.2.78 91.0 0.118 31.57 48.40 4.719 0.7449 1.245 80.97 36.0 24.12 96.4 0.111 33.06 59.93 4.791 0.7449 1.245 86.41 38.0 25.47 102.0 0.100 36.05 53.42 4.858 0.7449 1.244 887.8 46.0 25.47 102.0 0.100 36.05 55.90 4.858 0.7449 1.244 887.8 45.0 30.17 121.0 0.0891 39.78 62.12 5.068 0.7449 1.244 887.8 45.0 30.17 121.0 0.0891 39.78 62.12 5.068 0.7449 1.243 966.1 55.0 33.51 134.0 0.0891 39.78 62.12 5.068 0.7449 1.243 1018.0 45.0 30.17 121.0 0.0891 43.51 66.33 5.199 0.7449 1.243 118.0 66.0 53.66 2.0 148.6 0.0727 58.41 93.19 0.7449 1.243 118.0 67.0 46.95 188.0 0.0572 58.41 93.19 5.617 0.7448 1.242 1105.0 80.0 60.36 242.0 0.0972 58.41 93.19 5.617 0.7448 1.242 1205.0 80.0 60.36 242.0 0.0400 80.77 130.4 6.060 0.7448 1.242 1205.0 90.0 60.36 242.0 0.0400 80.77 130.4 6.060 0.7448 1.242 1205.0 90.0 60.36 242.0 0.0226 110.6 105.77 130.4 6.060 0.7448 1.242 1205.0 100.0 67.07 268.0 0.4400 80.77 130.4 6.060 0.7448 1.242 1205.0 100.0 67.07 268.0 0.4400 80.77 130.4 6.060 0.7448 1.242 1205.0 100.0 67.07 268.0 0.4000 1.77 130.4 6.060 0.7448 1.242 1205.0 100.0 67.07 268.0 0.4000 1.77 130.4 6.060 0.7448 1.242 1205.0 250.0 134.1 537.0 0.0220 140.4 573.32 118.0 5.299 0.7448 1.242 1205.0 260.0 134.1 537.0 0.0220 140.4 573.32 118.0 5.299 0.7448 1.242 1205.0 260.0 35.86 376.0 0.0266 110.6 180.7 73.0 6.286 0.7449 1.241 1301.0 260.0 134.1 537.0 0.0000 155.2 254.6 6.921 0.7447 1.241 1331.0 260.0 335.2 134.0 0.0220 140.4 676.5 155.3 6.286 0.7447 1.241 1331.0 260.0 335.2 134.0 0.0000 135.2 259.5 204.9 6.644 0.7447 1.241 1331.0 260.0 335.2 134.0 0.0000 136.0										
24.0 16.04 63.9 0.168 24.09 35.97 4.285 0.7447 1.249 704.8 26.0 17.39 69.4 0.155 25.59 38.46 4.385 0.7448 1.226 733.8 26.0 18.73 74.8 0.144 27.08 40.96 4.477 0.7448 1.226 733.8 28.0 21.08 80.2 0.134 28.58 43.49 4.563 0.7448 1.226 788.6 32.0 21.43 85.6 0.126 30.77 45.99 4.563 0.7448 1.226 788.6 32.0 21.43 85.6 0.126 30.77 45.99 4.644 0.7449 1.246 814.57 34.0 22.72 31.4 0.118 31.57 48.44 4.779 0.749 1.245 88.6 38.0 22.472 31.4 0.118 31.57 48.44 4.779 0.749 1.246 88.6 38.0 25.47 102.0 0.166 34.55 53.42 4.856 0.7449 1.246 887.8 46.0 26.81 107.0 0.100 36.05 55.90 4.922 0.7449 1.244 910.9 45.0 30.17 121.0 0.001 34.55 53.42 4.856 0.7449 1.244 910.9 45.0 30.17 121.0 0.001 34.55 55.40 6.13 5.068 0.7449 1.243 966.1 50.0 33.53 134.0 0.001 34.55 55.90 4.922 0.7449 1.243 1018.0 55.0 33.53 134.0 0.001 43.51 68.34 5.199 0.7449 1.243 1018.0 55.0 35.86 148.6 0.0728 47.23 74.55 5.318 0.7449 1.243 1018.0 55.0 35.86 148.6 0.0728 47.23 74.55 5.318 0.7449 1.243 1018.0 60.0 40.24 161.0 0.0667 50.96 80.774 5.46 0.7449 1.242 1116.0 70.0 40.99 188.0 0.0572 58.41 93.19 5.617 0.748 1.242 1205.0 86.0 53.66 215.0 0.0572 58.41 93.19 5.617 0.748 1.242 1205.0 86.0 53.66 215.0 0.0333 95.66 155.3 0.7449 1.242 1205.0 86.0 67.07 22.60 0.0286 110.6 180.1 6.478 0.7448 1.242 1205.0 86.0 67.07 22.60 0.0286 110.6 180.1 6.478 0.7448 1.241 1703.0 160.0 120.7 883.0 0.0222 140.4 229.8 6.790 0.7448 1.241 1703.0 160.0 120.7 883.0 0.0228 110.6 180.1 6.478 0.7448 1.241 1703.0 160.0 120.7 883.0 0.0228 110.6 180.1 6.478 0.7448 1.241 1703.0 160.0 120.7 883.0 0.0228 110.6 180.1 6.478 0.7447 1.241 1331.0 160.0 120.7 883.0 0.0228 110.6 180.1 6.478 0.7447 1.241 1331.0 160.0 120.7 883.0 0.0228 110.6 180.1 6.478 0.7447 1.241 1331.0 160.0 120.7 883.0 0.0228 110.6 180.1 6.478 0.7447 1.241 1331.0 160.0 120.7 883.0 0.0228 110.6 180.1 6.478 0.7447 1.241 1355.0 160.0 0.00000000000000000000000000000000										
26.0 17.39 69.4 0.155 25.59 38.46 4.385 0.7448 1.248 733.8 28.0 18.73 74.8 0.144 27.08 40.96 4.477 0.7448 1.247 761.7 30.0 21.08 80.2 0.134 28.58 43.45 4.563 0.7448 1.246 788.6 32.0 21.43 85.6 0.126 30.07 45.95 4.644 0.7449 1.246 814.5 34.0 22.78 91.0 0.118 31.57 48.44 4.719 0.7449 1.245 839.7 36.0 24.12 96.4 0.111 33.06 50.93 4.791 0.7449 1.245 864.1 38.0 25.47 102.0 0.106 34.55 53.42 4.858 0.7449 1.244 887.8 40.0 26.81 107.0 0.100 36.05 55.93 4.856 0.7449 1.244 910.9 45.0 30.17 121.0 0.0891 39.78 62.12 5.068 0.7449 1.244 910.9 45.0 33.53 134.0 0.0891 43.51 68.34 5.199 0.7449 1.243 966.1 55.0 33.53 134.0 0.0891 43.51 68.34 5.199 0.7449 1.243 966.1 55.0 33.53 134.0 0.0891 43.51 68.34 5.199 0.7449 1.243 1016.0 66.0 44.25 10.10 0.0662 50.93 80.77 5.386 0.7449 1.242 1016.0 66.0 44.25 10.10 0.0662 50.93 80.77 5.485 0.7449 1.242 1016.0 66.0 44.25 10.10 0.0662 50.93 80.77 5.485 0.7449 1.242 1016.0 9.664 53.66 2.10 4.655 0.16 0.16 0.16 0.16 0.16 0.16 0.16 0.16	2200	2.000				****		•••		
26.0 17.39 69.4 0.155 25.59 38.46 4.385 0.7448 1.248 733.8 28.0 18.73 74.8 0.144 27.08 40.96 4.477 0.7448 1.247 761.7 30.0 20.08 80.2 0.134 28.58 43.45 4.563 0.7448 1.246 788.6 32.0 21.43 85.6 0.126 30.07 45.95 4.644 0.7449 1.246 814.5 34.0 22.78 91.0 0.118 31.57 48.44 4.719 0.7449 1.245 839.7 36.0 24.12 96.4 0.111 33.06 50.93 4.791 0.7449 1.245 864.1 38.0 25.47 102.0 0.106 34.55 53.42 4.858 0.7449 1.244 887.8 46.0 26.81 107.0 0.100 38.05 55.93 4.858 0.7449 1.244 887.8 46.0 26.81 107.0 0.100 38.05 55.93 4.858 0.7449 1.244 910.9 45.0 30.17 121.0 0.0891 39.78 62.12 5.088 0.7449 1.244 910.9 45.0 33.53 134.0 0.0891 39.78 62.12 5.088 0.7449 1.243 966.1 55.0 33.53 134.0 0.0891 43.51 68.34 5.199 0.7449 1.243 1010.0 66.0 66.0 46.45 10.0 0.0871 43.51 68.34 5.199 0.7449 1.243 1010.0 66.0 66.0 46.45 10.0 0.0872 58.41 93.19 5.617 0.7440 1.223 1066.0 66.0 46.45 10.0 0.0872 58.41 93.19 5.617 0.7440 1.222 1025.0 86.0 0.084 322.0 0.0833 95.66 155.3 6.88 322.0 0.0333 95.66 155.3 6.260 0.7448 1.242 1205.0 90.0 60.36 242.0 0.0400 80.77 130.4 6.060 0.7448 1.242 1205.0 100.0 67.07 266.0 0.0400 80.77 130.4 6.060 0.7448 1.241 1577.0 120.0 80.48 322.0 0.0333 95.66 155.3 6.286 0.7448 1.241 1577.0 120.0 93.83 376.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 120.0 93.83 376.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 20.0 134.1 537.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 20.0 134.1 537.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1235.0 250.0 134.1 537.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1235.0 250.0 134.1 537.0 0.0226 110.6 180.1 6.747 0.7447 1.241 1235.0 250.0 134.1 537.0 0.0226 140.4 229.8 6.790 0.7447 1.241 1235.0 250.0 134.1 537.0 0.0226 140.4 229.8 6.790 0.7447 1.241 1235.0 250.0 134.1 537.0 0.0226 140.4 229.8 6.790 0.7447 1.241 1235.0 250.0 134.1 537.0 0.0226 140.4 229.8 6.790 0.7447 1.241 2275.0 350.0 234.6 939.0 0.0142 267.0 140.4 229.8 6.790 0.7447 1.241 2275.0 350.0 234.6 939.0 0.0142 267.0 140.4 229.8 0.7447 1.241 2475.0 350.0 234.6 939.0 0.0142 267.0 140.4 229.9 0.0040 0.0250 140.4 229.0 0.0333 20.0 0.0080 378.7 6	24.0	16.04	63.9	0-168	24.09	35.97	4.285	0.7447	1.249	704.8
30.0 2).08 80.2 0.134 28.58 43.45 4.563 0.7448 1.246 788.6 32.0 21.43 85.6 0.126 30.07 45.95 4.644 0.7449 1.245 839.7 36.0 22.15 96.4 0.111 33.06 50.93 4.791 0.7449 1.245 839.7 36.0 24.12 96.4 0.111 33.06 50.93 4.791 0.7449 1.245 839.7 36.0 25.47 102.0 0.166 34.55 53.42 4.858 0.7449 1.244 887.8 40.0 26.81 107.0 0.100 36.05 55.90 4.922 0.7449 1.243 966.1 50.0 33.53 134.0 0.0801 43.51 68.34 5.199 0.7449 1.243 966.1 50.0 33.53 134.0 0.0801 43.51 68.34 5.199 0.7449 1.243 1018.0 55.0 33.53 134.0 0.0801 43.51 68.34 5.199 0.7449 1.243 1018.0 60.0 40.24 161.0 0.0667 50.96 80.77 5.426 0.7449 1.243 1018.0 60.0 40.24 161.0 0.0667 50.96 80.77 5.426 0.7449 1.242 1116.0 60.0 40.0 50.0 50.0 50.0 50.0 50.0 50.0 5			69.4	0.155	25.59	38.46	4.385	0.7448	1.248	733.8
30.0 2J.08 80.2 0.134 28.58 43.45 4.563 0.7448 1.246 788.6 32.0 21.43 85.6 0.126 30.07 45.95 4.644 0.7449 1.245 839.7 36.0 22.16 91.0 0.118 31.57 48.44 4.719 0.7449 1.245 839.7 36.0 24.12 96.4 0.111 33.06 50.93 4.791 0.7449 1.245 839.7 36.0 25.47 102.0 0.166 34.55 53.42 4.858 0.7449 1.244 887.8 46.0 26.81 107.0 0.100 36.05 55.90 4.922 0.7449 1.244 887.8 46.0 30.17 121.0 0.0891 39.78 62.12 5.068 0.7449 1.243 966.1 55.0 33.53 134.0 0.0801 43.51 68.34 5.199 0.7449 1.243 1010.0 66.0 33.53 134.0 0.0801 43.51 68.34 5.199 0.7449 1.243 1010.0 66.0 40.24 161.0 0.0667 59.36 80.745 55.0 80.7449 1.242 1116.0 60.0 40.24 161.0 0.0667 59.36 80.79 5.22 0.7448 1.242 1116.0 99.0 60.36 242.0 0.0500 66.87 105.0 80.79 5.22 0.7448 1.242 1116.0 99.0 60.36 242.0 0.0500 66.87 105.0 80.79 5.22 0.7448 1.242 1116.0 99.0 60.36 242.0 0.0333 95.66 125.0 99.0 60.36 242.0 0.0333 95.66 125.0 99.0 60.36 242.0 0.0333 95.66 125.3 6.286 0.7448 1.242 1366.0 120.0 67.07 268.0 0.400 80.77 130.4 6.660 0.7448 1.242 1366.0 120.0 67.07 268.0 0.400 80.77 130.4 6.660 0.7448 1.241 1577.0 120.0 80.48 322.0 0.0333 95.66 155.3 6.286 0.7448 1.241 1577.0 120.0 120.0 134.1 537.0 0.0286 110.6 10.55.2 50.0 134.1 537.0 0.0286 110.6 120.7 483.0 0.0222 140.4 229.8 6.790 0.7448 1.241 1577.0 120.0 134.1 537.0 0.0200 125.5 204.9 6.644 0.7448 1.241 1527.0 150.0 120.7 483.0 0.0222 140.4 229.8 6.790 0.7448 1.241 1503.0 250.0 134.1 537.0 0.0200 155.2 254.6 6.921 0.7447 1.241 1931.0 200.0 134.1 537.0 0.0200 175.5 200.9 80.7447 1.241 2275.0 350.0 234.6 939.0 0.0313 229.7 378.7 7.424 0.7447 1.241 235.0 250.0 134.1 537.0 0.0200 378.7 50.2 50.2 8.7 7.8 10.7447 1.241 249.0 0.0000 338.8 376.0 0.0200 378.7 50.2 50.8 8.7 7.8 10.7447 1.241 2692.0 400.0 268.2 1070.0 0.0308 341.4 564.9 7.927 0.7447 1.241 2678.0 450.0 3301.7 1210.0 0.00089 341.4 564.9 7.927 0.7447 1.241 2678.0 600.0 3301.7 1210.0 0.00089 341.4 564.9 7.927 0.7447 1.241 3052.0 600.0 3301.7 1210.0 0.00089 341.4 564.9 7.927 0.7447 1.241 3052.0 600.0 331.7 1210.0 0.00089 341.4 564.9 7.927 0.7447 1.241 3052.0 600.0 335.2 1340.0	28.0	18.73	74.8	0.144	27.08	40.96	4.477	0.7448	1.247	761.7
32.0 21.43 85.6 0.126 30.07 45.95 4.644 0.7149 1.246 814.5 34.0 22.78 91.0 0.118 31.57 48.44 4.719 0.7449 1.245 83.9.7 36.0 24.12 96.4 0.111 33.06 50.93 4.791 0.7449 1.245 864.1 38.0 25.47 102.0 0.106 34.55 53.42 4.858 0.7449 1.244 910.9 4.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0				0.134				0.7448		788-6
34.0 22.76 91.0 0.118 31.57 48.44 4.719 0.7449 1.245 839.7 36.0 24.12 96.4 0.111 33.06 50.93 4.791 0.7449 1.245 864.1 38.0 25.67 102.0 0.166 34.55 53.42 4.858 0.7449 1.244 887.8 44.0 26.81 107.0 0.100 36.05 55.90 4.922 0.7449 1.244 887.8 44.0 26.81 107.0 0.100 36.05 55.90 4.922 0.7449 1.244 887.8 44.0 26.81 107.0 0.100 36.05 55.90 4.922 0.7449 1.243 966.1 50.0 33.53 134.0 0.0801 43.51 68.34 5.199 0.7449 1.243 1018.0 60.0 40.24 161.0 0.0667 50.96 80.77 5.426 0.7449 1.243 1068.0 60.0 40.24 161.0 0.0667 50.96 80.77 5.426 0.7449 1.242 1116.0 70.0 46.95 188.0 0.0572 56.41 93.19 5.617 0.7448 1.242 1116.0 90.0 50.0 53.66 215.0 0.0500 65.87 105.6 5.783 0.7448 1.242 1205.0 80.0 53.66 215.0 0.0500 65.87 105.6 5.783 0.7448 1.242 1288.0 100.0 67.07 268.0 0.0400 80.77 130.4 6.060 0.7448 1.242 1366.0 100.0 67.07 268.0 0.0333 95.66 155.3 6.266 0.7448 1.242 1440.0 120.0 80.48 322.0 0.0333 95.66 155.3 6.266 0.7448 1.241 1577.0 140.0 93.88 376.0 0.0222 140.4 229.8 6.790 0.7448 1.241 1577.0 140.0 120.7 483.0 0.0222 140.4 229.8 6.790 0.7448 1.241 1703.0 160.0 120.7 483.0 0.0222 140.4 229.8 6.790 0.7448 1.241 1931.0 200.0 134.1 537.0 0.0220 155.2 254.6 6.921 0.7447 1.241 2275.0 350.0 201.1 805.0 0.0333 229.7 378.7 7.424 0.7447 1.241 2275.0 350.0 201.1 805.0 0.0333 229.7 378.7 7.424 0.7447 1.241 2275.0 350.0 201.1 805.0 0.0333 229.7 378.7 7.424 0.7447 1.241 2275.0 500.0 335.2 1340.0 0.00800 378.7 626.9 8.658 0.7447 1.241 2275.0 500.0 335.2 1340.0 0.00800 378.7 626.9 8.658 0.7447 1.241 241 365.0 500.0 201.1 805.0 0.00800 378.7 626.9 8.058 0.7447 1.241 241 360.0 500.0 300.7 120.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3052.0 500.0 300.0 201.1 805.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3052.0 500.0 300.0 201.1 805.0 0.00800 378.7 626.9 8.058 0.7447 1.241 360.0 0.00800 378.7 626.9 8.058 0.7447 1.241 360.0 0.00800 378.7 626.9 8.058 0.7447 1.241 360.0 0.00800 378.7 626.9 8.058 0.7447 1.241 360.0 0.00600 378.7 626.9 8.058 0.7447 1.241 360.0 0.00600 378.7 626.9 8.058 0.7447 1.241 3525.0 500.0 335.2 160.0 0.00500 602.1 999.0 8.641 0.7447 1	32.0	21.43		0.126	30.07	45.95	4.644	0.7449	1.246	814.5
36.0 26.12 96.4 0.111 33.06 50.93 4.791 0.7449 1.245 864.1 887.8 46.0 26.81 107.0 0.100 36.05 55.90 4.922 0.7449 1.244 987.8 46.0 26.81 107.0 0.100 36.05 55.90 4.922 0.7449 1.244 910.9 4.95.0 33.53 134.0 0.0801 43.51 68.34 5.199 0.7449 1.243 966.1 55.0 33.53 134.0 0.0801 43.51 68.34 5.199 0.7449 1.243 1018.0 55.0 33.53 134.0 0.0801 43.51 68.34 5.199 0.7449 1.243 1018.0 55.0 33.88 148.0 0.0728 47.23 74.55 5.318 0.7449 1.243 1018.0 70.0 46.95 188.0 0.0572 58.41 93.19 5.617 0.7448 1.242 1116.0 70.0 46.95 188.0 0.0572 58.41 93.19 5.617 0.7448 1.242 1205.0 80.0 53.66 215.0 0.0500 65.87 105.6 5.783 0.7449 1.242 1205.0 80.0 67.0 72.8 42.0 0.1445 73.32 118.0 5.929 0.7448 1.242 1288.0 90.0 60.36 242.0 0.1445 73.32 118.0 5.929 0.7448 1.242 1288.0 100.0 67.07 26.80 0.0400 80.77 130.4 6.080 0.7448 1.242 1366.0 120.0 67.07 26.80 0.0400 80.77 130.4 6.080 0.7448 1.242 1366.0 120.0 67.07 26.80 0.0400 80.77 130.4 6.080 0.7448 1.242 1440.0 126.0 80.48 322.0 0.0333 95.66 155.3 6.286 0.7448 1.241 1577.0 140.0 93.83 376.0 0.0286 110.6 180.1 6.478 0.7448 1.241 1577.0 140.0 120.7 483.0 0.0226 110.6 180.1 6.478 0.7448 1.241 1577.0 140.0 120.7 483.0 0.0226 125.5 204.9 6.664 0.7448 1.241 1531.0 160.0 120.7 483.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 200.0 134.1 537.0 0.0200 155.2 254.6 6.921 0.7447 1.241 2275.0 300.0 143.1 537.0 0.0200 155.2 254.6 6.921 0.7447 1.241 2275.0 300.0 143.1 537.0 0.0200 155.2 254.6 6.921 0.7447 1.241 2275.0 300.0 234.6 939.0 0.0114 267.0 440.8 7.615 0.7447 1.241 2275.0 160.0 304.2 502.8 7.781 0.7447 1.241 2275.0 500.0 305.7 120.0 0.0133 229.7 378.7 7.424 0.7447 1.241 241.0 352.0 160.0 335.2 1340.0 0.00889 341.4 564.9 7.927 0.7447 1.241 3275.0 500.0 335.2 1340.0 0.00889 341.4 564.9 7.927 0.7447 1.241 3275.0 500.0 335.2 1340.0 0.00800 378.7 626.9 8.654 0.7447 1.241 3218.0 525.0 160.0 335.2 1340.0 0.00800 378.7 626.9 8.654 0.7447 1.241 3218.0 525.0 160.0 938.4 3750.0 0.00500 378.7 626.9 8.654 0.7447 1.241 4316.0 1600.0 160.0 402.2 1610.0 0.00800 378.7 626.9 8.656 0.7447 1.241 4316.0 1600.0 1600.0 334.4 37			91.0	0.118	31.57		4.719	0.7449		839.7
46.0 26.81 107.0 0.100 36.05 55.90 4.922 0.7449 1.244 910.9 45.0 30.17 121.0 0.0891 39.78 62.12 5.068 0.7449 1.243 1016.0 55.0 33.53 134.0 0.0801 43.51 68.34 5.199 0.7449 1.243 1016.0 55.0 36.88 148.6 0.0728 47.23 74.55 5.318 0.7449 1.243 1016.0 55.0 36.88 148.6 0.0568 750.96 80.77 5.426 0.7449 1.243 1068.0 70.0 46.95 188.0 0.0572 58.41 93.19 5.617 0.7448 1.242 1116.0 70.0 46.95 188.0 0.0572 58.41 93.19 5.617 0.7448 1.242 1205.0 90.0 60.36 242.0 0.5465 73.32 118.0 5.929 0.7448 1.242 1288.0 90.0 60.36 242.0 0.3465 73.32 118.0 5.929 0.7448 1.242 1366.0 100.0 67.07 268.0 0.0400 80.77 130.4 6.060 0.7448 1.242 1366.0 126.0 80.48 322.0 0.0333 95.66 155.3 6.286 0.7448 1.242 1441.0 126.0 80.48 322.0 0.0333 95.66 155.3 6.286 0.7448 1.241 1577.0 140.0 93.83 376.0 0.0266 110.6 180.1 6.478 0.7448 1.241 17073.0 166.0 107.3 429.3 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 200.0 134.1 537.0 0.0200 155.2 254.6 6.921 0.7447 1.241 2275.0 300.0 201.1 805.0 0.0133 229.7 378.7 7.424 0.7447 1.241 2275.0 300.0 201.1 805.0 0.0133 229.7 378.7 7.424 0.7447 1.241 2295.0 450.0 335.2 1340.0 0.0080 378.7 626.9 8.475 0.7447 1.241 2493.0 500.0 335.2 1340.0 0.0080 378.7 626.9 8.475 0.7447 1.241 2493.0 500.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3807.0 500.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3807.0 500.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3525.0 500.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3525.0 500.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3525.0 500.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3555.0 500.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3555.0 500.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3555.0 500.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3555.0 500.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3555.0 500.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3555.0 500.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3555.0 500.0 469.2 1600.0 0.00500 600.1 496.0 9.744.0 9.336 0.7447 1.241 4550.0 500			96.4	0.111	33.06	50.93	4.791	0.7449	1.245	864-1
45.0 30.17 121.0 0.0891 39.78 62.12 5.068 0.7449 1.243 966.1 50.0 33.53 134.0 0.0801 43.51 68.34 5.199 0.7449 1.243 1018.0 55.0 36.88 148.6 0.7728 47.23 74.55 5.318 0.7449 1.243 1018.0 66.0 40.24 161.0 0.0667 50.96 80.77 5.426 0.7449 1.243 1026.0 60.0 40.24 161.0 0.0667 50.96 80.77 5.426 0.7449 1.242 1116.0 70.0 46.95 188.0 0.0572 58.41 93.19 5.617 0.7448 1.242 1205.0 86.0 53.66 215.0 0.0500 65.87 105.6 5.783 0.7448 1.242 1288.0 90.0 60.36 242.0 0.3445 73.32 118.0 5.929 0.7448 1.242 1288.0 100.0 67.07 268.0 0.0400 80.77 130.4 6.060 0.7446 1.242 1366.0 122.0 80.48 322.0 0.0333 95.66 155.3 6.286 0.7446 1.241 1577.0 140.0 93.88 376.0 0.0226 110.6 180.1 - 6.478 0.7446 1.241 1773.0 160.0 120.7 483.0 0.0222 140.4 229.8 6.790 0.7446 1.241 1793.0 160.0 120.7 483.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 200.0 134.1 537.0 0.0200 155.2 254.6 6.921 0.7447 1.241 1241 2275.0 30.0 201.1 805.0 0.0113 229.7 378.7 7.424 0.7447 1.241 2275.0 350.0 201.1 805.0 0.0113 229.7 378.7 7.424 0.7447 1.241 2275.0 350.0 201.1 805.0 0.0113 229.7 378.7 7.424 0.7447 1.241 2275.0 350.0 234.6 939.0 0.0114 267.0 440.8 7.615 0.7447 1.241 2275.0 450.0 331.7 1210.0 0.0089 341.4 564.9 7.927 0.7447 1.241 3052.0 600.0 402.2 1610.0 0.0060 378.7 662.9 8.058 0.7447 1.241 3525.0 600.0 402.2 1610.0 0.0060 378.7 662.9 8.058 0.7447 1.241 3525.0 600.0 402.2 1610.0 0.0060 378.7 662.9 8.058 0.7447 1.241 3525.0 600.0 402.2 1610.0 0.0060 378.7 662.9 8.058 0.7447 1.241 3525.0 600.0 402.2 1610.0 0.0060 378.7 662.9 8.058 0.7447 1.241 3525.0 600.0 402.2 1610.0 0.0060 378.7 662.9 8.058 0.7447 1.241 3525.0 600.0 402.2 1610.0 0.0060 378.7 662.9 8.058 0.7447 1.241 3525.0 600.0 402.2 1610.0 0.0060 378.7 662.9 8.058 0.7447 1.241 3525.0 600.0 402.2 1610.0 0.0060 378.7 662.9 8.058 0.7447 1.241 3525.0 600.0 402.2 1610.0 0.0060 378.7 662.9 8.058 0.7447 1.241 3525.0 600.0 402.2 1610.0 0.0060 378.7 662.9 8.058 0.7447 1.241 479.0 600.0 533.3 2410.0 0.0060 378.7 662.9 8.058 0.7447 1.241 479.0 600.0 603.3 2410.0 0.0060 378.7 662.9 8.058 0.7447 1.241 479.0 600.0 603.3 2410.0 600	38.0	25.47	102.0	0.106	34.55	53.42	4.858	0.7449	1.244	887.8
50.0 33.53 134.0 0.0801 43.51 68.34 5,199 0.7449 1.243 1018.0 55.0 36.88 148.0 0.0728 47.23 74.55 5.318 0.7449 1.243 1018.0 60.0 40.24 161.0 0.0667 50.96 80.77 5.426 0.7449 1.242 1116.0 70.0 46.95 188.0 0.0500 65.47 105.6 5.783 0.7448 1.242 1268.0 90.0 60.36 242.0 0.3445 73.32 118.0 5.929 0.7448 1.242 1366.0 100.0 67.07 268.0 0.0440 80.77 130.4 6.660 0.7448 1.241 1366.0 120.0 80.48 322.0 0.0333 95.66 155.3 6.286 0.7448 1.241 1577.0 140.0 93.83 376.0 0.0222 140.4 229.8 6.790 0.7448 1.241 1821.0 150.0	46.0	26.81	107.0	0.180	36.05	55.90	4.922	0.7449	1.244	910.9
50.0 33.53 134.0 0.0801 43.51 68.34 5,199 0.7449 1.243 1018.0 55.0 36.88 148.0 0.0728 47.23 74.55 5.318 0.7449 1.243 1018.0 60.0 40.24 161.0 0.0667 50.96 80.77 5.426 0.7449 1.242 1116.0 70.0 46.95 188.0 0.0500 65.47 105.6 5.783 0.7448 1.242 1268.0 90.0 60.36 242.0 0.3445 73.32 118.0 5.929 0.7448 1.242 1366.0 100.0 67.07 268.0 0.0440 80.77 130.4 6.660 0.7448 1.241 1366.0 120.0 80.48 322.0 0.0333 95.66 155.3 6.286 0.7448 1.241 1577.0 140.0 93.83 376.0 0.0222 140.4 229.8 6.790 0.7448 1.241 1821.0 150.0										
55.0 36.88 148.6 0.0728 47.23 74.55 5.318 0.7449 1.243 1068.0 60.0 40.24 161.0 0.0667 50.96 80.77 54.26 0.7449 1.242 1116.0 70.0 46.95 188.0 0.0572 58.41 93.19 5.617 0.7448 1.242 1215.0 80.0 53.66 215.0 0.0500 65.87 105.6 5.783 0.7448 1.242 1288.0 90.0 60.36 242.0 0.3445 73.32 118.0 5.929 0.7448 1.242 1366.0 100.0 67.07 268.0 0.4400 80.77 130.4 6.060 0.7448 1.242 1440.0 120.0 80.48 322.0 0.0333 95.66 1155.3 6.286 0.7448 1.241 1577.0 140.0 93.88 376.0 0.0286 110.6 180.1 6.478 0.7448 1.241 1703.0 160.0 107.3 429.0 0.0222 140.4 229.8 6.790 0.7448 1.241 1703.0 160.0 120.7 483.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 250.0 167.6 671.0 0.0160 192.5 316.6 7.196 0.7447 1.241 2255.0 360.0 201.1 805.0 0.0160 192.5 316.6 7.196 0.7447 1.241 2255.0 360.0 201.1 805.0 0.0133 229.7 378.7 7.424 0.7447 1.241 2243.0 350.0 234.6 939.0 0.0114 267.0 440.8 7.615 0.7447 1.241 2243.0 350.0 234.6 939.0 0.0114 267.0 440.8 7.615 0.7447 1.241 2243.0 350.0 234.6 939.0 0.0114 267.0 440.8 7.615 0.7447 1.241 2243.0 350.0 335.2 1340.0 0.00800 378.7 626.9 8.058 7.781 0.7447 1.241 2263.0 600.0 402.2 1610.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3252.0 600.0 402.2 1610.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3525.0 600.0 402.2 1610.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3525.0 600.0 603.3 2410.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3525.0 600.0 402.2 1610.0 0.00500 602.1 999.0 8.641 0.7447 1.241 3525.0 600.0 603.3 2410.0 0.00500 602.1 999.0 8.641 0.7447 1.241 3525.0 600.0 603.3 2410.0 0.00500 602.1 999.0 8.641 0.7447 1.241 3525.0 600.0 603.3 2410.0 0.00500 602.1 999.0 8.641 0.7447 1.241 3525.0 600.0 603.3 2410.0 0.00500 602.1 999.0 8.641 0.7447 1.241 3525.0 600.0 938.4 3750.0 0.00500 602.1 999.0 8.641 0.7447 1.241 3525.0 600.0 938.4 3750.0 0.00500 602.1 999.0 8.641 0.7447 1.241 436.0 600.0 938.4 3750.0 0.00500 602.1 999.0 8.641 0.7447 1.241 436.0 600.0 938.4 3750.0 0.00500 602.1 999.0 8.646 0.7447 1.241 4360.0 938.4 3750.0 0.00222 1347.0 0.00220 9.5500 9.546 0.7447 1.241 4360.0 1200.0 603.3 220.0 0.00333 900.0 1496.0 9.336 0.7447 1.241										
60.0 40.24 161.0 0.0667 50.96 80.77 5.426 0.7449 1.242 1116.0 70.0 46.95 188.0 0.0572 58.41 93.19 5.617 0.7448 1.242 1205.0 80.0 53.66 215.0 0.0500 65.87 105.6 5.783 0.7448 1.242 1205.0 90.0 60.36 242.0 0.3445 73.32 118.0 5.929 0.7448 1.242 1288.0 90.0 60.36 242.0 0.3445 73.32 118.0 5.929 0.7448 1.242 1366.0 120.0 67.07 268.0 0.0400 80.77 130.4 6.060 0.7448 1.242 1366.0 120.0 80.48 322.0 0.0333 95.66 155.3 6.286 0.7448 1.241 1577.0 140.0 93.88 376.0 0.0286 110.6 180.1 6.478 0.7448 1.241 1577.0 180.0 120.7 483.0 0.0226 110.6 180.1 6.478 0.7448 1.241 1703.0 180.0 120.7 483.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 180.0 120.7 483.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 150.0 150.0 134.1 537.0 0.0220 155.2 254.6 6.921 0.7447 1.241 12035.0 167.6 671.0 0.0160 192.5 316.6 7.198 0.7447 1.241 2275.0 360.0 201.1 805.0 0.0133 229.7 378.7 7.424 0.7447 1.241 2275.0 360.0 201.1 805.0 0.0133 229.7 378.7 7.424 0.7447 1.241 2293.0 450.0 268.2 1070.0 0.6100 304.2 502.8 7.781 0.7447 1.241 2692.0 400.0 268.2 1070.0 0.6100 304.2 502.8 7.781 0.7447 1.241 2692.0 506.0 301.7 1210.0 0.00889 341.4 564.9 7.927 0.7447 1.241 3052.0 506.0 302.7 1210.0 0.00889 341.4 564.9 7.927 0.7447 1.241 3252.0 506.0 402.2 1610.0 0.00567 453.1 751.1 8.284 0.7447 1.241 3218.0 600.0 402.2 1610.0 0.00567 453.1 751.1 8.284 0.7447 1.241 3218.0 600.0 402.2 1610.0 0.00567 453.1 751.1 8.284 0.7447 1.241 3218.0 600.0 536.3 2150.0 0.00501 602.1 999.0 8.641 0.7447 1.241 4316.0 1200.0 603.3 2410.0 0.00567 453.1 751.1 8.284 0.7447 1.241 4316.0 1200.0 603.3 2410.0 0.00567 453.1 751.0 8.787 0.7447 1.241 4316.0 1200.0 603.3 2410.0 0.00567 453.1 751.0 8.787 0.7447 1.241 4316.0 1200.0 603.3 2410.0 0.00567 453.1 751.0 8.787 0.7447 1.241 4316.0 1200.0 603.3 2410.0 0.00567 453.1 751.0 8.787 0.7447 1.241 4316.0 1200.0 603.3 2410.0 0.00567 453.1 751.0 8.787 0.7447 1.241 4316.0 1200.0 603.3 2410.0 0.00567 453.1 751.0 8.787 0.7447 1.241 4316.0 1200.0 603.3 2410.0 0.00560 602.1 999.0 9.502 0.7447 1.241 4316.0 1200.0 938.4 3750.0 0.00260 1198.0 1990.0 9.502 0.7447 1.24										
70.0 46.95 188.0 0.0572 58.41 93.19 5.617 0.7448 1.242 1205.0 90.0 53.66 215.0 0.0500 65.87 105.6 5.783 0.7448 1.242 1288.0 90.0 60.36 242.0 0.3445 73.32 118.0 5.929 0.7448 1.242 1366.0 100.0 67.07 268.0 0.0400 80.77 130.4 6.060 0.7448 1.242 1366.0 126.0 80.48 322.0 0.0333 95.66 155.3 6.286 0.7448 1.241 1577.0 140.0 93.88 376.0 0.0286 110.6 180.1 6.478 0.7448 1.241 1577.0 140.0 193.88 376.0 0.0226 110.6 180.1 6.478 0.7448 1.241 1703.0 160.0 120.7 483.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 120.7 483.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 120.7 134.1 537.0 0.0200 155.2 254.6 6.921 0.7447 1.241 1235.0 250.0 167.6 671.0 0.0160 192.5 316.6 7.198 0.7447 1.241 2275.0 360.0 201.1 805.0 0.0133 229.7 378.7 7.424 0.7447 1.241 2275.0 350.0 234.6 939.0 0.0114 267.0 440.8 7.615 0.7447 1.241 2263.0 450.0 301.7 1210.0 0.0189 341.4 564.9 7.927 0.7447 1.241 2692.0 560.0 335.2 1340.0 0.00880 378.7 626.9 8.058 0.7447 1.241 3275.0 560.0 335.2 1340.0 0.00880 378.7 626.9 8.058 0.7447 1.241 3275.0 560.0 335.2 1340.0 0.00880 378.7 626.9 8.058 0.7447 1.241 3275.0 560.0 335.2 1340.0 0.00880 378.7 626.9 8.058 0.7447 1.241 3275.0 560.0 402.2 1610.0 0.00880 378.7 626.9 8.058 0.7447 1.241 3275.0 560.0 402.2 1610.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3278.0 660.0 402.2 1610.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3278.0 660.0 402.2 1610.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3278.0 660.0 402.2 1610.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3278.0 660.0 402.2 1610.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3278.0 660.0 402.2 1610.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3278.0 660.0 402.2 1610.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3278.0 660.0 402.2 1610.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3278.0 660.0 402.2 1610.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3278.0 660.0 402.2 1610.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3278.0 660.0 460.										
86.0 53.66 215.0 0.0500 65.87 105.6 5.783 0.7448 1.242 1288.0 90.0 60.36 242.0 0.1445 73.32 118.0 5.929 0.7448 1.242 1366.0 100.0 67.07 268.0 0.0400 80.77 130.4 6.060 0.7448 1.242 1440.0 126.0 80.48 322.0 0.0333 95.66 155.3 6.266 0.7448 1.241 1577.0 140.0 93.88 376.0 0.0286 110.6 180.1 6.478 0.7448 1.241 1703.0 180.0 120.7 483.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 200.0 134.1 537.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 2500.0 167.6 671.0 0.0160 192.5 316.6 7.198 0.7447 1.241 2275.0 300.0 201.1 805.0 0.0133 229.7 378.7 7.424 0.7447 1.241 2275.0 300.0 201.1 805.0 0.0133 229.7 378.7 7.424 0.7447 1.241 2493.0 301.7 1210.0 0.0160 304.2 502.8 7.781 0.7447 1.241 2493.0 500.0 268.2 1070.0 0.0100 304.2 502.8 7.781 0.7447 1.241 2276.0 506.0 331.7 1210.0 0.00809 341.4 564.9 7.927 0.7447 1.241 2276.0 506.0 335.2 1360.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3268.0 600.0 402.2 1610.0 0.00600 378.7 626.9 8.058 0.7447 1.241 3268.0 600.0 402.2 1610.0 0.00600 378.7 626.9 8.058 0.7447 1.241 3268.0 600.0 402.2 1610.0 0.00600 378.7 626.9 8.058 0.7447 1.241 3268.0 600.0 402.2 1610.0 0.00500 602.1 999.0 8.641 0.7447 1.241 3268.0 600.0 536.3 2150.0 0.00510 602.1 999.0 8.641 0.7447 1.241 4316.0 1200.0 670.3 2680.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4316.0 1200.0 670.3 2680.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4355.0 1200.0 900.0 603.3 2410.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4365.0 1200.0 670.3 2680.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4365.0 1200.0 670.3 2680.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4365.0 1200.0 938.4 3750.0 0.00550 602.1 999.0 8.641 0.7447 1.241 4365.0 1200.0 938.4 3750.0 0.00550 602.1 999.0 8.641 0.7447 1.241 4365.0 1200.0 938.4 3750.0 0.00550 602.1 999.0 8.641 0.7447 1.241 4366.0 1200.0 938.4 3750.0 0.00550 602.1 999.0 8.641 0.7447 1.241 4366.0 1200.0 938.4 3750.0 0.00550 602.1 999.0 999.0 8.641 0.7447 1.241 4366.0 1200.0 938.4 3750.0 0.00550 602.1 999.0 99										
90.0 60.36 242.0 0.3445 73.32 118.0 5.929 0.7448 1.242 1356.0 100.0 67.07 268.0 0.0400 80.77 130.4 6.060 0.7448 1.242 1440.0 120.0 80.48 322.0 0.0333 95.66 155.3 6.286 0.7448 1.242 1440.0 93.88 376.0 0.0286 110.6 180.1 6.478 0.7448 1.241 1703.0 140.0 93.88 376.0 0.0286 110.6 180.1 6.478 0.7448 1.241 1703.0 160.0 120.7 483.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 200.0 134.1 537.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 200.0 134.1 537.0 0.0200 155.2 254.6 6.921 0.7447 1.241 2035.0 250.0 167.6 671.0 0.0160 192.5 316.6 7.198 0.7447 1.241 2275.0 300.0 201.1 805.0 0.0133 229.7 378.7 7.424 0.7447 1.241 2493.0 350.0 234.6 939.0 0.0114 267.0 440.8 7.615 0.7447 1.241 2692.0 450.0 301.7 1210.0 0.00889 341.4 564.9 7.927 0.7447 1.241 2267.0 450.0 301.7 1210.0 0.00889 341.4 564.9 7.927 0.7447 1.241 3152.0 500.0 469.2 1880.0 0.00880 378.7 626.9 8.058 0.7447 1.241 3525.0 600.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3525.0 700.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3525.0 120.0 603.3 220.0 0.0033 900.0 1496.0 91.440 0.7447 1.241 4970.0 900.0 603.3 2410.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3607.0 800.0 603.3 2410.0 0.00500 602.1 999.0 8.641 0.7447 1.241 3655.0 1200.0 670.3 2680.0 0.0044 676.5 1123.0 8.787 0.7447 1.241 4970.0 900.0 603.3 2410.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4970.0 1240.0 670.3 2680.0 0.0044 676.5 1123.0 8.787 0.7447 1.241 4970.0 1240.0 938.4 3750.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4984.0 1440.0 938.4 3750.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4984.0 1600.0 670.3 2680.0 0.00400 751.0 1248.0 8.918 0.7447 1.241 4984.0 1600.0 938.4 3750.0 0.00250 1198.0 1992.0 9.502 0.7447 1.241 4984.0 1600.0 172.0 4290.0 0.00250 1198.0 1992.0 9.502 0.7447 1.241 4984.0 1600.0 172.0 4290.0 0.00250 1198.0 1992.0 9.502 0.7447 1.241 5755.0 1240.0 9.386 0.7447 1.241 5755.0 1240.0 9.386 0.7447 1.241 5755.0 1240.0 9.386 0.7447 1.241 5755.0 1240.0 9.386 0.7447 1.241 5755.0 1240.0 9.386 0.7447 1.241 5755.0 1240.0 9.386 0.7447 1.241 5755.0 1240.0 9.386 0.7447 1.241 5755.0 1240.0										
100.0 67.07 268.0 0.0400 80.77 130.4 6.066 0.7448 1.242 1440.0 120.0 80.48 322.0 0.0333 95.66 155.3 6.286 0.7448 1.241 1577.0 140.0 93.88 376.0 0.0286 110.6 180.1 6.478 0.7448 1.241 1703.0 160.0 107.3 429.0 0.0250 125.5 204.9 6.644 0.7448 1.241 1821.0 180.0 120.7 483.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 200.0 134.1 537.0 0.0200 155.2 254.6 6.921 0.7447 1.241 2035.0 250.0 134.1 537.0 0.0200 155.2 254.6 6.921 0.7447 1.241 2275.0 300.0 201.1 805.0 0.0133 229.7 378.7 7.424 0.7447 1.241 2275.0 400.0 268.2 1070.0 0.0114 267.0 440.8 7.615 0.7447 1.241 2692.0 400.0 268.2 1070.0 0.0100 304.2 502.8 7.781 0.7447 1.241 2878.0 400.0 268.2 1070.0 0.00809 341.4 564.9 7.927 0.7447 1.241 3218.0 600.0 402.2 1610.0 0.00889 341.4 564.9 7.927 0.7447 1.241 3218.0 600.0 402.2 1610.0 0.00867 453.1 751.1 8.284 0.7447 1.241 3525.0 700.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3525.0 700.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3525.0 700.0 602.1 999.0 8.641 0.7447 1.241 4316.0 1000.0 670.3 2680.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4316.0 1000.0 670.3 2680.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4560.0 1200.0 804.4 3220.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4984.0 1200.0 938.4 3750.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4984.0 1200.0 804.4 3220.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4984.0 1200.0 938.4 3750.0 0.00286 1049.0 1744.0 9.336 0.7447 1.241 4984.0 1200.0 804.4 3220.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4984.0 1200.0 938.4 3750.0 0.00286 1049.0 1744.0 9.336 0.7447 1.241 4984.0 1200.0 804.4 3220.0 0.00333 900.0 1496.0 9.144.0 9.336 0.7447 1.241 5383.0 1606.0 1072.0 4290.0 0.00226 1198.0 1992.0 9.502 0.7447 1.241 5755.0 1200.0 1200.0 1341.0 5360.0 0.00286 1049.0 1744.0 9.336 0.7447 1.241 5755.0 1200.0 1200.0 1200.0 1200.0 1248.0 0.00266 1049.0 1744.0 9.336 0.7447 1.241 5755.0 1200.0 1										
120.0 80.48 322.0 0.03333 95.66 155.3 6.286 0.7448 1.241 1577.0 140.0 93.88 376.0 0.0286 110.6 180.1 6.478 0.7448 1.241 1703.0 160.0 107.3 429.0 0.0250 125.5 204.9 6.644 0.7448 1.241 1821.0 180.0 120.7 483.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 200.0 134.1 537.0 0.0200 155.2 254.6 6.921 0.7447 1.241 2035.0 250.0 167.6 671.0 0.0160 192.5 316.6 7.198 0.7447 1.241 2275.0 350.0 231.1 805.0 0.0133 229.7 378.7 7.424 0.7447 1.241 2275.0 350.0 231.6 939.0 0.0114 267.0 440.8 7.615 0.7447 1.241 2692.0 490.0 268.2 1070.0 0.0100 304.2 502.8 7.781 0.7447 <td></td>										
140.0 93.88 376.0 0.0286 110.6 180.1 6.478 0.7448 1.241 1703.0 160.0 107.3 429.0 0.0250 125.5 204.9 6.644 0.7448 1.241 1821.0 180.0 120.7 483.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 200.0 134.1 537.0 0.0200 155.2 254.6 6.921 0.7447 1.241 2035.0 250.0 167.6 671.0 0.0160 192.5 316.6 7.198 0.7447 1.241 2275.0 360.0 201.1 805.0 0.0133 229.7 378.7 7.424 0.7447 1.241 2493.0 350.0 234.6 939.0 0.0114 267.0 440.8 7.615 0.7447 1.241 2692.0 400.0 268.2 1070.0 0.6100 300.2 502.8 7.781 0.7447 1.241 2678.0 506.0 335.2 1340.0 0.00889 341.4 564.9 7.927 0.7447 </td <td></td>										
160.0 107.3 429.0 0.0250 125.5 204.9 6.644 0.7448 1.241 1821.0 180.0 120.7 483.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 200.0 134.1 537.0 0.0200 155.2 254.6 6.921 0.7447 1.241 2035.0 250.0 167.6 671.0 0.0160 192.5 316.6 7.198 0.7447 1.241 2275.0 360.0 201.1 805.0 0.0133 229.7 378.7 7.424 0.7447 1.241 2493.0 350.0 234.6 939.0 0.0114 267.0 440.8 7.615 0.7447 1.241 2692.0 400.0 268.2 1070.0 0.0100 304.2 502.8 7.781 0.7447 1.241 2678.0 450.0 335.2 1340.0 0.00800 374.7 626.9 7.927 0.7447 1.241 3052.0 506.0 335.2 1340.0 0.00667 453.1 751.1 8.284 0.7447										
180.0 120.7 483.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 200.0 134.1 537.0 0.0200 155.2 254.6 6.921 0.7447 1.241 2035.0 250.0 167.6 671.0 0.0160 192.5 316.6 7.198 0.7447 1.241 2275.0 360.0 201.1 805.0 0.0133 229.7 378.7 7.424 0.7447 1.241 2493.0 350.0 234.6 939.0 0.0114 267.0 440.8 7.615 0.7447 1.241 2692.0 400.0 268.2 1070.0 0.0100 304.2 502.8 7.781 0.7447 1.241 2878.0 450.0 301.7 1210.0 0.00889 341.4 564.9 7.927 0.7447 1.241 3052.0 506.0 335.2 1340.0 0.00800 378.7 626.9 8.058 0.7447 1.241 352.0 600.0 402.2 1610.0 0.00571 527.6 875.2 8.475 0.744	140.0	93.88	376.0	0.0286	110.6	180.1	6.478	0.7448	1.241	1703.0
180.0 120.7 483.0 0.0222 140.4 229.8 6.790 0.7447 1.241 1931.0 200.0 134.1 537.0 0.0200 155.2 254.6 6.921 0.7447 1.241 2035.0 250.0 167.6 671.0 0.0160 192.5 316.6 7.198 0.7447 1.241 2275.0 360.0 201.1 805.0 0.0133 229.7 378.7 7.424 0.7447 1.241 2493.0 350.0 234.6 939.0 0.0114 267.0 440.8 7.615 0.7447 1.241 2692.0 400.0 268.2 1070.0 0.0100 304.2 502.8 7.781 0.7447 1.241 2878.0 450.0 301.7 1210.0 0.00889 341.4 564.9 7.927 0.7447 1.241 3052.0 506.0 335.2 1340.0 0.00800 378.7 626.9 8.058 0.7447 1.241 352.0 600.0 402.2 1610.0 0.00571 527.6 875.2 8.475 0.744	466.0	407 7		0.0050	405 5	201.0		0.7//0	4 064	4024 0
200-0 134-1 537-0 0.0200 155-2 254.6 6.921 0.7447 1.241 2035.0 250.0 167.6 671.0 0.0160 192.5 316.6 7.198 0.7447 1.241 2275.0 300.0 201.1 805.0 0.0133 229.7 378.7 7.424 0.7447 1.241 2275.0 230.0 201.1 805.0 0.0133 229.7 378.7 7.424 0.7447 1.241 2493.0 350.0 234.6 939.0 0.0114 267.0 440.8 7.615 0.7447 1.241 2692.0 400.0 268.2 1070.0 0.0100 304.2 502.8 7.781 0.7447 1.241 2692.0 450.0 301.7 1210.0 0.00889 341.4 564.9 7.927 0.7447 1.241 3052.0 500.0 335.2 1340.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3218.0 600.0 402.2 1610.0 0.00667 453.1 751.1 8.284 0.7447 1.241 3328.0 600.0 402.2 1610.0 0.00667 453.1 751.1 8.284 0.7447 1.241 3525.0 760.0 536.3 2150.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4070.0 900.0 603.3 2410.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4070.0 1000.0 670.3 2680.0 0.00400 751.0 1248.0 8.918 0.7447 1.241 4550.0 1200.0 804.4 3220.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4984.0 1200.0 804.4 3220.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4984.0 1600.0 1072.0 4290.0 0.00280 1049.0 1744.0 9.336 0.7447 1.241 4984.0 1600.0 1072.0 4290.0 0.00280 1049.0 1744.0 9.336 0.7447 1.241 5755.0 1600.0 1072.0 4290.0 0.00220 1198.0 1992.0 9.502 0.7447 1.241 5755.0 1600.0 1270.0 4830.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6104.0 2000.0 1341.0 5360.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1341.0 5360.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1676.0 6700.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1676.0 6700.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1676.0 6700.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1676.0 6700.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1676.0 6700.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 7194.0 25500.0 1676.0 6700.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 25500.0 1676.0 6700.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 7194.0 25500.0 1676.0 6700.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 7194.0 25500.0 1676.0 6700.0 0.00160 1868.0 3109.0 10.006 0.7447 1.241 7194.0 25500.0 1676.0 6700.0 0.00160 1868.0										
250.0 167.6 671.0 0.0160 192.5 316.6 7.198 0.7447 1.241 2275.0 300.0 201.1 805.0 0.0133 229.7 378.7 7.424 0.7447 1.241 2493.0 350.0 234.6 939.0 0.0114 267.0 440.8 7.615 0.7447 1.241 2692.0 400.0 268.2 1070.0 0.0100 304.2 502.8 7.781 0.7447 1.241 2692.0 450.0 301.7 1210.0 0.00809 341.4 564.9 7.927 0.7447 1.241 3052.0 506.0 335.2 1340.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3152.0 600.0 402.2 1610.0 0.00667 453.1 751.1 8.284 0.7447 1.241 3525.0 760.0 469.2 1880.0 0.00500 602.1 999.0 8.641 0.7447 1.241 3525.0 760.0 536.3 2150.0 0.00500 602.1 999.0 8.641 0.7447 1.241 3407.0 900.0 603.3 2410.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4070.0 600.0 603.3 2410.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4316.0 1000.0 670.3 2680.0 0.00404 676.5 1123.0 8.787 0.7447 1.241 4316.0 1000.0 670.3 2680.0 0.00400 751.0 1248.0 8.918 0.7447 1.241 4350.0 1400.0 938.4 3750.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4984.0 1400.0 938.4 3750.0 0.00286 1049.0 1744.0 9.336 0.7447 1.241 5838.0 1600.0 1072.0 4290.0 0.00286 1049.0 1744.0 9.336 0.7447 1.241 5838.0 1600.0 1072.0 4290.0 0.00225 1198.0 1992.0 9.502 0.7447 1.241 5755.0 1600.0 1341.0 5360.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6104.0 2000.0 1341.0 5360.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1341.0 5360.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1341.0 5360.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1341.0 5360.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1341.0 5360.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 15676.0 6700.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0				0.0202						
360.0 201.1 805.0 0.0133 229.7 378.7 7.424 0.7447 1.241 2493.0 350.0 234.6 939.0 0.0114 267.0 440.8 7.615 0.7447 1.241 2692.0 400.0 268.2 1070.0 0.0100 304.2 502.8 7.781 0.7447 1.241 2678.0 450.0 301.7 1210.0 0.00889 341.4 564.9 7.927 0.7447 1.241 3052.0 600.0 402.2 1610.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3218.0 600.0 402.2 1610.0 0.00667 453.1 751.1 8.284 0.7447 1.241 3525.0 760.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3525.0 760.0 536.3 2150.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4070.0 900.0 603.3 2410.0 6.00500 602.1 999.0 8.641 0.7447 1.241 4316.0 1000.0 670.3 2680.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4316.0 1000.0 670.3 2680.0 0.00500 751.0 1248.0 8.918 0.7447 1.241 4550.0 1200.0 804.4 3220.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4984.0 1200.0 804.4 3220.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4984.0 1600.0 938.4 3750.0 0.00286 1049.0 1744.0 9.336 0.7447 1.241 5383.0 1600.0 1072.0 4290.0 0.00250 1198.0 1992.0 9.502 0.7447 1.241 5383.0 1600.0 1072.0 4290.0 0.00226 1198.0 1992.0 9.502 0.7447 1.241 5755.0 1200.0 1200.0 1207.0 4830.0 0.00226 1347.0 2240.0 9.648 0.7447 1.241 6104.0 2000.0 1341.0 5360.0 0.00200 1496.0 2248.0 9.778 0.7447 1.241 6104.0 2000.0 1341.0 5360.0 0.00200 1496.0 2248.0 9.778 0.7447 1.241 6104.0 2000.0 1341.0 5360.0 0.00200 1496.0 2248.0 9.778 0.7447 1.241 6104.0 2000.0 1341.0 5360.0 0.00200 1496.0 2248.0 9.778 0.7447 1.241 6104.0 2000.0 1341.0 5360.0 0.00200 1496.0 2248.0 9.778 0.7447 1.241 6104.0 2000.0 15676.0 6700.0 0.00200 1496.0 2248.0 9.778 0.7447 1.241 6434.0 25500.0 1676.0 6700.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 25500.0 1676.0 6700.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 25500.0 1676.0 6700.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 25500.0 1676.0 6700.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 25500.0 1676.0 6700.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 25500.0 1676.0 6700.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 25500.0 1676.0 6700.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 25500.0 1676										
350.0 234.6 939.0 0.0114 267.0 440.8 7.615 0.7447 1.241 2692.0 400.0 268.2 1070.0 0.0100 304.2 502.8 7.781 0.7447 1.241 2878.0 450.0 301.7 1210.0 0.00889 341.4 564.9 7.927 0.7447 1.241 3052.0 506.0 335.2 1340.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3218.0 600.0 402.2 1610.0 0.0067 453.1 751.1 8.284 0.7447 1.241 3228.0 600.0 536.3 2150.0 0.0057 527.6 875.2 8.475 0.7447 1.241 32525.0 800.0 536.3 2150.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4370.0 900.0 603.3 2410.0 0.00444 676.5 1123.0 8.787 0.7447 1.241 4316.0 1000.0 670.3 2680.0 0.00444 676.5 1123.0 8.787 0.7447 1.241 4316.0 1200.0 670.3 2680.0 0.00400 751.0 1248.0 8.918 0.7447 1.241 4550.0 1200.0 938.4 3750.0 0.00238 1049.0 1496.0 9.144 0.7447 1.241 4984.0 1600.0 938.4 3750.0 0.00286 1049.0 1744.0 9.336 0.7447 1.241 5984.0 1600.0 1072.0 4290.0 0.00238 1049.0 1744.0 9.336 0.7447 1.241 5755.0 1600.0 1072.0 4290.0 0.00250 1198.0 1992.0 9.502 0.7447 1.241 5755.0 1600.0 127.0 4830.0 0.00228 1198.0 1992.0 9.502 0.7447 1.241 6104.0 2000.0 1341.0 5360.0 0.00228 1496.0 2489.0 9.778 0.7447 1.241 6104.0 2000.0 1341.0 5360.0 0.00228 1496.0 2489.0 9.778 0.7447 1.241 6104.0 2500.0 1676.0 6700.0 0.00208 1496.0 3109.0 10.066 0.7447 1.241 6104.0 2600.0 1676.0 6700.0 0.00208 1496.0 3109.0 10.066 0.7447 1.241 6104.0 2600.0 1676.0 6700.0 0.00208 1496.0 3109.0 10.066 0.7447 1.241 6104.0 2600.0 1676.0 6700.0 0.00208 1496.0 3109.0 10.066 0.7447 1.241 6104.0 2600.0 1676.0 6700.0 0.00208 1496.0 3109.0 10.066 0.7447 1.241 6104.0 2600.0 1676.0 6700.0 0.00208 1496.0 3109.0 10.066 0.7447 1.241 6434.0 2600.0 1676.0 6700.0 0.00208 1496.0 3109.0 10.066 0.7447 1.241 6434.0 2600.0 1676.0 6700.0 0.00208 1496.0 3109.0 10.066 0.7447 1.241 6434.0 2600.0 1676.0 6700.0 0.00208 1496.0 3109.0 10.066 0.7447 1.241 6434.0 2600.0 1676.0 6700.0 0.00208 1496.0 3109.0 10.066 0.7447 1.241 6434.0 2600.0 1676.0 6700.0 0.00208 1496.0 3109.0 10.066 0.7447 1.241 6434.0 2600.0 1676.0 6700.0 0.00208 1496.0 3109.0 10.066 0.7447 1.241 6434.0 2600.0 1676.0 6700.0 0.00208 1496.0 3109.0 10.066 0.7447 1.241 6434.0 2600.										
400.0 268.2 1070.0 0.0100 304.2 502.8 7.781 0.7447 1.241 2878.0 450.0 301.7 1210.0 0.00889 341.4 564.9 7.927 0.7447 1.241 3052.0 506.0 335.2 1340.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3218.0 600.0 402.2 1610.0 0.00667 453.1 751.1 8.284 0.7447 1.241 3525.0 760.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3525.0 8.06.0 536.3 2150.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4070.0 900.0 603.3 2410.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4070.0 603.3 2410.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4316.0 1000.0 670.3 2680.0 0.00404 676.5 1123.0 8.787 0.7447 1.241 4316.0 1200.0 804.4 3220.0 0.00333 900.0 1246.0 8.918 0.7447 1.241 4550.0 1200.0 804.4 3220.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4580.0 1460.0 938.4 3750.0 0.00286 1049.0 1744.0 9.336 0.7447 1.241 5383.0 1600.0 1072.0 4290.0 0.00250 1198.0 1992.0 9.502 0.7447 1.241 5383.0 1600.0 1072.0 4290.0 0.00225 1198.0 1992.0 9.502 0.7447 1.241 5755.0 1200.0 1341.0 5360.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6104.0 2000.0 1341.0 5360.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 15676.0 6700.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1676.0 6700.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 7194.0										2602 0
450.0 331.7 1210.0 0.00889 341.4 564.9 7.927 0.7447 1.241 3162.0 500.0 335.2 1340.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3218.0 600.0 402.2 1610.0 0.00667 453.1 751.1 8.284 0.7447 1.241 3525.0 760.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3807.0 806.0 536.3 2150.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4070.0 100.0 670.3 2410.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4070.0 100.0 670.3 2410.0 0.00400 751.0 1248.0 8.787 0.7447 1.241 4516.0 1200.0 804.4 3220.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4984.0 1240.0 938.4 3750.0 0.00286 1049.0 1744.0 9.336 0.7447 1.241 4984.0 1600.0 1072.0 4290.0 0.00286 1049.0 1744.0 9.336 0.7447 1.241 5383.0 1600.0 1072.0 4290.0 0.00226 1198.0 1992.0 9.502 0.7447 1.241 5755.0 1200.0 1200.0 1207.0 4830.0 0.00226 1198.0 1992.0 9.502 0.7447 1.241 5785.0 1200.0 1341.0 5360.0 0.00220 1496.0 2489.0 9.778 0.7447 1.241 6104.0 2000.0 1341.0 5360.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1676.0 6700.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1676.0 6700.0 0.00160 1868.0 3109.0 10.066 0.7447 1.241 7194.0										2878 0
500.0 335.2 1340.0 0.00800 378.7 626.9 8.058 0.7447 1.241 3218.0 600.0 402.2 1610.0 0.00667 453.1 751.1 8.284 0.7447 1.241 3228.0 700.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3807.0 800.0 536.3 2150.0 0.00500 602.1 99.0 8.641 0.7447 1.241 4070.0 900.0 603.3 2410.0 0.00444 676.5 1123.0 8.787 0.7447 1.241 4316.0 1000.0 670.3 2680.0 0.00440 751.0 1248.0 8.918 0.7447 1.241 4550.0 1200.0 804.4 3220.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4550.0 1400.0 938.4 3750.0 0.00286 1049.0 1744.0 9.336 0.7447 1.241 5383.0 1600.0 1072.0 4290.0 0.00250 1198.0 1992.0 9.5										
600.0 402.2 1610.0 0.03667 453.1 751.1 8.284 0.7447 1.241 3525.0 700.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3807.0 800.0 536.3 2150.0 0.00590 602.1 999.0 8.641 0.7447 1.241 4070.0 900.0 603.3 2410.0 6.00444 676.5 1123.0 8.787 0.7447 1.241 4316.0 1000.0 670.3 2680.0 0.00400 751.0 1248.0 8.918 0.7447 1.241 4550.0 1200.0 804.4 3220.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4584.0 1600.0 938.4 3750.0 0.00286 1049.0 1744.0 9.336 0.7447 1.241 5383.0 1600.1 1072.0 4290.0 0.00250 1198.0 1992.0 9.502 0.7447 1.241 5755.0										
760.0 469.2 1880.0 0.00571 527.6 875.2 8.475 0.7447 1.241 3807.0 800.0 536.3 2150.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4070.0 900.0 603.3 2410.0 0.00444 676.5 1123.0 8.787 0.7447 1.241 4316.0 1000.0 670.3 2680.0 0.00400 751.0 1248.0 8.918 0.7447 1.241 4356.0 1220.0 804.4 3220.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4950.0 1460.0 938.4 3750.0 0.00286 1049.0 1744.0 9.336 0.7447 1.241 5383.0 1606.0 1072.0 4290.0 0.00250 1198.0 1992.0 9.502 0.7447 1.241 5755.0 1800.0 1207.0 4830.0 0.002250 1198.0 1992.0 9.502 0.7447 1.241 5755.0 1200.0 1341.0 5360.0 0.00220 1496.0 2489.0 9.648 0.7447 1.241 6104.0 2000.0 1341.0 5360.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1676.0 6700.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1676.0 6700.0 0.00160 1868.0 3109.0 10.06 0.7447 1.241 7194.0										
806.0 536.3 2150.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4070.0 900.0 603.3 2410.0 0.00444 676.5 1123.0 8.787 0.7447 1.241 4316.0 1000.0 670.3 2680.0 0.00400 751.0 1248.0 8.918 0.7447 1.241 4550.0 1200.0 804.4 3220.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4984.0 1460.0 938.4 3750.0 0.00286 1049.0 1744.0 9.336 0.7447 1.241 5383.0 1600.0 1072.0 4290.0 0.00286 1049.0 1992.0 9.502 0.7447 1.241 5755.0 1800.0 1207.0 4830.0 0.0226 1198.0 1992.0 9.502 0.7447 1.241 5755.0 1200.0 1341.0 5360.0 0.00200 1496.0 22489.0 9.778 0.7447 1.241 6104.0 2000.0 1341.0 5360.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1676.0 6700.0 0.00160 1868.0 3109.0 10.06 0.7447 1.241 7194.0	000.0	402.2	1010.0	0.03001	493.1	191.1	0+404	0.7447	1.241	3929.0
806.0 536.3 2150.0 0.00500 602.1 999.0 8.641 0.7447 1.241 4070.0 900.0 603.3 2410.0 0.00444 676.5 1123.0 8.787 0.7447 1.241 4316.0 1000.0 670.3 2680.0 0.00400 751.0 1248.0 8.918 0.7447 1.241 4550.0 1200.0 804.4 3220.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4984.0 1460.0 938.4 3750.0 0.00286 1049.0 1744.0 9.336 0.7447 1.241 5383.0 1600.0 1072.0 4290.0 0.00286 1049.0 1992.0 9.502 0.7447 1.241 5755.0 1800.0 1207.0 4830.0 0.0226 1198.0 1992.0 9.502 0.7447 1.241 5755.0 1200.0 1341.0 5360.0 0.00200 1496.0 22489.0 9.778 0.7447 1.241 6104.0 2000.0 1341.0 5360.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1676.0 6700.0 0.00160 1868.0 3109.0 10.06 0.7447 1.241 7194.0	760.0	469.2	1880.0	0.00571	527.6	875.2	8.475	0.7447	1.241	3807.0
900.0 603.3 2410.0 0.00444 676.5 1123.0 8.787 0.7447 1.241 4316.0 1000.0 670.3 2680.0 0.004600 751.0 1248.0 8.918 0.7447 1.241 4550.0 1200.0 804.4 3220.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4984.0 1460.0 938.4 3750.0 0.00286 1049.0 1744.0 9.336 0.7447 1.241 5383.0 1600.0 1072.0 4290.0 0.00250 1198.0 1992.0 9.502 0.7447 1.241 5383.0 1600.0 1207.0 4830.0 0.00250 1198.0 1992.0 9.502 0.7447 1.241 5755.0 1200.0 1341.0 5360.0 0.00250 1496.0 2489.0 9.748 0.7447 1.241 6104.0 2000.0 1341.0 5360.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1676.0 6700.0 0.00160 1868.0 3109.0 10.06 0.7447 1.241 7194.0										
1000.0 670.3 2680.0 0.00400 751.0 1248.0 8.918 0.7447 1.241 4550.0 1200.0 804.4 3220.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4984.0 1460.0 938.4 3750.0 0.00286 1049.0 1744.0 9.336 0.7447 1.241 5383.0 1606.0 1072.0 4290.0 0.00286 1049.0 1992.0 9.502 0.7447 1.241 5785.0 1200.0 1207.0 4830.0 0.00285 1198.0 1992.0 9.502 0.7447 1.241 5755.0 2000.0 1341.0 5360.0 0.00202 1347.0 2240.0 9.648 0.7447 1.241 6104.0 2000.0 1341.0 5360.0 0.00202 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1676.0 6700.0 0.00160 1868.0 3109.0 10.06 0.7447 1.241 7194.0										
1200.0 804.4 3220.0 0.00333 900.0 1496.0 9.144 0.7447 1.241 4984.0 1400.0 938.4 3750.0 0.00286 1049.0 1744.0 9.336 0.7447 1.241 5383.0 1600.0 1072.0 4290.0 0.00250 1198.0 1992.0 9.502 0.7447 1.241 5755.0 1800.0 1207.0 4830.0 0.00222 1347.0 2240.0 9.648 0.7447 1.241 6104.0 2000.0 1341.0 5360.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1676.0 6700.0 0.00160 1868.0 3109.0 10.06 0.7447 1.241 7194.0										
1400.0 938.4 3750.0 0.00286 1049.0 1744.0 9.336 0.7447 1.241 5383.0 1600.0 1072.0 4290.0 0.00250 1198.0 1992.0 9.502 0.7447 1.241 5755.0 1800.0 1207.0 4830.0 0.00222 1347.0 2240.0 9.648 0.7447 1.241 6104.0 2000.0 1341.0 5360.0 0.0020 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1676.0 6700.0 0.00160 1868.0 3109.0 10.06 0.7447 1.241 7194.0										
1606.0 1072.0 4290.0 0.00250 1198.0 1992.0 9.502 0.7447 1.241 5755.0 1800.0 1207.0 4830.0 0.00222 1347.0 2240.0 9.648 0.7447 1.241 6104.0 2000.0 1341.0 5360.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1676.0 6700.0 0.00160 1868.0 3109.0 10.06 0.7447 1.241 7194.0										
1800.0 1207.0 4830.0 0.00222 1347.0 2240.0 9.648 0.7447 1.241 6104.0 2000.0 1341.0 5360.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1676.0 6700.0 0.00160 1868.0 3109.0 10.06 0.7447 1.241 7194.0										
2000.0 1341.0 5360.0 0.00200 1496.0 2489.0 9.778 0.7447 1.241 6434.0 2500.0 1676.0 6700.0 0.00160 1868.0 3109.0 10.06 0.7447 1.241 7194.0										
2500.0 1676.0 6700.0 0.00160 1868.0 3109.0 10.06 0.7447 1.241 7194.0										
700 0 2011 0 2010 0 0 00177 2240 0 7770 0 10 28 0 7447 4 241 7880 0										
2000.0 5011.0 00.00.0 0.00123 5540.0 2/30.0 10.50 0.44/ 1.541 / 600.0	3000.0	2011.0	8040.0	0.00133	2240.0	3730.0	10.28	0.7447	1.241	7880.0

^{*} TWO-PHASE BOUNDARY

4 PSIA ISDBAR

TEMPERATURE	DENSITY	V (DH/DV)	V(DP/DU) -	V (DP/DV)	(DV/DT)/V	THERMAL	VISCOSITY	THERMAL	OIELECTRIC	PRANDTL
TEM EMATORE	52.152.1	P	v	T	PC	DNDUCTIVITY		DIFFUSIVITY		NUMBER
DEG. R	LB/CU FT	BTU/LB	PSIA-CU FT/BTU	PSIA	1/DEG. R	BTU/FT-HR-R	LB/FT-SEC	SQ FT/HR		
							X 10E+6			
4.0	9.150	51.2		1000.0	0.0137	0.00870	2.47	0.00135	1.02041	0.720
5.0	8.941	16.8	6.54	826.0	0.0312	0.0100	2.52	0.00214	1.02027	0.474
* 5.570	8-758	14.7	6.93	688.0	0.0412	0.0104	2.45	0.00196	1.02013	0.514
* 5.570	0.3142	5.83	3.58	3.31	0.266	0.00403	0.556	0.00828	1.00117	0.769
6.0	0.2828	6.47	3.60	3.45	0.227	0.00427	0.599	0.0103	1.00106	0.741
7 • 0	0.2321	7.89	3.63	3.65	0.174	0-00486	0.692	0.0152	1.00087	0.704
8.0	0.1932	9.24	3.64	3.75	0.144	0.00544	0.780	0.0206	1.00074	0.686
9.0	0.1735	10.6	3.64	3.82	0.123	0.00599	0.862	0.0264	1.00065	0.677
16.0	0.1545	11.9 13.2	3.64	3.86 3.89	0.109 0.0971	0.00651	0.941	0.0326	1.00058	0.672
11.0	0.1395	13.2	3.64	3.09	0.09/1	0.00700	1.02	0.0392	1.00052	0.669
12.0	0.1272	14.5	3.63	3.91	0.0880	0.00748	1.09	0.0462	1.00048	0.668
13.0	0.1169	15.8	3.63	3.93	0.0805	0.00793	1.16	0.0535	1.00044	0.668
14.0	0.1082	17 • 0	3.63	3.94	0.0742	0.00836	1.23	0.0611	1.00041	0.669
15.0	0.1007	18.3	3.63	3.95	0.0689	G.00877	1.29	0.0690	1.00038	0.670
16.0	0.09425	19.6	3.63	3.96	0.0643	0.00916	1.36	0.0773	1.00035	0.671
17.0	0.08857	20.8	3.63	3.96	0.0603	0.00955	1.42	0.0858	1.00033	0.673
18.0	0.08353	22.1	3.62	3.97	0.0568	0.00992	1.48	0.0946	1.00031	0.674
19.0	0.07905	23.4	3.62	3.97	0.0537	0.0103	1.54	0.104	1.00030	0.676
20.0	0.07503	24.6	3.62	3.98	0.0509	0.0106	1.60	0.113	1.00028	0.677
22.0	0.06810	27.1	3.62	3.98	0.0461	0.0113	1.71	0.133	1.00026	0.681
24.0	0.36236	29.6	3.62	3.99	0.0421	0.0119	1.82	0.153	1.00023	0.684
26.0	0.05752	32.2	3.62	3.99	0.0388	0.0126	1.92	0.175	1.00022	0.687
28.0	0.05338	34.7	3.61	3.99	0.0360	0.0131	2.02	0.197	1.00020	0.689
30.0	0.04979	37.2	3.61	3.99	0.0335	0.0137	2.11	0.221	1.00019	0.692
32.0	0.04666	39.7	3.61	4.00	0.0314	0.0143	2.21	0.245	1-00018	0.694
34.0	0.04391	42.1	3.61 3.61	4.30	0.0295	0.0148	2.30	0.271	1.00017	0.696
36.0 38.0	0.04146	44.6 47.1		4.00 4.00	0.0279	0.0153	2.39	0.297	1.00016	0.698
40.0	0.03730	49.6	3.61 3.61	4.00	0.0264 0.0251	0.0158 0.0163	2.47 2.56	0.324 0.352	1.00015 1.00014	0.699 0.701
40.0	0.03/30	49.0	3.61	4.00	0.0291	0.0163	2.50	0.352	1.00014	0.701
45.0	0.03315	55.9	3.61	4.00	0.0223	0.0176	2.76	0.426	1.00013	0.703
50.0	0.02983	62.1	3.61	4.00	0.0200	0.0187	2.95	0.505	1.00011	0.706
55.0	0.02711	68.3	3.61	4.00	0.0182	0.0198	3-14	0.589	1.00010	0.707
66.0	0.02485	74.5	3.61	4.00	0.0167	0.0209	3.31	0.678	1.00009	0.708
70.0	0.02130	86.9	3.60	4.00	0.0143	0.0230	3.65	0.870	1.00008	0.708
86.0	0.01864	99.4	3.60	4.00	0.0125	0.0250	3.96	1.08	1-00007	0.708
90-0	0.01657	112 · G	3.60	4.0G	0.0111	0.0270	4.26	1.31	1.00006	0.707
100.0	0.01491	124.0	3.60	4.00	0.0100	0.0288	4.55	1.56	1.00006	0.705
120.0	0.01243	149.0	3.6û	4.00	0.00833	0.0325	5.10	2.10	1.00005	0.702
140-0	0-01065	174.0	3.60	4.00	0.00714	0.0359	5.61	2.72	1.00004	0.698
460.0	2 020700	400 0	7.60	, ,,	0.0000	0.3700	6.40	7.70	4 00004	0.00
160.0	0.009320	199.0	3.60	4.00	0.00625	0.0392	6.10	3.39	1.00004	0.694
266.0	0.007457	248.0	3.60 3.60	4.00 4.00	0.00555 0.00500	0.0425	6.56	4.13 4.93	1.00003	0.691
250.0	0.007457	310.0	3.60	4.00	0.00500	0.0456	6.89 7.98	4.93 7.17	1.00003	0.675
360.0	0.004972	372.0	3.60	4.00	0.00333	0.0501	9.00	9.75	1.00002 1.00002	0.671 0.669
350.0	0.004372	435.0	3.60	4.00	0.00286	0.0669	10.0	12.6	1-00002	0.667
400.0	0.303729	497.G	3.60	4.00	0.00250	G. 3732	10.9	15.8	1.00002	0.666
450.0	0.003315	559.0	3.60	4.00	0.00222	0.0793	11.8	19.3	1.00001	0.667
500.0	0.002983	621.0	3.60	4.00	0.00200	0.0850	12.7	23.0	1.00001	0.668
600.0	0.002486	745.0	3.60	4.00	0.00167	0.0962	14.4	31.2	1.00001	0.669
706.0	0.902131	869.0	3.60	4.00	0.00143	0.107	16.0	40.5	1.00001	0.668
800.0	0.001865	993.0	3.60	4.00	0.00125	0.117	17.6	50.8	1.00001	0.668
900.0	0.001658	1120-0	3.60	4.30	0.00111	0.128	19.1	62.0	1.00001	0.668
1000.0	0.001492	1240.0	3.60	4.00	0.00100	0.137	20.5	74.2	1.00001	0.667
1200.0	0.001243	1490.0	3.60	4.00	0.060833	0.156	23.3	101.0	1.00000	0.667
1400.0	0.001066	1740.0	3.60	4.30	0.000714	0.174	26.0	132.0	1.00000	0.667
1600.0	0.0009324	1990.0	3.60	4.00	0.000625	0.191	28.5	165.0	1.00000	0.666
1800.0	0.0008288	2230.0	3.60	4.00	0.000556	0.208	31.0	202.0	1.00000	0.666
2000.0	0.0007459	2480.0	3.60	4.00	0-006500	0.224	33-4	242.0	1.00000	0.666
2500.0	0.0005968	3100.0	3.60	4.00	0.000400	0.263	39.2	355.0	1.00000	0.666
3000.0	0.0004973	3720 D	3.60	4 30	0.000333	0.299	44.6	485.0	1 20200	0 666
3000.0	0.00045/3	3720.0	3.00	4.00	0.000333	0.299	44.0	407.0	1.00000	0.666

^{*} TWO-PHASE BOUNDARY

6 PSIA ISOBAR

TEMPERATURE VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
Tem enarone rozone	OERIVATIVE	OERIVATIVE	ENERGY				•	OF SOUND
OEG. R CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	RTU /	L8 -R	FT/SEC
000 K 00 11725	30 31A/25		5.0,25	5.0,25	5. 6 , 25 K	J. J.		117500
4.0 0.1091	111.0	13.7	1.414	1.536	0.4045	0.6826	0.6976	725.0
5.0 0.1116	94.3	25.8	1.946	2.070	0.5246	0.4399	0.5213	719.2
6.0 0.1161	69.3	29.6	2.538	2.667	0.6330	0.4899	0.6798	667.3
		29.9	2.616	2.746	0.6461	0.4955		
0,114 0,110,	66.2			20140			0.7032	659.6
. 0.114 5.552	10.3	1.28	10.14	12.61	2.263	0.7863	1.666	318.5
7.0 2.727	14.0	1.02	10.96	13.99	2.474	0.7637	1.478	354.3
8.0 3.25 0	17.6	0.846	11.81	15.42	2.665	0.7529	1.389	387.8
9.0 3.748	20.9	0.730	12.62	16.78	2.826	0.7480	1.345	417.1
10.0 4.234	24.0	0.644	13.41	18.12	2.966	0.7457	1.319	443.6
11.0 4.711	27-1	0.578	14.19	19.43	3.091	0.7447	1.302	468.2
12.J 5.182	30.0	0.524	14.96	20.72	3.204	0.7442	1.291	491.2
13.0 5.649	33.0	0.481	15.73	22.01	3.307	0.7441	1.283	512.9
14.0 6.113	35.8	0.444	16.50	23.29	3.401	0.7441	1.276	533.6
15.0 6.575	38.7	0.412	17.26	24.56	3.489	0.7441	1.272	553.4
15.0 6.575			17.20				1.212	
16.0 7.035	41.5	0.385	18.02	25.83	3.571	0.7442	1.268	572.4
17.0 7.493	44.3	0.361	18.77	27.10	3.648	0.7443	1.265	590.8
18.0 7.950	47.1	0.340	19.53	28.36	3.720	0.7444	1.262	608.5
19.0 8.405	49.9	0.322	20.28	29.62	3.788	0.7444	1.260	625.7
20.0 8.860	52.7	0.305	21.04	30.88	3.853	0.7445	1.258	642.3
22.0 9.768	58.2	0.277	22.54	33.39	3.973	0.7446	1.255	674.3
22.0								0, 1,0
24.0 10.67	63.7	0.253	24.04	35.90	4.082	0.7447	1.253	704.8
26.0 11.58	69.2	0.233	25.54	38.41	4.182	0.7448	1.251	733.9
28.0 12.48	74.7	0.216	27.04	40.91	4.275	0.7449	1.250	761.9
30.0 13.38	80.1	0.202	28.54	43.41	4.361	0.7449	1.249	788.9
32.0 14.28	85.6	0.189	30.04	45.90	4.441	0.7449	1.248	814.9
34.0 15.18	91.0	0.178	31.53	48.40	4.517	0.7449	1.247	840.1
36.0 16.08	96.4	0.168	33.03	50.89	4.588	0.7450	1.247	864.5
38.0 16.98	102.0	0.159	34.52	53.38	4.656	0.7450	1.246	888.2
40.0 17.87	107.0	0.151	36.02	55.88	4.720	0.7450	1.246	911.3
40.0 17.07	107-0	0.191	30.02	22.00	4.720	0.7450	1.240	211.3
45.0 20.12	121.0	0.134	39.75	62.10	4.866	0.7450	4 24 5	066 7
						0.7450	1.245	966.7
50.0 22.36	134.0	0.120	43.48	68.32	4.997	0.7450	1.244	1019.0
55.0 24.60	148.0	0.109	47.21	74.54	5.116	0.7449	1.243	1069.0
60-0 26-83	161.0	0.100	50.94	80.76	5.224	0.7449	1.243	1116.0
70.0 31.31	188.0	0.0858	58.4C	93.19	5.416	0.7449	1.243	1205.0
80.0 35.78	215.0	0.6751	65 • 85	105.6	5.582	0.7449	1.242	1288.0
90.0 40.25	242.0	0.0667	73.31	118.0	5.728	0.7449	1.242	1366.0
100.0 44.73	269.0	0.0600	80.76	130.4	5.859	0.7448	1.242	1440.0
120.0 53.67	322.0	0.4500	95.66	155.3	6.085	0.7448	1.242	1577.0
140.0 62.60	376.0	0.0429	110.6	180.1	6.276	0.7448	1.241	1704-0
140.0 02.00	376.0	0.0429	110.0	100.1	0.276	0.7440	1.541	1704.0
160.0 71.54	430.0	9.0375	125.5	204.9	6 440	0.7440	4 24 4	1821.0
					6.442	0.7448	1.241	
180.0 80.48	483.0	0.0333	140.4	229.8	6.588	0.7448	1.241	1931.0
200.0 89.42	537.0	0.0300	155.2	254.6	6.719	0.7448	1.241	2036.0
250.0 111.8	671.0	0.0240	192.5	316.7	6.996	0.7448	1.241	2276.0
300.0 134.1	805.0	9.6200	229.7	378.7	7.223	0.7447	1.241	2493.0
350.0 156.4	939.0	0.0171	267.0	440.8	7.414	0.7447	1.241	2692.0
400-0 178-8	1070.0	0.0150	304.2	502.8	7.580	0.7447	1.241	2878.0
450.0 201.1	1210.0	0.0133	341.4	564.9	7.726	0.7447	1.241	3053.0
500.0 223.5	1340.0	0.0120	378.7	627.0	7.857	0.7447	1.241	3218.0
		0.0100				0.7447		
600.0 268.2	1610.0	0.0100	453-1	751-1	8.083	0.7447	1-241	3525.0
706 0 749 0	4000 0	0.20057	C 117 C	075 0	0.074	0.7117	4 014	7007 0
700.0 312.8	1880.0	0.00857	527.6	875.2	8.274	0.7447	1.241	3807.0
800.0 357.5	2150.0	0.00750	602.1	999.0	8.440	0.7447	1.241	4070.0
900.0 402.2	2410.0	0.00667	676-6	1123.0	8.586	0.7447	1.241	4317.0
1000.0 446.9	2680.0	0.00600	751.0	1248.0	8.717	0.7447	1.241	4550.0
1200.0 536.3	3220.0	0.03500	900.0	1496.0	8.943	0.7447	1.241	4984.0
1400.0 625.6	3750.0	0.00429	1049.0	1744.0	9.134	0.7447	1.241	5384-0
1600.0 715.0	4290.0	0.06375	1198.0	1992.0	9.300	0.7447	1.241	5755.0
	4830.0	0.00333	1347.0	2240.0	9.446	0.7447	1.241	6104.0
2006.0 893.7	5360.0	0.00300	1496.0	2489.0	9.577	0.7447	1.241	6434.0
2500.0 1117.0	6700.0	0.00240	1868-0	3109.0	9.854	0.7447	1.241	7194.0
10.20								
3000.0 1341.0	8040.0	0.00200	2240.0	3730.0	10.08	0.7447	1.241	7880.0

^{*} THO-PHASE BOUNDARY

6 PSIA ISDBAR

TEMPERATUR	EDENSITY	V(DH/DV)	V(DP/DU) -	V (DP/DV) _T	(DV/DT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
250 2			•	-		ONDUCTIVITY	10/57 550	DIFFUSIVITY SQ FT/HR	CONSTANT	NUMBER
DEG. R	LB/CU FT	BTU/LB	PSIA-CU FT/BTU	PSIA	1/0EG. R	BTU/FT-HR-R	X 10E+6	SU FIZHK		
							X 100.0			
4.0	9.168	51.8	2.19	1020.0	0.8135	0.00872	2.49	0.00136	1.02042	0.718
5.0	8.964	17.1	6.54	845.0	0.0305	0.0101	2.54	0.00215	1.02028	0.474
6 • 0	8.617	13.7	7.02	597.0	0.0497	0.0107	2.41	0.00183	1.02001	0.550
* 6.114	8 • 566	13.4	7.03	567.0	0.0526	0.0108	2.38	0.00179	1.01997	0.561
* 6.114	0.4499	6.08	3.60	4.65	0.274	0.00452	0.624	0.00604	1.00167	0.827
7 • 0 8 • 0	0.3666	7.45 8.89	3.64 3.65	5.14 5.41	0.198 0.156	0.00497	0.706 0.792	0.00917 0.0129	1.00136 1.00115	0.719
9.0	0.2668	10.3	3.66	5.57	0.131	0.00605	0.874	0.0169	1.00100	0.700
10.0	0.2362	11.6	3.66	5.67	0.114	0.00656	0.952	0.0211	1.00088	0.689
11.0	0.2123	12.9	3.65	5.74	0.101	0.00705	1.03	0.0255	1.00079	0.683
12.0	0.1930	14.3	3.65	5.80	0.0905	0.00752	1.10	0.0302	1.00072	0.680
13.0	0.1770	15.6	3.65	5.83	0.0824	0.00796	1.17	0.0351	1.00066	0.678
14.0	0.1636	16.9	3.65	5.86	0.0757	0.00839	1.24	0-0402	1.00061	0.677
15-0	0-1521	18.2 19.4	3.64 3.64	5.88 5.90	0.0701 0.0652	0.00880	1.30 1.37	0.0455 0.0510	1.00057 1.00053	0.677
16.0 17.0	0.1422 0.1335	20.7	3.64	5.92	0.0611	0.00958	1.43	0.0568	1.00050	0.678
18-0	0.1258	22.0	3.64	5.93	0.0574	0.0100	1.49	0.0627	1.00047	0.679
19.0	0.1190	23.3	3.63	5.94	0.0542	0.0103	1.55	0.0688	1.00045	0.680
20.0	0.1129	24.5	3.63	5.95	0.0513	0.0107	1.60	0.0751	1.00042	0.681
22.0	0.1024	27.1	3.63	5.96	0-0464	0.0113	1.71	0.0882	1.00039	0.684
24.0	0.09369	29.6	3.63	5.97	0.0424	0.0120	1.82	0.102	1.00035	0.686
26.0	0.08638	32.1	3.62	5.98	0.0390	0.0126	1.92	0.116	1.00033	0.689
28.0 30.0	0.08014	34.6 37.1	3.62 3.62	5.98 5.99	0.0361 0.0337	0.0132 0.0137	2.02 2.12	0.131 0.147	1.00030 1.00028	0.693
32.0	0.37303	39.6	3.62	5.99	0.0315	0.0143	2.21	0.164	1.00026	0.695
34.0	0.06588	42.1	3.62	5.99	0.0296	0.0148	2.30	0-181	1.00025	0.697
36.4	0.36220	44.6	3,62	6.00	0.0279	0.0154	2.39	0.198	1.00023	0.699
38.0	0.35891	47.1	3.61	6.00	0.0264	0.0159	2.48	0.216	1.00022	0.700
40.0	0.05595	49.6	3.61	6.00	0.0251	0.0164	2.56	0.235	1.00021	0.701
45-0	0.04971	55.9	3.61	6.00	0.0223	0.0176	2.76	0.284	1.00019	0.704
50.0	0.04473	62.1 68.3	3.61 3.61	6.00 6.00	0.0200 0.0182	0.0187	2.95 3.14	0.337 0.393	1.00017 1.00015	0.707
55.0 60.0	0.04366	74.5	3.61	6.01	0.0167	0.0199 0.0210	3.32	0.452	1.00014	0.708
70.0	0.03194	87.0	3.61	6.01	0.0143	0.0236	3.65	0.581	1.00012	0.709
80.0	0.02795	99.4	3.61	6.01	0.0125	0.0250	3.97	0.722	1.00011	0.708
90.0	0.02484	112.0	3.61	6.01	0.6111	0.0270	4.27	0.874	1.00009	0.707
100.0	0.02236	124.0	3.60	6.01	0.0100	0.0289	4.55	1.04	1.00008	0.705
120.0	0.01863	149.0	3.60	6.00	0.00833	0.0325	5.10	1.40	1.00007	0.702
140.8	0.01597	174.0	3.60	6.30	0.00714	0.0359	5.61	1.81	1.00006	0-698
160.0	0.01398	199.0	3.60	6.00	0.00625	0.0393	6.10	2.26	1.00005	0.694
180.0	0.01398	224.0	3.60	6.00	0.00555	0.0393	6.57	2.75	1.00005	0.691
200.0	0.01118	248.0	3.60	6.00	0.00500	0.0456	6.89	3.29	1.00004	0.675
250.0	0.338948	310.0	3.60	6.00	0.00400	0.0531	7.98	4.78	1.00003	0.671
300.0	0.007457	373.0	3.60	6.00	0.00333	0.0602	9.00	6.50	1.00003	0.669
350.0	0.006392	435.0	3.60	6.00	0.00286	0.0669	10.0	8.43	1.00002	0.667
400.0	0.005593	497.0	3 • 60	6.00	0.00250	0.0732	10.9	10.5	1.00002	0.666
450 • 0	0.004972	559.0	3.60	6.00	0.00222	0.0793	11.8	12.8	1.00002	0.667
500.0	0.004475	621.0	3.60	6.00	0.00200	0.0850	12.7	15.3	1.00002	0.668
600.0	0.003729	745.0	3.60	6.90	0.00167	0.0962	14-4	20.8	1.00001	0.669
760.0	0.003196	869.0	3.60	6.00	0.00143	0.107	16.0	27.0	1.00001	0.668
866.0	0.002797	993.0	3.60	6.00	0.00125	0.117	17.6	33.8	1.00001	0.668
900.0	0.002486	1120.0	3.60	6.00	0.00111	0.128	19.1	41.3	1.00001	0.668
1000-0	0.002238	1240.0	3.60	6.00	0.00100	0.137	20.5	49.5	1.00001	0.667
1200.0	0.001865	1490.0	3.60	6.00	0.000833	0.156	23.3	67.5	1.00001	0.667
1400.0	0.301598	1740.0	3.60	6.00	0.000714	0.174	26.0	87.8	1.00001	0.667
1660-0	0.001399	1990-0	3.60	6-00	0.000625	0.191	28 • 5	110.0	1.00001	0.666
1800.0 2000.0	0.001243	2230.0 2480.0	3.60 3.60	6.00 6.00	0.000556 0.000500	0.208 0.224	31.0 33.4	135.0 161.0	1.00000 1.000 00	0.666
2500.0	0.0001119	3100.0	3.60	6.00	8.000400	0.263	39.2	236.0	1.00000	0.666
	0.000000	020000	- 300	0.00	5-300400	0.200	57-2			5.000
3000.0	0.0007459	3720.0	3.60	6.00	0.000333	0.299	44.6	323.0	1.00000	0.666

^{*} TWO-PHASE BOUNDARY

3 PSIA ISOBAR

TEMPERATI	URE VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
TEMPERATI	OKE VOCOME	OERIVATIVE		ENERGY	CHINEII	CHIROF	•	GF.	OF SOUNO
OEG. I	R CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	8TU /	LB -R	FT/SEC
0200								"	
4.0	0.1089	113.0	13.7	1.411	1.573	0.4037	0.6766	0.6912	730.8
5.0	J.1113	96.1	25.8	1.938	2.103	0.5229	0.4392	0.5188	725.2
6.0	3.1157	71.3	29.8	2.523	2.694	0.6305	0.4894	0-6745	674.7
* 6.54		56.3	30.4	2.920	3.097	C.6946	0.5153	0.7993	635.8
* 6.54		9.94	1.67	10.27	12.80	2.179	0.7903	1.790	323.0
7.0	1.924	12.1	1.47	10.72	13.57	2.293	0.7749	1.629	343.4
8.0	2.346	16.2	1-18	11.63	15.11	2.498	0.7576	1.465	380.5
9.0	2.738	19.7	1.01	12.48	16.53	2.666	0.7501	1.392	411.8
10.0	3.114	23.1	0.881	13.29	17.90	2.810	0.7466	1.351	439.7
11.0	3.480	26.2	0.786	14.08	19.24	2.938	0.7450	1.326	465.1
	0.400	2012		24.60	2,7-24	2.,00	0.1420	11020	40201
12.0	3.840	29.3	0.711	14.87	20.56	3.052	0.7443	1.310	488.8
13.0	4.196	32.3	0.650	15.64	21.86	3.157	0.7440	1.298	511.0
14.0	4.549	35.3	0.599	16.41	23.15	3.253	0.7439	1.289	532.1
15.0	4.899	38.2	0.555	17.18	24.44	3.341	0.7439	1.282	552.2
16.0	5.247	41.1	3.518	17.94	25.72	3.424	0.7440	1.277	571.4
17.0	5.594	43.9	0.486	18.71	26.99	3.501	0.7441	1.273	590.0
18.0	5.939	46.8	0.457	19.47	28.26	3.574	0.7443	1.269	607.9
19.0	6.233	49.6	0.432	20.22	29.53	3.642	0.7444	1.266	625.2
26.0	6.626	52.4	0.409	20.98	30.79	3.707	0.7445	1.264	642.0
22.0	7.310	58-0	3.371	22.49	33.32	3.827	0.7446	1.260	674.2
22.0	7.310	50.0	3.371	22.43	33.32	3.021	0.7440	1.200	014.2
24.0	7.992	63.5	0.339	24.00	35.83	3.937	0.7448	1.257	704.8
26.0	8.672	69.0	0.312	25.50	38.35	4.037	0.7449	1.255	734.1
28.0	9.351	74.5	0.289	27.00	40.85	4.130	0.7449	1.253	762.1
31.0	1,03	80.0	6.269	28.50	43.36	4.217	0.7450	1.252	789.1
32.0	10.73	85.5	0.252	30.00	45.86	4.298	0.7450	1.250	815.2
34.0	11.38	90.9	0.237	31.50	48.36	4.373	0.7450	1.249	840.4
36.0	12.06	96.4	0.224	33.00	50.86	4.445	0.7450	1.248	864.9
38.0	12.73	102.0	0.212	34.49	53.35	4.512	0.7451	1.248	888.7
40.0	13.40	167.0	0.211	35.99	55.85	4.576	0.7451	1.247	911.8
40.0	13.40	107.00	0.231	32.33	37.07	4.570	0.7451	1.241	911.0
45.0	15.09	121.0	0.179	39.73	62.08	4.723	0.7451	1.246	967.2
50.0	15.77	134.0	0.161	43.46	68.31	4.854	0.7450	1.245	1019.0
55.0	13.45	148.0	0.146	47.20	74.53	4.973	0.7450	1.244	1069.0
60.0	20.13	161.0	0.134	50.93	80.75	5.081	0.7450	1.244	1117.0
70.0	23.49	188.0	0.114	58.39	93.18	5.273	0.7450	1.243	1206.0
86.0	26.85	215.0	J.16C	65 . 84	105.6	5.439	0.7449	1.243	1289.0
90.0	30.20	242.0	0.0890	73.30	118.0	5.585	0.7449	1.242	1367.0
100.0	33.55	269.0	0.0801	80 - 75	130.5	5.716	0.7449	1.242	1441.0
126.0	40.26	322.0	1.0667	95.65	155.3	5.942	0.7449	1.242	1578.0
140.0	46.97	376.0	ù. 0572	110.6	180.1	6.134	0.7448	1.242	1704.0
	,								
160.0	53.67	430.0	0.6500	125.5	205.0	6.299	0.7448	1.241	1822.0
180.0	60.37	483.0	0.0444	140.3	229.8	6.446	0.7448	1.241	1932.0
200.0	67.08	537.0	0.0400	155.2	254.6	6.576	0.7448	1.241	2036.0
250.0	83.83	671.0	0.6320	192.5	316.7	6.853	0.7448	1.241	2276.0
300.0	100.6	805.0	0.0267	229.7	378.7	7.080	0.7448	1.241	2493.0
350.0	117.3	939.0	0.0229	267.0	440.8	7.271	0.7447	1.241	2693.0
400.0	134.1	1070.0	0.0200	304.2	502.9	7.437	0.7447	1.241	2878.0
450.0	150.9	1210.0	0.0178	341.4	564.9	7.583	0.7447	1.241	3053.0
500.0	167.6	1340.0	0.0160	378.7	627.0	7.714	0.7447	1.241	3218.0
600.0	201.1	1610.0	0.0133	453.1	751.1	7.940	0.7447	1.241	3525.0
700.0	234.6	1880.0	0.0114	527.6	875.2	8.131	0.7447	1.241	3807.0
800.0	268.2	2150.0	0. 100	602.1	999.0	8.297	0.7447	1.241	4070.0
966.0	301.7	2410.0	0.00889	676.6	1123.0	8.443	0.7447	1.241	4317.0
1000.0	335.2	2680.0	0.63800	751.0	1248.0	8.574	0.7447	1.241	4550.0
1206.0	402.2	3220.0	0.00667	900.0	1496.0	8.800	0.7447	1.241	4984.0
1400.0	469.2	3750.0	0.00571	1049.0	1744.0	8.992	0.7447	1.241	5384.0
1600.0	536.3	4290.0	0.00500	1198.0	1992.0	9-157	0 - 7447	1.241	5755-0
1800.0	603.3	4830.0	0.00444	1347.0	2240.0	9.304	0.7447	1.241	6104.0
2006.0	670.3	536û.O	0.33400	1496.0	2489.0	9.434	0.7447	1.241	6434.0
2500.0	837.9	6700.0	0.06320	1868.0	3109.0	9.711	0.7447	1.241	7194-0
3000.0	1605.0	8640.0	0.00267	2240.0	3730.0	9.938	0.7447	1.241	7880.0
30000	2303.0	0070.0	0.00207	227000	3700.0	,,,,,,	3.1441	*****	

^{*} TWO-PHASE BOUNDARY

8 PSIA ISOBAR

TEMPERATURE	OENSITY	V(OH/OV) _p	V (OP/DU) -V	(DP/DV)	(0V/0T)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANOTL
TEIN ERATORE	02.102.11	q	v	T	b C	DNDUCTIVITY		OIFFUSIVITY		NUMBER
OEG. R	L8/CU FT	8TU/L3	PSIA-CU FT/8TU	PSIA	1/0EG. R	BTU/FT-HR-R	LB/FT-SEC	SQ FT/HR		
							X 10E+6			
4 • 0	9.187	52.3		040.0	0.0132	0.00874	2.51	0.00138	1.02043	0.716
5.0	8.986	17.4		864.0	0.0299	0.0101	2.56	0.00216	1.02030	0.474
6.0	8 • 646	14.0		616.0	0.0483	0.0107	2.43	0.00184	1.02004	0.549
* 6.546	8.386	12.4	7 • 0 4	472.0	0.0645	0-0110	2 • 32	0.00164	1.01981	0.607
* 6.546	0.5845	6.21	3.62	5.81	0.288	0.00494	0.681	0.00472	1.30215	0.889
7.0	0.5199	6.98	3.64	6.30	0.233	0.00511	0.721	0.00604	1.00192	0.827
8.0	0.4262	8.52	3.67	6.89 7.21	0.172 0.140	0.00560	0.806 0.887	0.00897 0.0120	1.00158 1.00136	0.759 0.726
9.0 10.0	0.3653	10.0	3.67	7.41	0.119	0.00662	0.964	0.0152	1.00136	0.709
11.0	0.3212 0.2873	12.7	3.67 3.67	7.54	0.104	0.00002	1.04	0.0186	1.00120	0.698
11.0	0.2073	12.7	3.01	7.54	0.104	0.00710	1.04	0.0100	1.00107	0.090
12.0	0.2634	14.1	3.67	7.63	0.0932	0.00756	1.11	0.0222	1.00097	0.692
13.0	0.2383	15.4	3.66	7.70	0.0844	0.00801	1.18	0.0259	1.00089	0.688
14.0	0.2198	16.7	3.66	7.75	0.0772	0.00843	1.25	0.0298	1.00082	0.685
15.0	0-2041	18.0	3.66	7.79	0.0712	0.00884	1.31	0.0338	1.00076	0.684
16.0	0.1906	19.3	3.65	7.83	0.0662	0.00923	1.37	0.0379	1.03071	0.684
17.0	U.1788	20.6	3.65	7.85	0.0618	0.00962	1.43	0.0423	1.00067	0.684
18.0	0.1684	21.9	3.65	7 - 88	0.0580	0.0100	1.49	0.0467	1-00063	0.684
19.0	0.1592	23.2	3.64	7.89	0.0547	0.0103	1.55	0.0513	1.00060	0.684
20.0	0.1509	24.4	3.64	7.91	0.0517	6.0107	1.61	0.0560	1.00057	0.685
22.0	0.1368	27.0	3.64	7.93	0.0467	0.0114	1.72	0.0659	1.00051	0.687
24.0	0.1251	29.5	3.63	7.95	0.0426	0.0120	1.83	0.0763	1.00047	0.689
26.0	0.1153	32.0	3.63	7.96	0.0392	0.0126	1.93	0.0871	1.00043	0.691
28.0	0.1069	34.6	3.63	7.97	0.0363	0.0132	2.03	0.0985	1-00040	0.693
30 - J	0.0997	37-1	3.63	7.98	0.0338	0.0138	2.12	0.110	1.00038	0.695
32.0	0.09341	39.6	3.62	7.99	0.0316	0.0143	2.22	0.123	1.00035	0.697
34.0	0.08787	42.1	3 • 62	7.99	0.0297	0.0149	2.31	0.135	1.00033	0.698
36.0	0.08295	44-6	3.62	7.99	0.0280	0.0154	2.39	0.149	1.00031	0.700
38.0	0.07855	47.1	3.62	8.00	0.0265	0.0159	2.48	0.162	1.00030	0.701
46.0	0.07460	49.6	3.62	8.00	0.0251	0.0164	2.56	0.176	1.00028	0.702
45 • 0	0.00028	55 - 8	3.62	8-00	0.0223	0.0176	2.77	0.213	1.00025	0.705
50.ů	0.05963	62.1	3.61	8.01	0.0201	0.0188	2.96	0.253	1.00022	0.706
55.0	0.05420	68.3	3.61	8.01	0.0182	0.0199	3.14	0.295	1.00020	0.708
60.0	0.04967	74.5	3.61	8.01	0.0167	0.0210	3 - 32	0.339	1-00019	0.708
70.0	0.04257	87.0 99.4	3.61	8.01	0.0143 0.0125	0.0231 0.0251	3.65	0.436	1.00016	0.709 0.708
80.0 90.0	0.03311		3.61	8.01	0.0125	0.0270	3.97 4.27	0.541	1.00014	0.708
160.0	0.03311	112.0	3.61 3.61	8.01 8.01	0.0111	0.0270	4.56	0.780	1.00012	0.707
120.6	0.02980	149.0	3.60	8.01	0.0100	0.0325	5.10	1.05	1.00011	0.702
140.0	0.02484	174.6	3.60	8.01	0.00714	0.0359	5.61	1.36	1.00008	0.698
140.0	0.02123	114.0	3.60	0.01	0.00714	0.0399	9.01	1.30	1.00000	0.098
160.0	0.01863	199.0	3.60	8.31	0.00625	0.0393	6.10	1.70	1.00007	0.694
180.0	0.11656	224.0	3.60	8.01	0.00555	0.0425	6.57	2.07	1.00006	0.691
200.0	0.01+91	248.0	3.60	8.01	0.30500	0.0456	6.89	2.47	1.00006	0.675
250.0	0.01193	310-0	3.60	8.00	0.00400	0.0531	7.98	3.59	1.00005	0.671
300.0	0.009941	373.G	3.60	8.00	0.00333	0.0602	9.01	4.88	1.00004	0.669
350.0	0.008522	435.0	3.60	8.00	0.00286	0.0669	10.G	6.32	1.00003	0.667
400.0	0.007457	497.0	3.60	8.00	0.00250	0.0732	10.9	7.91	1-00003	0.666
450.0	0.006629	559.0	3.60	8.00	0.00222	0.0793	11.8	9.64	1.00003	0.667
500.0	0.005966	621.0	3.60	8.30	0.06200	0.0850	12.7	11.5	1.00302	0 • 668
600.0	0.004972	745.0	3.60	8.00	0.00167	0.0962	14.4	15.6	1.00002	0.669
700.0	0.004262	869.0	3.60	8 • 0 0	0.00143	0.107	16.0	20.2	1.00002	0.668
860.0	u.003729	993.6	3.60	8 • C Ü	0.00125	0.117	17.6	25.4	1.00001	0.668
900.0	0.003315	1120.0	3.60	0.00	0.00111	0.128	19.1	31.0	1.00001	0.668
1006.0	0.002983	1240.0	3.60	8-00	0.00100	0.137	20.5	37.1	1.00001	0.667
1200.0	0.302486	1490.0	3.63	8.00	0.000833	0.156	23.3	50.6	1.00001	0.667
1466.8	0.002131	1740.0	3.60	8.00	0.000714	0.174	26.0	65 • 8	1.00001	0.667
1600.0	0.001865	1990.0	3.60	8.00	0.000625	0-191	28.5	82.7	1-00001	0.666
1800.0	0.001658	2230.0	3.60	8.00	0.000556	0.208	31.0	101.0	1.00001	0.666
2000.0	0.001492	2480.0	3.60	8.00	0.000500	0.224	33.4	121.0	1.00001	0.666
2500.0	0.001193	3100.0	3.60	8.00	0.000400	0.263	39.2	177.0	1.00000	0.666
3000.0	0.0109946	3720.0	3.60	8.00	0.000333	0.299	44.6	242.0	1.00000	0.666
3000.0	0.0007740	31 2 4 • 0	3.00	0.00	0.000333	0 1 2 7 7	77.0	27200	1.00000	0.000

^{*} TWO-PHASE BOUNDARY

10 PSIA ISOBAR

754050	THE WOLLINE	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
TEMPERA	ATURE VOLUME	OERIVATIVE	OERIVATIVE	ENERGY	CNIMALET	ENTRUFT	CV	CP	OF SOUND
DEG.	R CU FT/LB		PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	DTII /	LB -R	FT/SEC
DEG.	K CU FIZE	CO FI-PSIAZE	LOTALK	510720	010720	310728-8	010 /	LB -K	FIZSEC
4.0	0.1086	115.0	13.7	1.408	1.610	0.4029	0.6707	0.6850	736.5
5.0		98.0	25.9	1.930	2.135	0.5212	0.4385	0.5164	731.1
			29.9	2.509	2.723	0.6280	0.4889		
6.0	0 0.1153	73.3		3.203	3.429			0.6695	681.8
* 6.9		48.0	30.6		3.429	0.7373	0.5318	0.9010	613.7
* 6.9		9.44	2.08	10.34	12.91	2.110	0.7937	1.927	325.8
7.0	1.426	9.94	2.02	10.44	13.08	2.135	0.7897	1.872	330.4
8.0		14.6	1.56	11.44	14.77	2.361	0.7634	1.563	372.7
9.0		18.5	1.31	12.32	16.26	2.537	0.7526	1.447	406.3
10.0	2.440	22.1	1.13	13.16	17.58	2.686	0.7477	1.387	435.6
11.0	2.741	25.4	1.00	13.97	19.05	2.817	0.7454	1.352	462.0
12.0	3.035	28.6	0.904	14.77	20.39	2.933	0.7444	1.330	486.3
13.0	3.324	31.7	0.824	15.55	21.71	3.039	0.7439	1.314	509.0
14.0		34.7	0.757	16.33	23.02	3.136	0.7438	1.302	530.5
15.0		37.7	0.701	17.10	24.31	3.225	0.7438	1.293	550.9
16.0		40.6	0.653	17.87	25.60	3.309	0.7439	1.287	570.4
17.0		43.5	0.612	18.64	26.89	3.386	0.7440	1.281	589.2
18.0		46.4	0.575	19.40	28.16	3.459	0.7442	1.277	607.2
19.0		49.3	0.543	20.16	29.44	3.528	0.7443	1.273	624.7
26.0		52.1	0.514	20.92	30.71	3.594	0.7444	1.270	641.6
22.0		57.7	0.465	22.44	33.24	3.714	0.7446	1.265	674.0
22.0	3.033	21.1	0.400	22.44	33,24	3.714	0.7440	1.209	074.0
24 0		63.3	0.425	27 05	75 77	7 004	0.7440	4 204	704 0
24.0				23.95	35.77	3.824	0.7448	1.261	704.8
26.0		68.9	0.391	25.46	38.29	3.925	0.7449	1.258	734.2
28.0		74.4	0.362	26.96	40.80	4.018	0.7450	1.256	762.3
30.0		79.9	0.338	28 • 47	43.31	4.105	0.7450	1.254	789.4
32.0		85.4	0.316	29.97	45.82	4.186	0.7451	1.253	815.5
34.0		90.9	0.297	31 • 47	48.32	4.262	0.7451	1.251	840.8
36.0		96.3	0.280	32.97	50.82	4.333	0.7451	1.250	865.3
38.0	10.18	102.0	0.265	34.47	53.32	4.401	0.7451	1.249	889.1
46.0	10.72	107.0	0.252	35.96	55.82	4.465	0.7451	1.248	912.3
45.0	12.07	121.0	0.223	39.70	62.06	4.612	0.7451	1.247	967.7
50.0	13.42	134.0	0.201	43.44	68.29	4.743	0.7451	1.246	1020.0
55.0		148.0	0.182	47.18	74.52	4.862	0.7451	1.245	1070.0
60.0		161.0	0.167	50.91	80.74	4.970	0.7451	1.244	1117.0
70.0		188.0	0.143	58.37	93.18	5.162	0.7450	1.243	1206.0
80.0		215.0	0.125	65 - 83	105.6	5.328	0.7450	1.243	1290.0
90.0		242.0	0.111	73.29	118.6	5.474	0.7450	1.243	1368.0
106.0		269.0	0.100	80.74	130.5	5.605	0.7449	1.242	1441.0
120.0		323.0	0.0834	95.65	155.3	5.831	0.7449	1.242	1578.0
140.0		376.0	0.0715	110.5	180.1	6.023	0.7449	1.242	1705.0
140.0	37.93	376.0	0.0719	110.5	100.1	6.023	0.7449	1.242	1705.0
160.0	42.94	430.0	0.0625	125.4	205.0	6.189	0.7448	1.242	1822.0
180.0									
		484.0	0.0556	140.3	229.8	6.335	0.7448	1.241	1932.0
200.0		537.0	0.0560	155.2	254.6	6.466	0.7448	1.241	2037.0
250.0		671.0	0.0400	192.5	316.7	6.743	0.7448	1.241	2276.0
360.0		805.0	0.0333	229.7	378.8	6.969	0.7448	1.241	2493.0
350.0		939.0	0.0286	267.0	440.8	7.160	0.7448	1.241	2693.0
400.0		1070.0	0.0250	304.2	502.9	7.326	0.7448	1.241	2879.0
450.0		1210.0	0.0222	341.4	564.9	7.472	0.7447	1.241	3053.0
500.0		1340.0	0.0200	378.7	627.0	7.603	0.7447	1.241	3218.0
600.0	160.9	1610.0	0.0167	453.1	751.1	7.829	0.7447	1.241	3525.0
700.0		1880.0	0.0143	527.6	875.2	8.021	0.7447	1.241	3807.0
800.0		2150.0	0.0125	602.1	999.0	8.186	0 - 7447	1.241	4070.0
900.0		2410.0	0.0111	676.6	1123.0	8.332	0.7447	1.241	4317.0
1000.0	268.2	2680.0	0.6180	751.0	1248.0	8.463	0.7447	1.241	4550.0
1200.0		3220.0	0.00833	900.0	1496.0	8.690	0.7447	1.241	4984.0
1400.0		3750.0	0.00714	1049.0	1744.0	8.881	0.7447	1.241	5384.0
1606.0		4290.0	0.00625	1198.0	1992.0	9.047	0.7447	1.241	5755.0
1866.0		4830.0	0.00556	1347.0	2241.0	9.193	0.7447	1.241	6104.0
2000.0		5360.0	0.00500	1496.0	2489.0	9.324	0.7447	1.241	6435.0
2500.0		6700.0	0.00400	1868.0	3109.0	9.601	0.7447	1.241	7194.0
250010	0.3.3	0.03.0	0.00400	1000.0	3103.0	3.001	01, 77,	11641	. 1 . 7 . 0
3000.0	804.4	8040.0	0.00333	2240.0	3730.0	9.827	0.7447	1.241	7880.0
000000		007080	0.00000	2240.0	3,30.0	7.021	0.1771	1.071	. 000.0

^{*} THO-PHASE BOUNDARY

10 PSIA ISDBAR

TEMPERATURE		V(DH/DV)		V(0P/DV) _T	(DV/OT)/V P C 1/DEG. R	THERMAL DNDUCTIVITY	VISCOSITY	THERMAL DIFFUSIVITY	OIELECTRIC CONSTANT	PRANDTL NUMBER
DEG. R	L8/CU FT	8TU/L8	PSIA-CU FT/8TU	PSIA	1/DEG. R	BTU/FT-HR-R	L8/FT-SEC X 10E+6	SQ FT/HR	4	
	9.205	52.9	2.22	1060.0	0.0130	0.00876	2.53	0.00139	1.02045	0.714
4 • 0 5 • 0	9.008	17.6	6.55	883.0	0.0293	0.6101	2.58	0.00218	1.02031	0.474
6.0	8.675	14.2	7.06	636.0	0.0471	0.0108	2.45	0.00186	1.02006	0.548
* 6.910	8.210	11.6	7.00	394.0	0.0775	0.0112	2.26	0.00151	1.01964	0.657
* 6.910	0.7205	6.29	3.64	6.80	0.306	0.06531	0.732	0.00382	1.00264	0.956
7.0	0.7014	6.46	3.65	6.97	0.296	0.00533	0.739	0.00406	1.00257	0.935
8.0	0.5561	8.14	3.68	8.15	0.192	0.00571	0.821	0.00657	1.00205	0.808
9.0	0.4698	9.65	3.69	8.71	0.150	0.00619	0.900	0.00911	1.00174	0.757
10.0	0.4098	11.1	3.69	9.35	0.125	0.00668	0.976	0.0117	1.00152	0.730
11.0	0.3648	12.5	3.69	9.26	0.108	0.00715	1.05	0.0145	1.00136	0.714
12.0	0.3295	13.9	3.69	9.42	0.0960	0.00761	1.12	0.0174	1.00123	0.704
13.0	0.3008	15.2	3.68	9.53	0.0864	0.00805	1.19	0.6204	1.00112	0.698
14.0	0.2770	16.5	3.68	9.61	0.0788	0.00847	1.25	0.0235	1.00103	0.694
15.0	0.2569	17.8	3.67	9.68	0.0725	0.00888	1.32	0.0267	1.00096	0.691
16.0	0.2396	19.2	3.67	9.73	0.0671	0.00927	1.38	0.0301	1.00090	0.690
17.0	0.2245	20.5	3.66	9.77	0.0626	0.00965	1.44	0.0336	1.00084	0.689
18.0	0.2113	21.8	3.66	9.81	0.0587	0.0100	1.50	0.0371	1.00079	0.689
19.0	0.1996	23.0	3.66	9.83	0.0552	0.0104	1.56	0-0408	1.00075	0.689
			3.65	9.86	0.0522	0.3107	1.62	0.8446	1.00075	0.689
20.0	0.1892 0.1714	24.3 26.9	3.65	9.89	0.0470	0.0114	1.73	0.0525	1.00064	0.690
24.0	0.1567	29.4	3.64	9-92	0 - 0428	0.0120	1.83	0.0609	1-00059	0.692
26.0	0.1443	32.0	3.64	9.94	0.0394	0.0126	1.93	0.0696	1.00054	0.693
28.0	0.1338	34.5	3.64	10.0	0.0364	0.0132	2.03	0.0787	1.00050	0.695
30.0	0.1247	37.0	3.63	10.0	0.0339	0.0138	2.13	0.0882	1.00047	0.697
32.0	0-1168	39.6	3.63	10.0	0.0317	0.0143	2.22	0.0980	1.00044	0.698
34.0	0.1099	42.1	3.63	10.0	0.0297	0.0149	2.31	0.108	1.00041	0.699
36.0	0.1037	44.6	3.63	10.0	0.0290	0.0154	2.40	0.119	1.00039	0.701
38.0	0.09820	47.1	3 • 62	10.0	0.0265	0.0159	2.48	0.130	1.00037	0.702
40.0	0.09325	49.6	3.62	10.0	0.0252	0.0164	2.57	0.141	1.00035	0.703
45.0	0.08283	55.8	3 • 62	10.0	0.0223	0.0176	2.77	0.171	1.00031	0.705
50.0	0.07452	62.1	3.62	10.0	0.0201	0-0188	2.96	0.202	1.00028	0.737
55.0	0.36773	68.3	3.62	10.9	0.0182	0.0199	3.14	0.236	1.00026	0.708
60.0	0.36237	74.6	3.61	10.0	0.0167	0.0210	3.32	0.272	1.00023	0.709
70.0	0.05320	87.0	3.61	10.0	0.0143	0.0231	3.65	0.349	1.00020	0.709
80.0	0.04655	99.4	3.61	10.9	0.0125	0.0251	3.97	0.433	1.00018	0.708
90.0	0.04138	112.0	3.61	10.3	0.0111	0.0270	4.27	0.525	1.00016	0.707
100.0	0.03724	124.0	3.61	10.0	0.0130	0.0289	4.56	0.624	1-00014	0.706
120.0	0.03104	149.0	3.61	10.0	0.00833	0.0325	5.13	0.843	1.00012	0.702
140.0	0.32661	174.0	3.61	10.0	0.00714	0.0359	5.61	1.09	1.00010	0.698
160.0	0.02329	199.0	3.60	10.0	0.30624	0.0393	6.10	1.36	1.00009	0.694
180-0	0.02070	224.0	3.60	10.0	0.00555	0.0425	6.57	1.65	1.00008	0.691
200.0	0.31863	248.0	3.60	10.0	0.00500	0.0456	6.89	1.97	1.00007	0.675
250.0	0.01491	311.0	3.60	10.0	0.00400	0.0531	7.98	2.87	1.00006	0.671
360.0	0.01243	373.0	3.60	10.0	0.00333	0.0602	9.01	3.90	1.00005	0.669
350.0	0.01065	435.0	3.60	10.0	0.00286	0.0669	10.0	5.06	1.30004	0.667
400.0	0.009320	497.0	3.60	10.0	0.00250	0.0732	10.9	6.33	1.00004	0.666
450.0	0.008285	559.0	3.60	10.0	0.00222	0.0793	11.8	7.71	1.00003	0.667
500.0	0.007457	621.0	3.60	10.0	0.00200	0.0850	12.7	9.19	1.00003	0.668
600.0	0.006215	745.0	3.61	10.0	0.00167	0.0962	14.4	12.5	1.00002	0.669
700.0	0.005327	869.0	3.60	10.0	0.00143	0.107	16.0	16.2	1.00002	0.668
800-0	0.009327	993.0	3.60	10.0	0.00143	0.117	17.6	20.3	1.00002	0.668
900.0	0.304143	1120.0	3.60	10.0	0.00125	0.128	19.1	24.8	1.00002	0.668
1030.0	0.003729	1240.0	3.60	10.0	0.00111	0.137	20.5	29.7	1.00001	0.667
1200.0	0.003108	1490.0	3.60	10.0	0.000833	0.156	23.3	40.5	1.00001	0.667
1406.0	0.302664	1740.0	3.60	10.0		0,174	26.0	52.7	1.00001	0.667
					0.003714					
1600.0	0.002331	1990.0	3.60	10.0	0.000625	0.191	28.5	66.1	1.00001	0.666
1800.0	0.002072	2230.0	3.60	10.0	0.000555	0.208	31.0	80 - 9	1.00001	0.666
2000.0	0.001865	2480.0	3.60	10.0	0.000500	0.224	33.4	96.9	1.00001	0.666
2500.0	0.001492	3100.0	3.60	10.0	0.000400	0.263	39.2	142.0	1.00001	0.666
3006.0	0.001243	3720.0	3.60	10.0	0.000333	0.299	44.6	194.0	1.00000	0.666

^{*} TWD-PHASE BOUNDARY

12 PSIA ISOBAR

TEMBESATII	RE VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
TEMPERATO	KE VOLUME	OERIVATIVE	DERIVATIVE	ENERGY	Citt ii e Ci	21111011	••	0.	OF SOUND
OEG. R	CILETALB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTIL.	/ LB -R	FT/SEC
0E0. K	00 11728	30 11-F31A7E0	L 27 M/ IV	010/20	0,0720	010720 1	510		117320
4.0	3.1384	116.0	13.7	1.406	1.646	0.4023	0.6650	0.6789	742.1
5.0	J.11J8	100.0	25.9	1.922	2.168	0.5195	0.4378	0.5140	736.9
		75.3	30.1	2.496		C • 6257	0.4884	0.6647	688.8
6.0	0.1149		33.7	3.259		0.7454	0.5352	0.9186	614.9
7.0	0.1223	47.6							
* 7.228	3.1244	40.9	30.3	3.474	3.751	0.7764	0.5467	1.013	592.4
* 7.228	1.154	8 • 8 5	2.51	10.38	12.96	2.051	0.7967	2.083	327.6
8.0	1.427	13.0	2.00	11.22	14.39	2.239	0.7707	1.694	363.9
9.0	1.720	17.3	1.63	12.16	15.98	2.427	0.7558	1.513	400.5
16.0	1.990	21.1	1.40	13.02	17.45	2.581	0.7491	1.428	431.3
11.0	2.248	24.5	1.23	13.85	18.85	2.715	0.7460	1.381	458.7
12.0	2.498	27.8	1.10	14.66	20.21	2.834	0.7445	1.351	483.8
13.0	2.743	31.0	1.00	15.46	21.55	2.941	0.7439	1.330	507.0
14.0	2.984	34.1	3.920		22.88	3.039	0.7437	1.316	528.9
15.0	3.223	37.2	0.850	16.25 17.03	24.19	3.130	0.7437	1.305	549.6
			0.000	17.86	25.49				
16.0	3.459	46.2	0.791			3.214	0.7438	1.296	569.4
17.u	3.694	43.1	0.740	18.57	26.78	3.292	0.7439	1.289	588.4
18.0	3.928	46.ü	S. 695	19.34	28.07	3.365	0.7441	1.284	606.6
19.0	4.160	48.9	0.656	20.10	29.35	3.435	0.7442	1.280	624-2
20.0	4.392	51.8	0.621	20.87	30.62	3.500	0.7443	1.276	641.2
22.0	4.852	57.5	0.561	22.39	33.17	3.621	0.7446	1.270	673.9
24.0	5.311	63.1	0.512	23.90	35.70	3.732	0.7448	1.265	704.8
26.0	5.767	68.7	0.471	25.41	38.23	3.833	0.7449	1.262	734.3
28.0	6.223	74.3	0.436	26.92	40.75	3.926	0.7450	1.259	762.5
30.0	6.677	79.8	U.406	28.43	43.26	4.013	0.7451	1.257	789.7
32.0	7.130	85.3	0.380	29.93	45.78	4 - 0 94	0.7452	1.255	815.9
34.0	7.583	90.8	3.357	31.44	48.28	4.170	0.7452	1.253	841.2
36.0	8.134	96.3	0.337	32.94	50.79	4.242	0.7452	1.252	865.7
38.0	8.486	102.0	0.319	34.44	53.29	4.309	0.7452	1.251	889.6
40.0	8.936	107.0	0.302	35.94	55.79	4.373	0.7452	1.250	912.7
45.0	13.06	121.0	0.268	39.68	62.34	4.521	0.7452	1.248	968.2
50.0	11.19	134.0	0.241	43.42	68.27	4.652	0.7452	1.247	1021.0
55.0	12.31	148.0	0.219	47.16	74.51	4.771	0.7452	1.246	1070.0
60.0	13.43	161.0	0.201	50.89	80.73	4.879	0.7451	1.245	1118.0
76.0	15.67	188.0	0.172	58.36	93.18	5.071	0.7451	1.244	1207.0
	12.01								
0.36	17.91	215.0	0.150	65.82	105.6	5.237	0.7450	1.243	1290.0
90.0	20.15	242.0	0.134	73.28	118.0	5.383	0.7450	1.243	1368.0
160.0	22.38	269.0	0.120	80.73	130.5	5.514	0.7450	1.242	1442.0
120.0	26.85	323.0	0.100	95 • 64	155.3	5.741	0.7449	1.242	1579.0
146.0	31.33	376.0	0.0857	110.5	180.1	5.932	0.7449	1.242	1705.0
160.0	35.80	430.0	ũ.0750	125.4	205.0	6.098	0.7449	1.242	1822.0
180.0	40.26	484.0	0.0667	140.3	229.8	6.244	0.7448	1.241	1933.0
200.0	44.73	537 • O	0.0600	155.2	254.6	6.375	0.7448	1.241	2037.0
250.0	55.91	671.0	6.0480	192.5	316.7	6.652	0.7448	1.241	2277.0
300.0	67.08	806.0	0.6406	229.7	378.8	6.878	0.7448	1.241	2494.0
350.0	78.25	940.0	0.0343	267.0	440.8	7.070	0.7448	1-241	2693-0
400.0	89.42	1070.0	0.0300	304.2	502.9	7.235	0.7448	1.241	2879.0
450.0	100.6	1210.0		341.4		7.382	0.7448	1.241	3053.0
500.0			0.0267		565.0				
	111.8	1340.0	0.0240	378.7	627.0	7.512	0.7448	1.241	3218.0
600.0	134.1	1610-0	0.0200	453.1	751.1	7.739	0.7447	1.241	3525.0
700									2400 0
760.0	156.4	1880.0	0.0171	527.6	875.2	7.930	0.7447	1.241	3808.0
866.0	178.8	2150.0	0.0150	602.1	999.0	8.096	0.7447	1-241	4070-0
900.0	201.1	2410.0	0.0133	676.6	1123.0	8.242	0.7447	1.241	4317.0
1000.0	223.5	2680.0	0.8120	751.0	1248.0	8.373	0.7447	1.241	4550.0
1200.0	268.2	3220.0	0.0100	900.0	1496.0	8.599	0.7447	1.241	4985.0
1400.0	312.8	3750.0	0.00857	1049.0	1744-0	8.790	0.7447	1.241	5384.0
1600.0	357.5	4290.3	0.80750	1198.0	1992.0	8.956	0.7447	1.241	5755.0
1800.0	402.2	4830.0	0.03667	1347.0	2241.0	9.102	0.7447	1.241	6104.0
2000.0	446.9	5360.0	0.00600	1496.0	2489.0	9.233	0.7447	1.241	6435.0
2500.0									
2500.0	558.6	6700.0	0.00480	1868.0	3109.0	9.510	0.7447	1.241	7194.0
3006.0	670.3	004.0 0	2 226.22	2060 0	2720 0	0.726	0.7667	1 261	7001 0
3000.0	0/0.3	8040.0	0.06400	2240.3	3730.0	9.736	0.7447	1.241	7881.0

^{*} TWO-PHASE BOUNDARY

12 PSIA ISOBAR

TE	EMPERATURE	OENSITY	V (OH/OV)	V(0P/0U) -	V(0P/DV) _T	(0V/0T)/V	THERMAL	VISCOSITY	THERMAL OIFFUSIVITY	OIELECTRIC	PRANOTL NUMBER
	OEG. R	L3/CU FT	BTU/LB	PSIA-CU FT/BTU	PSIA		STU/FT-HR-R		SQ FT/HR		
	, .	9.223	53.4	2.23	1070.0	0.0127	0.00877	2.56	0.00140	1.02046	0.712
	4.0 5.0		17.9	6.55	901.0	0.0127	0.0162	2.56	0.00140	1.02046	0.475
		9.029			655.0		0.0102	2.47	0.00187	1.02008	0.546
	6.0	8.703	14-5	7 - 08		0.0459					
	7.0	8.195	11.6	7.01	390.0	0.0789	0.3112	2.26	0.00149	1.01963	0.665
*	7.228	8.137	11.0	6.91	329.0	0.0923	0.0113	2.20	0.00138	1.01947	0.713
*	7.228	0.8594	6.32	3.66	7.61	0.329	0.00567	0.779	0.00316	1.00312	1.03
	8.0	0.7008	7.74	3.69	9.12	0.219	0.00585	0.837	0.00493	1.00257	0.873
	9.0	0.5814	9.34	3.71	10.1	0.162	0.00628	0.914	0.00714	1.00214	0.793
	16.0	0.5025	10.8	3.71	10.6	0.132	0.00674	0.988	0.00939	1.00186	0.754
	11.0	0.4449	12.3	3.71	10.9	0.113	0.00721	1.06	0.0117	1.00165	0.731
	12.0	0.4004	13.6	3.70	11.1	0.0990	0.60766	1.13	0.0142	1.00149	0.718
	13.0	Q.3646	15.0	3.70	11.3	0.0886	0.00809	1.20	0.0167	1.00136	0.709
	14.0	0.3351	16-4	3.69	11.4	0.0834	0.00851	1.26	0.0193	1.00125	0.703
	15.0	0.3103	17.7	3.68	11.5	0.0737	0.00892	1.33	0.0220	1.00116	0.699
	16.0	0.2891	19.0	3.68	11.6	0.0681	0.00931	1.39	0.0248	1.00108	0.696
	17.0	0.2707	20.3	3.67	11.7	0.0634	0.00968	1.45	0.0277	1-00101	0.695
	18.0	0.2546	21.6	3.67	11.7	0.0593	0.0101	1.51	0.0307	1.00095	0.694
	19.0	0.2434	22.9	3.67	11.8	0.0558	0.0104	1.57	0.0338	1.00090	0.693
	26.0		24.2	3.66	11.8	0.0526	0.0108	1.62	0.0370	1.00085	0.693
		0.2277									
	22.0	0.2061	26 - 8	3.66	11.8	0.0474	0.0114	1.73	0.0436	1.30077	0.694
	24.0	6.1883	29.4	3.65	11.9	0.0431	0.0121	1.84	0.0506	1.00071	0.694
	26.0	0.1734	31.9	3.65	11.9	0.0395	0.0127	1.94	0.0579	1.00065	0.696
	28.0	0-1637	34.5	3.64	11.9	0.0365	0.0133	2.04	0.0655	1.00060	0.697
	30.0	0.1498	37.0	3.64	12.0	0.0340	0.0138	2.13	0.0734	1.00056	0.698
	32.û	0.1403	39.5	3.64	12.0	0.0318	0.0144	2.22	0.0816	1.00053	0.699
	34.0	0.1319	42.0	3.63	12.0	0.0298	0.0149	2.31	0.0902	1.00050	0.701
	36.0	0.1245	44.6	3.63	12.9	0.0281	0.0154	2.43	0.0990	1.00047	0.702
	38.0	0.1178	47.1	3.63	12.0	0.0266	0.0159	2.49	0.108	1.00044	0.703
	40.0	0.1119	49.6	3.63	12.0	0.0252	0.0164	2.57	0.118	1.00042	0.704
	45.0	0.09339	55.8	3.62	12.0	0.0223	U.0176	2.77	0.142	1.00037	0.706
	50.0	0.08940	62.1	3.62	12.0	0.0201	0.0188	2.96	0.169	1.00034	0.707
	55.0	0.08125	68.3	3.62	12.0	0.0182	0.0199	3.15	0.197	1.00031	0.708
	60.0	0.07447	74.6	3.62	12.3	0.0157	0.0210	3.32	0.227	1.00028	0.709
	76.0	0.06382	87.0	3.61	12.0	0.0143	0.0231	3.66	0.291	1.00024	0.709
	80.0	0.05584	99.5	3.61	12.0	0.0125	0.0251	3.97	0.361	1.00021	0.709
	90.0	0.04964	112.0	3.61	12.0	0.0111	0.0270	4.27	0.438	1.00019	0.707
	100.0	0.04468	124.0	3.61	12.0	0.0100	0.3289	4.56	0.521	1.00017	0.706
	120.0	0.03724	149.0	3.61	12.0	0.00832	0.3325	5.10	0.703	1.00014	0.702
	146.0	0.03192	174.0	3.61	12.0	0.00714	0.0360	5.61	0.907	1.00012	0.698
				0.01					0.507		
	160.0	0.02794	199•6	3.61	12.3	0.00624	0.0393	6.10	1.13	1.00011	0.694
	180.0	0.02484	224.0	3.60	12.0	0.00555	0.0425	6.57	1.38	1.00009	0.691
	200.0	0.02235	249.0	3.60	12.0	0.00500	0.0457	6.90	1.64	1.00008	0.675
	250.0	0.01789	311.0	3.60	12.0	0.00400	0.0531	7.98	2.39	1.00007	0.671
	300.0	0.01491	373.0	3.60	12.0	0.00333	0.0602	9.01	3.25	1.00006	0.669
	350.0	0.01278	435.0	3.60	12.0	0.00286	0.0669	10.0	4.22	1.00005	0.667
	406.0	0.J1118	497.0	3.60	12.0	0.09250	0.0732	10.9	5.28	1.00004	0.666
	450.0	0.009941	559.0	3.60	12.0	0.00222	0.0793	11.8	6.43	1.00004	0.667
	500.0	0.308948	621.0	3.60	12.0	0.00200	0.0850	12.7	7.66	1.00003	0.668
	600.0	0.007457	745.0	3.60	12.0	0.00167	0.0962	14.4	10.4	1.00003	0.669
	700.0 800.0	0.006392	869.0 993.0	3.60 3.60	12.0 12.0	0.00143 0.00125	0.107 0.117	16.0 17.6	13.5 16.9	1.00J02 1.00002	0.668
	900.0	0.004972	1120.0	3.60	12.0	0.00125	0.117	19.1	20.7	1.00002	
											0.668
	000.0	0.004475	1240.0	3.60	12.0	0.00100	0.137	20.5	24.7	1.00002	0.667
	250.0	0.003729	1490.0	3.60	12.0	0.000833	0.156	23.3	33.7	1.00001	0.667
	400.0	0.003197	1740.0	3.60	12.0	0.060714	0.174	26.0	43.9	1-00001	0.667
	1600.0	0.302797	1990.0	3.60	12.0	0.000625	0.191	28.5	55.1	1.00001	0.666
	180€.0	0.382486	2230.0	3.60	12.0	0.000555	0.208	31.0	67.4	1.00001	0.666
	2060.0	0.002238	2480.0	3.60	12.0	0.000500	0.224	33.4	80.7	1.00001	0.666
2	2500.0	0.001790	3100-0	3.60	12.0	0.000400	0.263	39.2	118.0	1.00001	0.666
3	3000.6	0.031492	3720.0	3.69	12.3	0.000333	0.299	44.6	162.0	1.00001	0.666

^{*} THO-PHASE BOUNDARY

14.696 PSIA ISOBAR

TEMPERATUR	E VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
TEMPERATOR	E VOLUME	OERIVATIVE	DERIVATIVE	ENERGY	Elli illeci i		•	O,	OF SOUND
DEG. R	CIL ET /L D	CU FT-PSIA/LB	PSIA/R	BTU/LB	8TU/L8	BTU/LB-R	BTIL /	LB -R	FT/SEC
DEG. K	00 1 176	00 11 1314728	1 317/1	0,0,20	0,0,00	8,0,20 1	5.0 ,	20 K	11/320
4.0	0.1081	119.0	13.6	1.402	1.696	0.4010	0.6574	0.6709	749.5
5.0	0.1104	102.0	25.9	1.912	2.213	0.5174	0.4369	0.5110	744.5
			30.3	2.478	2.790	0.6226	0.4309	0.6587	697.9
6.0	0.1144	77.9							
7.0	0.1212	50.4	31.1	3.227	3.556	0.7405	0.5338	0.8991	627.3
* 7.604	0.1282	32.7	29.7	3.829	4.178	0.8255	0.5659	1.191	564.2
* 7.604	0.9484	7.98	3.11	10.38	12.96	1.981	0-8002	2.337	328.6
8.0	1.075	10.5	2.70	10.88	13.80	2.089	0.7830	1.970	350.3
9.0	1.341	15.5	2.12	11.92	15.57	2.297	0.7609	1.626	392.1
10.0	1.575	19.7	1.78	12.83	17.12	2.460	0.7514	1.493	425.4
11.0	1.794	23.4	1.55	13.69	18.58	2.599	0.7470	1.424	454.3
12.0	2.004	26.8	1.38	14.52	19.98	2.721	0.7449	1.382	480 <u>.</u> 3
13.0	2.209	30.2	1.25	15.33	21.34	2.831	0.7440	1.355	504-3
14.0	2.410	33.4	1.14	16.13	22.69	2.930	0.7436	1.335	526.7
15.0			1.06	16.92	24.02	3.022	0.7435		547.9
	2.608	36.5		10.92				1.321	
16.0	2.803	39.5	0.981	17.70	25.33	3.107	0.7436	1.310	568.0
17.0	2.997	42.6	0.916	18 - 48	26-64	3.186	0.7438	1.301	587.3
18.0	3.190	45.5	0.859	19.25	27.93	3.260	0.7439	1.294	605.7
19.0	3.381	48.5	0.810	20.02	29.22	3.330	0.7441	1.289	623.5
20.0	3.572	51.4	0.766	20.79	30.51	3.396	0.7443	1.284	640.7
22.0	3.951	57.1	0.691	22.32	33.07	3.518	0.7446	1.277	673.6
24.0	4.327	62.8	0.630	23.84	35.61	3.628	0.7448	1.271	704.8
26.0	4.702	68.5	0.579	25.35	38.15	3.730	0.7450	1.267	734.5
28.0	5.075	74.1	0.536	26.87	40.60	3.824	0.7451	1.263	762.8
30.0	5.447	79.7	0.499	28.38	43.20	3.911	0.7452	1.260	790.1
32.0	5.818	85.2	0.467	29.88	45.72	3.992	0.7453	1.258	816.3
34-0	6.189	90.7	0-438	31.39	48.23	4.068	0.7453	1.256	841.7
36.0	6.559	96.3	0.413	32.89	50.74	4.140	0.7453	1.254	866.3
38.0	6.928	102.0	0.391	34.40	53.25	4.208	0.7453	1.253	890.2
40.0	7.297	107.0	0.371	35.90	55.76	4.272	0.7453	1.252	913.4
45.0	8.217	121.0	0.329	39.65	62.01	4.419	0.7453	1.250	968.9
50.0	9.136	134.0	0.296	43.39	68.25	4.551	0.7453	1.248	1021.0
55.0	10.05	148.0	0.269	47.13	74.49	4.670	0.7453	1.247	1071.0
60.0	10.97	162.0	0.246	50 • 87	80.72	4.778	0.7452	1.246	1118.0
70.0	12.80	189.0	0.211	58.34	93.17	4.970	0.7452	1.245	1208.0
80.0	14.63	215.0	0.184	65.80	105.6	5.136	0.7451	1.244	1291.0
90.0	16.46	242.0	0.164	73.26	118.0	5.283	0.7451	1.243	1369.0
100.0	18.28	269.0	0.147	80.72	130.5	5.414	0.7450	1.243	1442.0
120.0	21.94	323.0	0.123	95.63	155.3	5.640	0.7450	1.242	1580.0
140.0	25.59	377.0	0.105	110.5	180.2	5.832	0.7449	1.242	1706.0
160.0	29.24	430.0	0.0919	125.4	205.0	5.997	0.7449	1.242	1823.0
180.0	32.89	484.0	0.0817	140.3	229.8	6.144	0.7449	1.242	1933.0
200.0	36.54	538.0	0.0735	155.2	254.7	6.274	0.7449	1.241	2037.0
250.0	45.66	672.0	0.0588	192.5	316.7	6.551	0.7448	1.241	2277.0
300.0	54.78	806.0	0.0490	229.7	378.8	6.778	0.7448	1.241	2494.0
350.0	63.91	940.0	0.0420	267.0	440.9	6.969	0.7448	1.241	2694.0
400.0	73.02	1070.0	0.0367	304.2	502.9	7.135	0.7448	1.241	2879.0
450.0	82.15	1210.0	0.0327	341.4	565.0	7.281	0.7448	1.241	3054.0
500.0									
	91.27	1340.0	0.0294	378.7	627-0	7.412	0.7448	1.241	3219.0
600.0	109.5	1610.0	0.0245	453.1	751.2	7.638	0.7448	1.241	3526.0
700-0	127-8	1880.0	0.0210	527.6	875.3	7.829	0.7447	1.241	3808.0
800.0	146.0	2150.0	0.0184	602.1	999.0	7.995	0.7447	1.241	4070.0
900.0	164.2	2410.0	0.0163	676.6	1124.0	8.141	0.7447	1.241	4317.0
1000.0	182.5	2680.0	0.0147	751 • 0	1248.0	8.272	0.7447	1.241	4551.0
1200.0	219.0	3220.0	0.0122	900.0	1496.0	8.498	0.7447	1.241	4985.0
1400.0	255.5	3750.0	0.0105	1049.0	1744.0	8.690	0.7447	1.241	5384.0
1600.0	291.9	4290.0	0.00918	1198.0	1992.0	8 • 855	0.7447	1.241	5756 - 0
1800-0	328.4	4830.0	0.00916	1347.0	2241.0	9.002	0.7447	1.241	6105.0
2000.0							0.7447	1.241	
	364.9	5360.0	0.00735	1496.0	2489.0	9.132			6435.0
2500.0	456.1	6700.0	0.00588	1868.0	3109.0	9.409	0.7447	1.241	7194-0
7000									
3000.0	547.3	8040.0	0.00490	2240.0	3730.0	9.636	0.7447	1.241	7881.0

^{*} THO-PHASE BOUNDARY

14.696 PSIA ISDBAR

TE	MPERATURE	DENSITY	V (DH/DV)	V (DP/DU)	-V(DP/DV)_	(DV/DT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
			Р	·	~		DNDUCTIVITY		DIFFUSIVITY	CONSTANT	NUMBER
	DEG. R	L3/CU FT	BTU/L8	PSIA-CU FT/BT	U PSIA	1/DEG. R	BTU/FT-HR-R		SQ FT/HR		
								X 10E+6			
	4.0	9.246	54.1	2.24	1100.0	0.0124	0.36880	2.58	0.00142	1.02047	0.709
	5.0	9.057	18.3	6.55	927.0	0.0280	0.0102	2.63	0.06220	1.02035	0.475
	6.0	8.740	14.8	7.10	680.0	0.0445	0.0109	2.50	0.00189	1-02011	0.545
	7.6	8.250	12.0	7.06	416.0	0.0747	0.6113	2.29	0.00153	1.01968	0.656
*	7.664	7.832	10.2	6.73	255.0	0.117	0.0114	2.13	0.00122	1.01921	0.804
*	7.604	1.054	6.32	3.69	8.42	0.370	0.00614	0.838	0.00249	1.00380	1.15
	8 • 0	0.9331	7-14	3.71	9.79	0.276	0.00611	0.863	0.00334	1.00337	1.00
	9.0 10.u	0.7456 J.6350	8.89 10.5	3.73 3.73	11.6 12.5	0.183 0.143	0.00642	0.935 1.01	0.00529	1.00273 1.00233	0.852 0.790
	11.0	0.5575	11.9	3.73	13.0	0.143	0.00729	1.08	0.00722	1.00205	0.757
	11.0	0.3377	11.5	3.73	10.0	0.113	0.00123	1.00	0.00510	1.00207	00151
	12.0	0.4990	13.4	3.72	13.4	0.103	0.66773	1.14	0.0112	1.00184	0.737
	13.0	0.4527	14.8	3.72	13.7	0.0917	0.00815	1.21	0.0133	1.00168	0.724
	14.0	0.4150	16.1	3.71	13.8	6.0827	0.00857	1.28	0.0155	1.00154	0.715
	15.0	0.3835	17.5	3.70	14.0	0.0755	0.00897	1.34	0.0177	1.00142	0.709
	16.0	0.3567	18.8	3.70	14.1	0.0695	0.00936	1.40	0.0200	1.00133	0.705
	17.0	6.3336	20.2	3.69	14.2	0.0645	0.00973	1.46	0.0224	1.00124	0.702
	18.0	0.3135	21.5	3.69 3.68	14.3 14.3	0.0602 0.0565	0.0101	1.52	0.0249 0.0274	1.00117	0.700 0.699
	19.0	0.2800	24.1	3.68	14.4	0.0533	0.0105	1.63	0.0300	1.00104	0.699
	22.0	0.2531	26.7	3.67	14.5	0.0478	0.0115	1.74	0.0355	1.00095	0.698
		*******	2011	0.07	•		0.011			100000	
	24.0	0.2311	29.3	3.66	14.5	0.0434	0.0121	1.84	0.0412	1.00086	0.698
	26.0	0.2127	31.8	3.66	14.6	0.0398	0.0127	1.95	0.0471	1.00080	0.699
	28.0	0.1970	34.4	3.65	14-6	0.0367	0.0133	2.04	0.0534	1.00074	0.699
	30.0	0.1836	36.9	3.65	14.6	0.0341	0.0139	2.14	0.0599	1.00069	0.700
	32.0	0.1719	39.5 42.0	3.64 3.64	14.6	0.6319 0.0299	0.0144	2.23	0.0666	1.00064	0.701
	34.0 36.0	0.1525	44.5	3.64	14.7 14.7	0.0282	0.0149	2.41	0.0736 0.0808	1.00057	0.702
	38.0	0.1443	47.1	3.64	14.7	0.0266	0.0160	2.49	0.0883	1.00054	0.704
	46.0	0.1370	49.6	3.63	14.7	0.0253	0.0165	2.58	0.0960	1.00051	0.705
			,,,,								
	45.0	0.1217	55.8	3.63	14.7	0.0224	0.0177	2.78	0.116	1.00046	0.707
	50.0	0.1095	62.1	3.63	14.7	0.0201	0.0188	2.97	0.138	1.00041	0.708
	55.0	0.09947	68.4	3.62	14.7	0.0182	0.0199	3.15	0.161	1.00037	0.709
	60-0	0-09116	74 - 6	3.62	14-7	0.0167	0.0216	3.33	0.185	1.00034	0.709
	70.0 80.0	0.07812	87.1 100.0	3.62 3.61	14.7	0.0143 6.0125	0.0231	3.66 3.97	0.238	1.00029 1.00026	0.709
	90.0	0.06077	112.0	3.61	14.7 14.7	0.0111	0.0251 0.0270	4.27	0.295 0.358	1.00023	0.709 0.707
	100.0	0.05469	124.0	3.61	14.7	0.0100	0.0289	4.56	0.425	1.00021	0.706
	124.0	0.04559	149.0	3.61	14.7	0.00832	0.0325	5.10	0.574	1.00017	0.702
	140.0	0.03908	174.0	3.61	14.7	0.00713	0.0360	5.61	0.741	1.00015	0.698
	166.0	0.03420	199.0	3.61	14.7	0.00624	0.0393	6.10	0.925	1.00013	0.694
	186.0	0.03041	224.0	3.61	14.7	0.00555	0.0425	6.57	1.13	1.00011	0.691
	206.0 250.0	0.02737	249.6 311.0	3.60 3.60	14.7 14.7	0.00499 0.00400	0.0457 0.0532	6.90 7.98	1.34 1.96	1-00010 1-00008	0.675 0.671
	366.0	0.01825	373.0	3.60	14.7	0.00333	0.0532	9.01	2.66	1.00007	0.669
	350.0	0.01565	435.0	3.60	14.7	0.00285	0.0669	10.0	3.44	1.00006	0.667
	400.0	0.01369	497.0	3.60	14.7	0.00250	0.0733	10.9	4.31	1.00005	0.666
	456.0	0.01217	559.6	3.60	14.7	0.00222	0.0793	11.8	5.25	1.00005	0.667
	506.0	0.31096	621.0	3.60	14.7	0.00200	0.0851	12.7	6.25	1.00004	0.668
	600.0	0.009132	745.0	3.60	14.7	0.00167	0.0962	14.4	8.49	1.00003	0.669
	766.0	0.007828	869.0	3.60	14.7	0.00143	0.107	16.0	11.0	1.00003	0.668
	856.0	0.007828	993.0	3.60	14.7	0.00143	0.117	17.6	13.8	1.00003	0.668
	900.0	0.006089	1120.0	3.60	14.7	0.00125	0.128	19.1	16.9	1.00002	0.668
1	006.0	0.005483	1240.0	3.60	14.7	0.00100	0.137	20.5	20.2	1.00002	0.667
	200.0	0.004567	1490.0	3.60	14.7	0.060833	0.156	23.3	27.5	1.00002	0.667
	400.0	0.003915	1740.0	3.60	14.7	0.000714	0.174	26.0	35.8	1.00001	0.667
	600.0	0.003425	1990.0	3.60	14.7	0.000625	0.191	28.5	45.0	1.00001	0.666
	806.0	0.003045	2230.0	3.60	14.7	0.000555	0.208	31.0	55.0	1.00001	0.666
	0.000	0.002740	2480.0	3.60	14.7	0.000500	0.224	33.4	65.9	1.00001	0.666
2	506.0	0.302192	3100.0	3.60	14.7	0-000400	0.263	39.2	96.6	1.00001	0.666
3	000.0	6.331827	3720.0	3.60	14.7	0.000333	0.299	44.6	132.0	1.00001	0.666

^{*} THO-PHASE BOUNDARY

16 PSIA ISOBAR

TEMPEDATII	RE VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
TETTTERATO	NE VOEGNE	OERIVATIVE	OERIVATIVE	ENERGY	Citting Cit	C. T. C.	••	0,	OF SOUND
OEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	8TU/LB	BTU/LB-R	BTU /	L8 -R	FT/SEC
					4 = 00				
4.0	0.1080	120.0	13.6	1.400	1.720	0.4065	0-6538	0.6672	753.0
5.0	0.1102	103.0 79.1	25.9 30.3	2.470	2.234 2.809	0.5164 0.6212	0.4364 0.4874	0.5096 0.6559	748.1
6.0	J.1142 J.1208	51.8	31.3	3.212	3.570	0.7382	0.5332	0.8905	702.2 633.2
7.0 * 7.769	0.1208	29.1	29.3	3.999	4.384	0.7382	0.5352	1.291	550.6
* 7.769		7.53	3.42	10.37	12.94	1.949	0.8018	2.485	328.7
8.0	0.9411	9.17	3.12	10.68	13.47	2.017	0.7904	2.183	342.5
9-0	1.202	14.6	2.38	11.79	15.35	2.239	0.7637	1.694	387.7
10.0	1.423	19.0	1.98	12.74	16.95	2.408	0.7526	1.529	422.4
11.0	1.629	22.8	1.72	13.61	18.44	2.549	0.7475	1.447	452.1
12.0	1.825	26.4	1.53	14.45	19-86	2.673	0.7451	1.398	478.6
13.0	2.015	29.7	1.38	15.27	21.24	2.784	0.7440	1.367	503.0
14.0	2.201	33.0	1.26	16.07	22.60	2.884	0.7436	1.345	525.7
15.0	2.384	36.2	1.16	16.87	23.93	2.976	0.7435	1.329	547.1
16.J	2.565	39.3	1.07	17.65	25.25	3.062	0.7435	1.316	567.4
17.0	2.745	42.3	1.00	18.43	26.57	3.141	0.7437	1.307	586.7
18.0	2.922	45.3	0.940	19.21	27.87	3.216	0.7439	1.299	605.3
19.0	3.099	48-3	0.885	19.98	29.16	3.285	0.7440	1.293	623.2
20.0	3.274	51.2	0.837	20.75	30.45	3.352	0.7442	1.288	640.5
22.0	3.623	57.0	0.755	22.28	33.02	3.474	0.7445	1.280	673.5
24-0	3.970	62.7	0.688	23.81	35.57	3.585	0.7448	1.274	704.8
26.0	4.315	68.4	0.632	25.32	38.11	3.687	0.7450	1.269	734.5
28.0	4.659	74.0	0.585	26 • 84	40.64	3.780	0.7451	1.265	763.0
30.0	5-001	79.6	0 - 544	28 - 35	43-17	3.868	0.7452	1.262	790.3
32.0	5.343	85.2	0.509	29.86	45.69	3.949	0.7453	1.260	816.6
34.0	5.683	90.7	0.478	31.37	48.21	4.025	0.7454	1.257	842.0
36.0	6.023	96.2	0.451	32.87	50.72	4.097	0.7454	1.256	866.6
38.0	6.363	102.0	0.426	34.38	53.23	4.165	0.7454	1.254	890.5
40 - 0	6.712	107.0	0.404	35.88	55.74	4.229	0.7454	1.253	913.7
45.0	7.548	121.0	0.359	39.63	62.00	4.377	0.7454	1.250	969.2
50.0	8.392	134.0	0.322	43.38	68.24	4.508	0.7454	1.249	1022.0
55 - 0	9.235	148.0	0.293	47.12	74.48	4.627	0.7453	1.247	1071.0
60.0	10.08	162.0	0.268	50.86	80.72	4.736	0.7453	1.246	1119.0
70.0	11.76	189.0	0.229	58.33	93.17	4.928	0.7452	1.245	1208.0
80.0	13.44	216.0	0.200	65.80	105.6	5.094	0.7452	1.244	1291.0
90.0	15.12	242.0	0.178	73.26	118.1	5.240	0.7451	1.243	1369.0
100.0	16.83	269.0	0.160	80.72	130.5	5.371	0.7451	1.243	1443.0
120.0	20.15	323.0	0.133	95.63	155.3	5 - 598	0-7450	1.242	1580.0
146.0	23.51	377.0	0.114	110.5	180.2	5.789	0.7450	1.242	1706.0
160.0	26.86	430.0	3.106	125.4	205.0	5.955	0.7440	4 24 2	1823.0
180.0	30.21	484.G	0.0889	140.3	229.8	6.101	0.7449 0.7449	1.242 1.242	1933.0
200.0	33.56	538.0	0.0860	155.2	254.7	6.232	0.7449	1.242	2038.0
250.0	41.94	672.0	0.0640	192.5	316.7	6.509	0.7448	1.241	2277.0
300.0	50.32	806.G	0.0533	229.7	378.8	6.736	0.7448	1.241	2494.0
350.0	58.70	940.0	0.0457	267.0	440.9	6.927	0.7448	1.241	2694.0
400 · G	67.08	1070.0	0.0400	304.2	502.9	7.093	0.7448	1.241	2879.0
450.0	75.45	1210.0	0.0356	341.4	565.0	7.239	0.7448	1.241	3054.0
500.0	83.83	1340.0	0.0320	378.7	627-1	7-370	0.7448	1.241	3219.0
600.0	100.6	1610.0	0.0267	453.1	751.2	7.596	0.7448	1.241	3526.0
	447.7	4005							
7u6.0 806.0	117.3 134.1	1880.0 2150.0	0.0229 0.0200	527.6	875.3 999.0	7.787	0.7448 0.7447	1.241	3808.0 4071.0
980.0	150.9	2410.0	0.0178	602.1 676.6	1124.0	7.953 8.099	0.7447	1.241	4317.0
1000.0	167.6	2680.0	0.0178	751.0	1248.0	8.230	0.7447	1.241	4551.0
1200.0	201.1	3220.0	0.0133	900.0	1496.0	8.456	0.7447	1.241	4985.0
1406.0	234.6	3750.0	0.0133	1049.0	1744.0	8.648	0.7447	1.241	5384.0
1600.0	268.1	4290.0	0.0100	1198.0	1992.0	8.813	0.7447	1.241	5756.0
1800.0	301.7	4830.0	0.00889	1347.0	2241.0	8.959	0.7447	1.241	6105.0
2000-0	335.2	5360.0	0.00800	1496.0	2489.0	9.090	0.7447	1.241	6435.0
2500.0	419.0	6700.ù	0.00640	1868.0	3109.0	9.367	0.7447	1.241	7194.0
3000.0	502.7	8040.0	0.00533	2240.0	3730.0	9.593	0.7447	1.241	7881.0

^{*} TWO-PHASE BOUNDARY

16 PSIA ISDBAR

т	EMPERATURE	DENSTIY	V(DH/DV) _p	V(DP/DU) - PSIA-CU FT/BTU	V(DP/DV)	(DV/DT)/V	THERMAI	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
٠,	LIII LIKAT OKL	DEMOTI	p	**************************************	T	Pr	DADUCTTATTY	*13003111	DIFFUSIVITY		NUMBER
	DEG. R	LB/CU FT		PSIA-CU FT/BTU	ATOD	1/DEC P	TII/E T_WD_D	LB/ET-SEC	SQ FT/HR	00110111111	WO.IDEK
	DEG. K	LB/CO FI	910769	PSIA-CO FIZBIO	LOIM	I/DEG. K	3107F1-HK-K	X 10E+6	SU FIZHK		
								X 105+0			
	4.0	9.258	54.4		1110.0	0.0123	0.00881	2.60	0.00143	1.02048	0.708
	5 • 0	9.071	18-4	6.55	939.0	0.0276	0.0102	2.65	0.00221	1.02036	0.475
	6.0	8.757	15.0	7.11	693.0	0.0438	0.0109	2.51	0.00190	1.02013	0.545
	7.0	8.275	12.2	7.09	429.0	0.0729	0.0114	2.31	0.00154	1.01971	0.652
	7.769	7.686	9.88	6.62	224-0	0.131	0-0114	2.10	0.00115	1.01908	0.857
*	7.769	1.153	6.30	3.70	8.68	0.394	0.00638	0.865	0.00223	1.00414	1.21
	8 • 0	1.963	6.82	7.71	9.74	0.320	0.00630	0.878	0.00271	1.00383	1.10
	9.0	0.8321	8.67	3.74 3.75 3.74	12.2	0.195	0.00650	0.945	0.00461	1.00303	0.887
	10.0	0.7025	10.3	3.75	13.3	0.149	0.00690	1.02	0.00642	1.00257	0.810
	11.0	0.6140	11.8	3.74	14.0	0.123	0.00733	1.08	0.00825	1.00226	0.771
	11.00	000240	11.0	••••	2400	00110	0000100	1.00	0.000	1.00000	
	12.0	0.5480	13.2	3.74	14.4	0.106	0.00776	1.15	0.0101	1.00202	0.747
	12.0	0.4963	13.2	3.73	14.4			1.19	0.0101	1.00202	0.732
	13.0		14.7	3.73	14.8	0.0933	0.00819	1.22	0.0121	1.00183	
	14.0	0.4543	16.6	3.72	15.0	0.0838	0.00860	1.28	0.0141	1.00168	0.722
	15.0	0.4194	17.4	3.71	15.2	0.0763	0.00900	1.34	0.0161	1.00156	0.715
	16 - 0	0.3898	18.8	3.70	15.3	0.0702	0.00938	1.41	0.0183	1.00145	0.710
	17.0	0.3644	20.1	3.70	15.4	0.0650	0.00976	1.46	0.0205	1.00135	0.706
	18.0	0.3422	21.4	3.69	15.5	0.0606	0.0101	1.52	0.0228	1.00127	0.704
	19.0	0.3227	22.7	3.69	15.6	0.0569	0.0105	1.58	0.0251	1.00120	0.702
	19.0 20.0	0.3054	22.7 24.0	3.68	15.6	0.0536	0.0108	1.64	0.0275	1.00114	0.701
	22.0	0.2760	26.7	3.67	15.6 15.7	0.0480	0.0115	1.74	0.0325	1.00114	0.700
	C C + U	0.2700	20.1	3.01	19.1	0.0400	0.0119	1.74	0.0325	1.00103	0.700
	26. 0	0.2519	20. 2	7 67	15 0	0 0676	0.0121	4 05	0 0777	4 00000	0.700
	24.0		29.2	3.67 3.66	15 - 8	0.0436		1.85	0.0377	1.00094	0.700
	26.0	0.2317	31.8	3.66	15.8 15.9	0.0399	0.0127	1.95	0.0432	1.00087	0.700
	28.0	0.2147	34.4	3.66	15.9	0.0368	0.0133	2.05	0.0490	1.00080	0.701
		0.2000	36.9	3.65	15.9	0.0342	0.0139	2.14	0.0550	1.00075	0.701
	32.0	0.1872	39.5	3.65	15.9	0.0319	0.0144	2.23	0.0612	1.00070	0.702
	34.0	0.1760	42.0	3.64 3.64	16.0	0.0299	0.0150	2.32	0.0676	1.00066	0.703
	36.0	0.1660	44.5	3.64	16.0	0.0282	0.0155	2.41	0.0742	1.00062	0.704
	38.0	0.1572	47.0	3.64	16.0	0.0267	0.0160	2.49	0.0811	1.00059	0.705
				3.04				2 - 7 7			0.705
	40.0	0.1492	49.6	3.64	16.0	0.0253	0.0165	2.58	0.0882	1.00056	0.706
		1 4705	55.8	2 4 2	40.0	0.000	0.0477			4 00050	
	45.0	0.1325		3.63	16.0	0.0224	0.0177	2.78	0.107	1.00050	0.707
	50.0	0.1192	62.1	3.63	16.0	0.0201	0.0188	2.97	0.127	1.00045	0.708
	55.0	0.1083	68.4	3.62	16.0	0.0182	0.0200	3.15	0.148	1.00041	0.709
		0.09923	74.6	3.62	16.0	0.0167	0.0210	3.33	0.170	1.00037	0.710
	70.0	0.08504	87.1	3.62	16.0	0.0143	0.0231	3.66	0.218	1.00032	0.710
	80.0	0.07441	100.0	3.62	16.0	0.0125	0.0251	3.98	0.271	1.00028	0.709
	90.0	0.06614	112.0	3.61	16.0	0.0111	0.0270	4.28	0.329	1.00025	0.707
	100.0	0.05954	124.0	3.61	16.0	0.0130	0.0289	4.56	0.391	1.00022	0.706
	120.0	0.04962	149.0	3.61	16.0	0.00832	0.0325	5.10	0.528	1.00019	0.702
	140.0	0.04254	174.0	3.61	16.3	0.00713	0.0360	5.62	0.681	1.00015	0.698
	140.0	0.04254	174.0	3.01	10.3	0.00713	0.0300	9.02	0.001	1.00010	0.000
	160.0	0.03723	100 0	7 64	16 0	0.00624	0.0393	6 10	0.850	1 0001/	0.606
			199.0	3.61	16.0			6.10		1.00014	0.694
	180.0	0.03310	224-0	3.61	16.0	0.00555	0.0425	6.57	1.03	1.00012	0.691
		0.02980	249.0	3.61	16.0	0.00499	0.0457	6.90	1.23	1.00011	0.675
	250.0	0.02384	311.0	3.60	16.0	0.00400	0.0532	7.98	1.80	1.00009	0.671
	300.0	0.01987	373.0	3.60	16.0	0.00333	0.0602	9.01	2.44	1.00008	0.669
	350.0	0.01704	435.0	3.60	16.0	0.00285	0.0669	10.0	3.16	1.00006	0.667
	400.0	0.01491	497.0	3.60	16.0	0.00250	0.0733	10.9	3.96	1.00006	0.666
	450.0	0.01325	559.0	3.60	16.0	0.00222	0.0793	11.8	4 - 82	1.00005	0.667
	500.0	0.01193	621.0	3.60	16.0	0.00200	0.0851	12.7	5.74	1.00005	0.668
	600.0	0.009941	745.0	3.60	16.0	0.00167	0.0962	14.4	7.80	1.00004	0.669
				3.02	20.5	*********	********			200004	*****
	700.0	0.008522	869.0	3.60	16.0	0.00143	0.107	16.0	10.1	1.00003	0.668
	800.0	0.007457	993.0	3.60	16.0	0.00125	0.117	17.6	12.7	1.00003	0.668
	906.0	0.007457	1120.0	3.60	16.0	0.00125	0.128	19.1	15.5		
				3.60	10.0			19.1		1.00003	0.668
	1000.0	0.005966	1240.0	3.60	16.0	0.00100	0.137	20.5	18.5	1.00002	0.667
	1200.0	0.004972	1490.0	3.60	16.0	0.000833	0.156	23.3	25.3	1.00002	0.667
	1400.0	0.004262	1740.0	3.60	16.0	0.000714	0.174	26.0	32.9	1.00002	0.667
	1600.0	0.003729	1990.0	3.60	16.0	0.000625	0.191	28.5	41.3	1.00001	0.666
	1800.0	0.003315	2230.0	3.60	16.0	0.000555	0.208	31-0	50.6	1.00001	0.666
	2000.0	0.002984	2480.0	3.60	16.0	0.000500	0.224	7- /	50.6 60.5	1.00001	0.666
	2500.0	0.002387	3100.0	3.60	16.0	0.000400	0.263	39.2	88.7	1.00001	0.666
											••••
	3000.0	0.001989	3720.0	3.60	16.0	0.000333	0.299	44.6	121.0	1.00001	0.666
					-0.5	0.30000		i		1.03001	

^{*} TWO-PHASE BOUNDARY

18 PSIA ISOBAR

TEMPERATUR	F VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
TEIN EKATOK		DERIVATIVE	OERIVATIVE	ENERGY	• • • • • • • • • • • • • • • • • • • •		•	•	OF SOUND
OEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU /	LB -R	FT/SEC
4.0	0.1078	122.0	13.6	1.398	1.757	0.3997	0.6484	0.6614	758.3
5.0	0.1100	105.Û	26.0	1.901	2.267	0.5148	0.4357	0.5074	753.5
6.0	0.1139	81.0	30.5	2.459	2.838	0.6190	0.4869	0.6518	708.7
7.0	J.1203	53.9	31.5	3.190	3.591	0.7348	0.5322	0.8782	641.8
8.0	0.1331	24.4	28.5	4.252	4 • 6 9 5	0.8815	0.5886	1.467	530.3
8 • 0	0.7625	6.78	3.92	10.33	12.87	1.902	0.8040	2.759	328.3
8 - 0	0.1333	24-2	28.5	4.259	4.704	0.8826	0.5890	1.474	529.5
9.0	1.024	13.2	2.82	11.59	15.00	2.154	0.7687	1.824	380.4
10.0	1.233	17.9	2.30	12.58	16.69	2.332	0.7548	1.592	417.6
11.0	1.421	21.9	1.98	13.49	18.22	2.479	0.7485	1.485	448 - 6
12.0	1.600	25.6	1.75	14.34	19.68	2.605	0.7455	1.425	476.0
13.0	1.772	29.1	1.57	15.17	21.08	2.717	0.7441	1.387	501.0
14.0	1.940	32.4	1.43	15.99	22.45	2.819	0.7436	1.360	524.1
15.0	2.105	35.6	1.32	16.79	23.80	2-912	0.7434	1.341	545.8
16.0	2.267	38.8	1.22	17.58	25.14	2.998	0.7434	1.327	566.4
17.0	2.428	41.9	1.14	18.37	26.46	3.079	0.7436	1.316	585.9
18.0	2.587	44.9	1.06	19.15	27.77	3.153	0.7438	1.307	604.7
19.0	2.745	47.9	1.00	19.92	29.07	3.224	0.7440	1.300	622.7
20.0	2.902	50.9	0.947	20.69	30.37	3.290	0.7442	1.294	640.2
22.0	3.214	56.7	0.853	22.23	32.94	3.413	0.7445	1.285	673.4
	30224	3001	*****		02.77	0	••••	10203	0.000
24.0	3.523	62.5	0.777	23.76	35.50	3.524	0.7448	1.278	704.8
26.0	3.831	68 • 2	0.714	25.28	38.05	3.626	0.7450	1.273	734.7
28.0	4.137	73.9	0.660	26.80	40.59	3.721	0.7452	1.268	763.2
30.0	4.443	79.5	0.614	28.31	43.12	3.808	0.7453	1.265	790.6
32.0	4.747	85.1	0.574	29.83	45.65	3.889	0.7454	1.262	816.9
34.0	5.050	90.7	0.574	31.34	48.17	3.966	0.7454	1.260	842.4
	5.353	96.2	0.508	32.84	50.69	4.038	0.7455		867.0
36.0								1.258	
38.0	5.655	102.0	0.480	34.35	53.20	4.106	0.7455	1.256	890.9
40.0	5.957	107.0	0.456	35.85	55.71	4-170	0.7455	1.254	914.2
45.0	6.710	424 0	0.404	39.61	61.97	/. 7 a a	0.7455	1.252	969.7
		121.0				4.318			
50.0	7.461	135.0	0.363	43.36	68.23	4.449	0.7455	1.250	1022.0
55.0	8.211	148.0	0.329	47.10	74.47	4.568	0.7454	1.248	1072.0
60.0	8.960	162.0	0.302	50.84	80.71	4.677	0.7454	1 - 247	1119.0
70.0	13.46	189.0	0.258	58.32	93.17	4.869	0.7453	1.245	1209.0
80.0	11.95	216.0	0.226	65.79	105.6	5.035	0.7452	1.244	1292.0
90.0	13.44	243.0	0.200	73.25	118.1	5.182	0.7452	1.244	1370.0
100.0	14.93	270.0	0.180	80.71	130.5	5.313	0.7451	1.243	1443.0
120.0	17.92	323.0	0.150	95.62	155.3	5.539	0.7450	1.242	1580.0
140.0	20.93	377.0	0.129	110.5	180.2	5.731	0.7450	1.242	1706.0
160.0	23.88	431.0	0.113	125.4	205.0	5.897	0.7449	1.242	1824.0
186.0	26.86	484.0	0.100	140.3	229.9	6.043	0.7449	1.242	1934.0
200.0	29.84	538.0	0.0900	155.2	254.7	6.174	0.7449	1.242	2038.0
250.0	37.29	672.0	0.0720	192.5	316.8	6.451	0.7449	1.241	2278.0
300.0	44.73	806.0	0.0600	229.7	378.8	6.677	0.7448	1.241	2495.0
35G.O	52.18	940.0	0.0514	267.0	440.9	6.868	0.7448	1.241	2694.0
400.0	59.63	1070.0	0.0450	304.2	503.0	7.034	0.7448	1.241	2880.0
450.0	67.08	1210.0	0.0400	341.4	565.0	7.180	0.7448	1.241	3054.0
500.0	74.52	1340.0	0.3360	378.7	627.1	7.311	0.7448	1.241	3219.0
600.0	89.42	1610.0	0.0300	453.2	751.2	7.537	0.7448	1.241	3526.0
706.0	104.3	1880.0	0.0257	527.6	875.3	7.729	0.7448	1.241	3808.0
800.0	119.2	2150.0	0.0225	602.1	999.0	7.895	0.7448	1.241	4071.0
900.0	134.1	2410.0	0.0200	676.6	1124.0	8.041	0.7447	1.241	4317-0
1000.0	149.0	2680.0	0.0180	751.0	1248.0	8.171	0.7447	1.241	4551.0
1200.0	178.8	3220.0	0.0150	900.0	1496.0	8.398	0.7447	1.241	4985.0
1400.0	208.6	3760.0	0.0129	1049.0	1744.0	8.589	0.7447	1.241	5384.0
1600.0	238.4	4290.0	0.0112	1198.0	1992.0	8 • 755	0.7447	1.241	5756.0
1800.0	268.1	4830.0	0.0100	1347.0	2241.0	8.901	0.7447	1.241	6105.0
2000.0	297.9	5360.0	0.00900	1496.0	2489.0	9.032	0.7447	1.241	6435.0
2500.0	372.4	6700.0	0.00720	1868.0	3109.0	9.309	0.7447	1.241	7194.0
3000.0	446-9	8040.0	0.00600	2240.0	3730.0	9.535	0.7447	1.241	7881.0

^{*} TWO-PHASE BOUNDARY

18 PSIA ISOBAR

TEMPERATURE	OFNSITY	V (OH/OV)	V (OP/OU)	-V(OP/OV)	(OV/OT)/V	THERMAL	VISCOSITY	THERMAL	OIELECTRIC	PRANOTL
TETT ETTT TOTAL		Р	v	T		ONOUCTIVITY		OIFFUSIVITY		NUMBER
OEG. R	LB/CU FT	BTU/L3	PSIA-CU FT/BT	TU PSIA	1/0EG. R	9TU/FT-HR-R		SQ FT/HR		
							X 10E+6			
				4470 0			2	0.00444	4 2224.0	0.706
4.0	9.275	54.9	2.26	1130.0	0.0120	0.00883	2.62 2.67	0.00144 0.00222	1.02049 1.02037	0.706 0.476
5.0 6.0	9.091 8.783	18.7 15.2	6.55 7.12	957.0 711.0	0.0271 0.0428	0.0102 0.0109	2.54	0.00222	1.02037	0.544
7 • 0	8.313	12.5	7.13	448.0	0.0704	0.0114	2.33	0.00156	1.01974	0.646
8.0	7.511	9.43	6.46	183.0	0.156	0.0114	2.05	0.00103	1.01887	0.951
8.0	1.311	6.26	3.72	8.89	0.441	0.00677	0.907	0.00187	1.00467	1.33
8.0	7.535	9.38	6.45	181.0	0.157	0.0114	2.05	0.00103	1.01887	0.955
9.0	0.9761	8.32	3.76	12.9	0.219	0.00664	0.963	0.00373	1.00353	0.952
10.0	0.8112	10.0	3.76	14.5	0.159	0.00699	1.03	0.00541	1.00296	0.845
11.0	0.7035	11.6	3.76	15.4	0.129	0.00749	1.10	0.00708	1.00258	0.793
12.0	0.6250	13.0	3.75	16.0	0.109	0.00782	1.16	0.00878	1.00230	0.763
13.0	0.5643	14.5	3.74	16.4	0.0958	0.00824	1.23	0.0105	1.00208	0.744 0.731
14.0 15.0	0.5155 0.4751	15-9 17-3	3.73 3.73	16.7 16.9	0.0857 0.0777	0.00864	1.29 1.35	0.0123 0.0142	1.00190 1.00176	0.731
16.0	6.4411	18.6	3.72	17.1	0.0712	0.00942	1.41	0.0142	1.00163	0.717
17.0	0.4119	20.0	3.71	17.3	0.0659	0.00979	1.47	0.0181	1.00153	0.712
18.0	0.3865	21.3	3.70	17.4	0.0613	0.0102	1.53	0.0201	1.00144	0.709
19.0	0.3643	22.6	3.70	17.5	0.0574	0.0105	1.59	0.0222	1.00135	0.707
21.0	0.3446	24.0	3.69	17.5	0.0540	0.0108	1.64	0.0243	1.00128	0.705
22.0	0.3112	26.6	3.68	17.7	0.0484	0.0115	1.75	0.0288	1.00116	0.703
24.0	0.2838	29.2	3.68	17.7	0.0438	0.0121	1.85	0.0335	1.00106	0.702
26.0	0.2610	31.8	3.67	17.8	0.0401	0.0127	1.95	0.0384	1.00097	0.702
28.0	0.2417	34.3	3.66	17.9	0.0370	0.0133	2.05	0.0435	1.00090	0.703
36.0	0.2251	36.9 39.4	3.66	17.9	0.0343	0.0139	2.15	0.0488	1.00084	0.703
32.0 34.0	0.2107 0.1980	42.0	3.65 3.65	17.9 18.0	0.0300	0.0144	2.24 2.33	0.0543 0.0601	1.00079 1.00074	0.704 0.704
36.0	0.1868	44.5	3.65	18.0	0.0283	0.0155	2.41	0.0660	1.00074	0.705
38.0	0.1768	47.0	3.64	18.0	0.0267	0.0160	2.50	0.0721	1.00066	0.706
40.0	0.1679	49.6	3.64	18.0	0.0253	0.0165	2.58	0.0784	1.00063	0.706
45.0	0.1490	55.8	3.64	18.0	0.0224	0.0177	2.78	0.0949	1.00056	0.708
5 G • O	0.1340	62.1	3.63	18.0	0.0201	0.0189	2.97	0.113	1.00050	0.709
55.0	0.1218	68.4	3.63	18.0	0.0183	0.0200	3.15	0.131	1.00046	0.709
60.0	0.1116	74.6	3.62	18.0	0.0167	0.0211	3.33	0.151	1.00042	0.710
70.0	0.09564	87.1	3 • 62	18.1	0.0143	0.0231	3.66	0.194	1.00036	0.710
80.0	0.08368	100.0	3.62	18.1	0.0125	0.0251	3.98	0.241	1.00031	0.709
90.0	0.07439	112.0 124.0	3.62 3.61	18.1 18.0	0.0111	0.0271	4.28	0.293 0.348	1.00028 1.00025	0.798 0.706
120.0	0.06696	149.0	3.61	18.0	0.0100	0.0325	5.11	0.469	1.00025	0.702
140.0	0.04785	174.0	3.61	18.0	0.00713	0.0360	5.62	0.606	1.00018	0.698
140.0	0.04103	114.0	0.01	10.0	0-00/10	0.000	7.02	0.000	1.00010	0.000
160.0	0.04188	199.0	3.61	18.0	0.00624	0.0393	6.10	0.756	1.00016	0.694
180.0	0.13723	224.0	3.61	18.0	0.00555	0.0425	6.57	0.920	1.00014	0.691
200.0	0.03351	249.0	3.61	18.0	0.00499	0.0457	6.90	1.10	1.00013	0.675
250.0	0.02682	311.0	3.60	18.0	0.00399	0.0532	7.99	1.60	1.00010	0.671
360.0	0.02235	373.0	3.60	18.0	0.00333	0.0602	9.01	2.17	1.00008	0.669
350.0	0.01916	435.0	3.60	18.0	0.00285	0.0669	10.0	2 - 81	1.00007	0.667
466.0	0.01677	497.0	3.60	18.0	0.00250	0.0733	10.9	3.52	1.00006	0.666
450.0 500.0	0.01491	559.0	3.60 3.60	18.0 18.0	0.00222	0.0793 0.0851	11.8 12.7	4.29 5.11	1.00006	0.667
600.0	0.01342	621.0 745.0	3.60	18.0	0.00200	0.0962	14.4	6.93	1.00005 1.00004	0.668 0.669
500.0	0.01110	745.0	0.00	10.0	0.0010/	0 0 302	17.7	0.90	1.00004	0.009
700.0	0.009587	869.0	3.60	18.0	0.00143	0.107	16.0	9.00	1.00004	0.668
800.0	0.008389	993.0	3.60	18.0	0.00125	0.118	17.6	11.3	1.00003	0.668
900.0	0.007457	1120.0	3.60	18.0	0.00111	0.128	19.1	13.8	1.00003	0.668
1000.0	0.006712	1240.0	3.60	18.0	0.00100	0.137	20.5	16.5	1.00003	0.667
1260.0	0.035593	1490.0	3.60	18.0	0.000833	0.156	23.3	22.5	1.00002	0.667
1400.0	0.004795	1740.0	3-60	18.0	0.000714	0-174	26.0	29.3	1.00002	0.667
1600.0	0.004195	1990.0	3.60	18.0	0.000625	0.191	28.5	36.7	1.00002	0.666
1800.0	0.003729	2230.0	3.60	18.0	0.000555	0.208	31.0	44.9	1.00001	0.666
2000.0	0.303356	2480.0	3.60	18.0	0.000500	0.224	33.4 39.2	53.8	1.00001	0.666
2500.0	0.002685	3100.0	3.60	18.0	0.000400	0.263	39.2	78.8	1.00001	0.666
3000.0	0.302238	3720.G	3.60	18.0	0.000333	0.299	44.6	108.0	1.00061	0.666
		-,		2000	0,00000		.,,•		1,0000	

^{*} TWO-PHASE BOUNDARY

20 PSIA ISOBAR

						FUTURE DV	ENTOGOV			
TE	MPERATURE	VOLUME	ISOTHERM OERIVATIVE	ISOCHORE DERIVATIVE	INTERNAL ENERGY	ENTHALPY	ENTROPY	CV	CP	VELOCITY OF SOUND
	DEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU /	LB -R	FT/SEC
	4.0	0.1076	123.0	13.6	1.396	1.794	0.3990	0.6431	0.6558	763.5
	5.0	0.1098	107.0	26.0	1.894	2.301	0.5133	0.4350	0.5053	758.9
	6.0	0.1135	82.9	30.6	2.447	2.867	0.6169	0.4864	0.6479	715.0
	7.0	0.1198	55.9	31.8	3.169	3.612	0.7315	0.5313	0.8668	650-2
	8 • 0	0.1318	26.8	29.1	4-200	4.689	0.8746	0.5862	1.397	544.1
*	8.224	J.1367	19.7	27.6	4.523	5.030	0.9166	0.6032	1.706	508.0
*	8.224	0.6751	5.99	4.46	10.26	12.76	1.856	0.8059	3.115	327.5
	9.0	0.8789	11.6	3.32	11.36	14.61	2.072	0.7743	2.000	372.5
	10.0	1.079	16.7	2 • 65	12.42	16.41	2.262	0.7572	1.665	412.6
	11.0	1.255	21.0	2.26	13.36	18.00	2.414	0.7496	1.528	445.1
	12.0	1.420	24.8	1.98	14.23	19.49	2.543	0.7460	1.453	473.4
	13.0	1.578	28.4	1.77	15.08	20 • 92	2.657	0.7443	1-407	498.9
	14.0	1.731	31.8	1.61	15.90	22.31	2.760	0.7436	1.376	522.5
	15.0	1.881	35.1	1.48	16.71	23.67	2.855	0.7433	1.354	544.5
	16.0	2.029	38.3	1.37	17.51	25.02	2.941	0.7434	1.338	565.3
	17.0	2.175	41.5	1.27	18.30	26.35	3.022	0.7435	1.325	585.1
	18.0	2.319	44.6	1.19	19.08	27.67	3.098	0.7437	1.315	604.1
	19.0	2.462	47.6	1.12	19.86	28.98	3.168	0.7439	1.307	622.3
	20.0	2.604	50.6	1.06	20.64	30.28	3.235	0.7441	1.300	639.8
	22.0	2.886	56.5	0.953	22.18	32.86	3.358	0.7445	1.290	673.2
	24.0	3.166	62.3	0.867	23.71	35.43	3.470	0.7448	1.282	704.8
	26.0	3.444	68.0	0.796	25.24	37.99	3.572	0.7451	1.276	734.8
	28.0	3.720	73.7	0.735	26.76	40.54	3.667	0.7452	1.271	763.4
	30.0	3.996	79.4	0.684	28.28	43.07	3.754	0.7454	1.267	790.8
	32.0	4.270	85.0	0.639	29.79	45.61	3.836	0.7455	1.264	817.2
	34.0	4.544	90.6	0.600	31.30	48.13	3.913	0.7455	1.262	842.7
	36.0	4.817	96.2	0.565	32.81	50.65	3.985	0.7455	1.259	867.4
	38.0	5.089	102.0	0.534	34.32	53.17	4.053	0.7456	1.257	891.4
	40.0	5.361	107.0	0.507	35.83	55.68	4.117	0.7456	1.256	914.6
	45.0	6.040	121.0	0.449	39.58	61.95	4.265	0.7456	1.253	970.2
	50.0	6.717	135.0	0-403	43.34	68-21	4.397	0.7455	1.250	1023.0
	55.0	7.392	148.0	0.366	47.08	74.46	4.516	0.7455	1.249	1072.0
	60.0	8.066	162.0	0.335	50.83	80.70	4.624	0.7454	1.248	1120.0
	70.0	9.413	189.0	0.287	58.30	93.17	4.817	0.7454	1.246	1209.0
	80-0	10.76	216.0	0.251	65 - 77	105.6	4.983	0.7453	1.245	1292.0
	90.0	12.10	243.0	0.223	73.24	118.1	5.129	0.7452	1.244	1370.0
	106.0	13.45	270.0	0.200	80.70	130-5	5.260	0.7452	1.243	1444.0
	120.0	16.13	323.0	0.167	95 • 62	155.4	5.487	0.7451	1.243	1581.0
	140.0	18.81	377.0	0-143	110.5	180.2	5.679	0.7450	1.242	1707.0
	160.0	21.50	431.0	0.125	125.4	205.0	5.844	0.7450	1.242	1824.0
	180.0	24.18	485.0	0.111	140.3	229.9	5.991	0.7449	1.242	1934.0
	200.0	26.86	538.0	0.100	155 • 2	254.7	6.121	0.7449	1.242	2038.0
	250.0	33.56	672.0	0.0800	192.5	316.8	6.398	0.7449	1.241	2278.0
	306.0	40.27	806.0	0.0667	229.7	378.8	6.625	0.7448	1.241	2495.0
	350.0	46.97	940.0	0.0571	267.0	440.9	6.816	0.7448	1.241	2694.0
	400.0	53.67	1070-0	0.0500	304-2	503.0	6.982	0.7448	1.241	2880.0
	450.0	60.37	1210.0	0.0444	341.4	565.0	7.128	0.7448	1.241	3054.0
	500.0	67.08	1340.0	0.0400	378.7	627.1	7.259	0.7448	1.241	3219.0
	600.0	80.48	1610.0	0.0333	453.2	751.2	7.485	0.7448	1.241	3526.0
	700.0	93.89	1880.0	0.0286	527.6	875.3	7.676	0.7448	1.241	3808-0
		107-3	2150.0	0.0250	602 • 1	999.0	7.842	0.7448	1.241	4071.0
		120.7	2410.0	0.0222	676.6	1124.0	7.988	0.7448	1.241	4318.0
		134.1	2686.0	0.0200	751.0	1248.0	8.119	0.7447	1.241	4551.0
		160.9	3220.0	0.0167	900.0	1496.0	8.345	0.7447	1.241	4985.0
		187-7	3760-0	0.0143	1049.0	1744.0	8.537	0.7447	1.241	5384.0
		214.5	4290.0	0.0125	1198.0	1992.0	8.703	0.7447	1.241	5756.0
		241.3	4830.0	0.0111	1347.0	2241.0	8.849	0.7447	1.241	6105.0
		268.1	5360.0	0.0100	1496.0	2489.0	8.979	0.7447	1.241	6435.0
2	500.0	335.2	6700-0	0.00800	1868.0	3109.0	9.256	0.7447	1.241	7194.0
3	0.00.0	402.2	8040.0	0.00667	2240.0	3730.0	9.483	0.7447	1.241	7881.0

^{*} TWO-PHASE BOUNDARY

20 PSIA ISOBAR

TEMPEDAT	URE DENSITY	V (DH/DV)	W (DD (OUL)	-V (OD (OV)	/DV /DT \ / V	THEOMAI	VISCOSITY	THERMAL	DIELECTRIC	PRANOTL
TEMPERAT	OKE DENSITY	V (UH/UV)	V (DP/00)	-V(OP/DV) _T	V V(TO / VO)	ONDUCTIVITY		DIFFUSIVITY		NUMBER
DEG.	R LB/CU FT	BTU/LB	PSIA-CU FT/B	TH DOTA		BTU/FT-HR-R		SQ FT/HR	CDMSTANT	NONSER
DEG.	K LB/CU FI	610/65	FSIA-CU FI/D	IO PSIA	170EG. K	910/F1-HK-K	X 10E+6	SQ FIFTK		
							× 100+0			
4.0	9.292	55.5	2.27	1150.0	0.0118	0.00885	2.64	0.00145	1.02050	0.704
	9.292	19.0	6.55	975.0	0.0266	0.0103	2.69	0.00223	1.02038	0.476
5.0				730.0				0.00192	1.02017	0.543
6.0	8.808	15.5	7.13		0.0419	0.0110	2.56			
7 - 0	8.350	12.7	7.16	467.0	0.0680	0.0115	2.35	0.00158	1.01978	0.641
8.0	7.585	9.78	6.54	203.0	0.143	0.0115	2.08	0.00108	1.01896	0.911
* 8.22		8.90	6.26	144.0	0.192	0.0115	2.00	0.000924	1.01863	1.06
* 8.22		6.19	3.74	8-87	0.503	0.00720	0-948	0.00156	1.00523	1.48
9.0	1.138	7.94	3.77	13.2	0.252	0.00682	0.983	0.00300	1.00408	1.04
10.0	0.9269	9.72	3.78	15.5	0.171	0.00709	1.04	0.00459	1.00336	0.884
11.0	0.7968	11.3	3.78	16.7	0.135	0.00747	1.11	0.00614	1.00291	0.817
12.0	0.7044	12.8	3.77	17.5	0.113	0.00788	1.17	0.00770	1.00258	0.780
13.0	0.6339	14.3	3.76	18.0	0.0984	0.00829	1.24	0.00929	1.00233	0.757
14.0	0.5777	15.7	3.75	18.4	0.0876	0.00869	1.30	0.0109	1.00213	0.742
15.0	0.5316	17.1	3.74	18.7	0.0791	0.00908	1.36	0.0126	1.00196	0.731
16-0	0.4929	18.5	3.73	18.9	0.0723	0.00946	1.42	0.0143	1.00182	0.723
17.0	0.4599	19.9	3.72	19.1	0.0667	0.00983	1.48	0.0161	1.00170	0.718
18.0	0.4312	21.2	3.71	19.2	0.0620	0.0102	1.54	0.0180	1.00160	0.714
19.0	0.4062	22.5	3.71	19.3	0.0580	0.0105	1.59	0.0199	1.00151	0.711
20.0	0.3840	23.9	3.70	19.4	0.0545	0.0109	1.65	0.0218	1.00143	0.709
22.0	0.3465	26.5	3,69	19.6	0.0487	0.0115	1.76	0.0258	1.00129	0.707
	0.0.00	2017	****		••••	******		******		••••
24.0	0.3159	29.1	3.68	19.7	0.0441	0.0122	1.86	0.0300	1.00118	0.705
26.6	0.2904	31.7	3.68	19.8	0.0403	0.0128	1.96	0.0345	1.00108	0.705
28.0	0.2688	34.3	3.67	19.8	0.0371	0.0134	2.06	0.0391	1.00100	0.705
36.0	0.2503	36.8	3.66	19.9	0.0344	0.0139	2.15	0.0439	1.00094	0.705
32.0	0.2342	39.4	3.66	19.9	0.0321	0.0145	2.24	0.0489	1.00088	0.705
34.0	0.2201	41.9	3.66	19.9	0.0301	0.0150	2.33	0.0540	1.00082	0.706
36.0	0.2076	44.5	3.65	20.0	0.0283	0.0155	2.42	0.0594	1.00078	0.706
				20.0						
38.0	0.1965	47.0	3.65		0.0267	0.0160	2.50	0.0649	1.00074	0.707
40.0	0.1865	49.5	3.65	20.0	0.0253	0.0165	2.58	0.0705	1.00070	0.707
						0 0477	0.70			
45 • 0	0.1656	55.8	3.64	20.0	0.0224	0.0177	2.78	0.0855	1.00062	0.708
50.0	0.1489	62.1	3.63	20.0	0.0201	0.0189	2.97	0.101	1.00056	0.709
55.0	0.1353	68.4	3.63	20.1	0.0183	0.0200	3.16	0.118	1.00051	0.710
60.0	0.1240	74.6	3.63	20.1	0.0167	0-0211	3.33	0.136	1.00047	0.710
70.0	0.1062	87.1	3.62	20.1	0.0143	0.0232	3.67	0.175	1.00040	0.710
80.0	0.09295	100.0	3.62	20.1	0.0125	0.0251	3.98	0.217	1.00035	0.709
90.0	0.08263	112.0	3.62	20.1	0.0111	0.0271	4.28	0.263	1.00031	0.708
160.0	0.07437	124.0	3.61	20 - 1	0.0100	0.0289	4.57	0.313	1.00028	0.706
120.0	0.06200	149.0	3.61	20.1	0.00832	0.0325	5.11	0.422	1.00023	0.702
146.0	0.05315	174.0	3.61	20.0	0.00713	0.0360	5.62	0.545	1.00020	0.698
160.0	0.04652	199.0	3.61	20.0	0.00624	0.0393	6-11	0-681	1.00018	0.694
180-0	0.04136	224.0	3.61	20.0	0.00555	0.0426	6.57	0.829	1.00016	0.691
200.0	0.03723	249.0	3.61	20.0	0.00499	0.0457	6.90	0.988	1.00014	0.675
250.0	0.02979	311.0	3.60	20.0	0.00399	0.0532	7.99	1.44	1.00011	0.671
300.0	0.02483	373.0	3.60	20.0	0.00333	0.0602	9.01	1.95	1.00009	0.669
350 - 0	0.02129	435.0	3.60	20.0	0.00285	0.0669	10.0	2.53	1.00008	0.667
400.0	0.01863	497.0	3.60	20.0	0.00250	0.0733	10.9	3.17	1.00007	0.666
450.0	0.01656	559.0	3.60	20.0	0.00222	0.0793	11.8	3.86	1.00006	0.666
500.0	0.01491	621.0	3.60	20.0	0.00200	0-0851	12.7	4.60	1-00006	0-668
600.0	0.01243	745.0	3.60	20.0	0.00167	0.0962	14.4	6.24	1.00005	0.669
										••••
706.0	0.01065	869.0	3.60	20.0	0.00143	0.107	16.0	8.10	1.00004	0.668
800.0	0.009321	993.0	3.60	20.0	0.00125	0.118	17.6	10.2	1.00004	0.668
900.0	0.008285	1120.0	3.60	20.0	0.00111	0.128	19.1	12.4	1.00003	0.668
1006.0	0.007457	1240.0	3.60	20.0	0.00100	0.137	20.5	14.8	1.00003	0.667
1200.0	0.006215	1490.0	3.60	20.0	0.000833	0.156	23.3	20.2	1.00002	0.667
1406.0	0.005327	1740.0	3.60	20.0	0.000714	0.174	26.0	26.3	1.00002	0.667
1600.0	0.004661	1990.0	3.60	20.0	0.000625	0.191	28.5	33.1	1.00002	0.666
1860.0	0.004144	2230.0	3.60	20.0	0.000555	0.208	31.0	40.4	1.00002	0.666
2006.0	0.003729	2480.0	3.60	20.0	0.000500	0.224	33.4	48.4	1.00002	0.666
2500.0	0.002984	3100.0	3.60	20.0	0.000400	0.263	39.2	71.0	1.00001	0.666
3000.0	0.002486	3720.0	3.60	20.0	0.000333	0.299	44.6	97.0	1 00004	0.000
3000.0	0.002406	3/20.0	3.60	20.0	0.000333	0.633	44.6	97.0	1.00001	0.666

^{*} TWD-PHASE BOUNDARY

22 PSIA ISOBAR

TEMPERATUR	RE VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	cv	CP	VELOCITY
		DERIVATIVE	DERIVATIVE	ENERGY					OF SOUND
DEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LE-R	BTU /	LB -R	FT/SEC
4.0	0.1074	125.0	13.5	1.393	1.831	0.3982	0.6378	0.6503	768.6
5.0	0.1095	109.0	26.0	1.888	2.334	0.5119	0.4344	0.5033	764-1
6.0	0-1132	84 - 7	30.7	2.436	2.897	0.6148	0.4859	0.6441	721.2
7.0	0.1193	57.9	32.0	3.149	3.635	0.7284	0.5304	0.8563	658.3
8.0	0.1307	29.2	29.5	4.154	4.686	0.8682	0.5841	1.340	557.0
* 8.429	0.1406	15.6	26.6	4.795	5 • 367	0.9510	0.6178	2.015	486.3
* 8.429	0.6002	5.15	5.06	10.17	12.61	1.810	0.8075	3.602	326.3
9.0	0.7552	9.88	3.92	11.09	14.17	1.989	0.7808	2.255	363.6
10.0	0.9515	15.5	3.03	12.24	16.12	2.195	0.7599	1.753	407.4
11.0	1.118	20.0	2.55	13.22	17.77	2.353	0.7508	1.575	441.4
12.0	1.272	24.1	2.22	14.12	19.30	2.486	0.7465	1.484	470.7
13.0	1.418	27.8	1.98	14.98	20.75	2.602	0.7445	1.429	496.9
14.0	1.560	31.3	1.79	15.81	22.16	2.707	0.7436	1.393	520.9
15.0	1.698	34.6	1.64	16.63	23.54	2.802	0.7433	1.368	543.3
16.0	1.834	37.9	1.52	17.43	24.90	2.889	0.7433	1.349	564.3
17.0	1.967	41.1	1.41	18.23	26.24	2.971	0.7434	1.334	584.3
18.0	2.100	44.2	1.32	19.02	27.57	3.047	0.7436	1.323	603.4
19.0	2.230	47.3	1.24	19.80	28.89	3.118	0.7438	1.314	621.8
20.0	2.360	50.3	1.17	20.58	30.19	3.185	0.7440	1.306	639.5
22.0	2.618	56.2	1.05	22.12	32.79	3.309	0.7444	1.295	673-1
24.0	2.873	62.1	0.957	23.66	35.37	3.421	0.7448	1.286	704.8
26.0	3.127	67.9	0.878	25.19	37.93	3.523	0.7451	1.280	734.9
28.0	3.379	73.6	0.811	26.72	40.48	3.618	0.7453	1.275	763.6
30.0	3.630	79.3	0.754	28.24	43.03	3.706	0.7454	1.270	791.1
32.0	3.880	84.9	0.704	29.76	45.56	3.788	0.7455	1.267	817.6
34.0	4.130	90.5	0.661	31.27	48.09	3.864	0.7456	1.264	843.1
36.0	4.378	96.1	0.623	32.78	50.62	3.936	0.7456	1.261	867.9
38.0	4.626	102.0	0.589	34.29	53.14	4.005	0.7457	1.259	891.8
40.0	4.874	107.0	0.558	35.80	55.65	4.069	0.7457	1.257	915.1
45.0	5.492	121.0	0.495	39.56	61.93	4.217	0.7457	1.254	970.8
50.0	6.107	135.0	0.444	43.32	68.20	4.349	0.7456	1.251	1023.0
55.0	6.722	148.0	0.403	47.06	74.45	4.468	0.7456	1.250	1073.0
60.0	7.335	162.0	0.369	50.81	80-69	4.577	0.7455	1.248	1120.0
70.0	8.560	189.0	0.316	58.29	93.16	4.769	0.7454	1.246	1210.0
80.0	9.783	216.0	0.276	65.76	105.6	4.935	0.7453	1.245	1293.0
90.0	11.01	243.0	0.245	73.23	118.1	5.082	0.7453	1.244	1371.0
106.0	12.23	270.0	0.220	80.69	130.5	5.213	0.7452	1.244	1444.0
120.0	14.67	324.0	0.184	95.61	155.4	5.440	0.7451	1.243	1581.0
140.0	17.11	377.0	0.157	110.5	180.2	5.631	0.7450	1.242	1707.0
160.0	19.55	431.0	0.138	125.4	205.1	5.797	0.7450	1.242	1824-0
180-0	21.98	485.0	0.122	140.3	229.9	5.943	0.7450	1.242	1935.0
200.0	24.42	538.0	0.110	155.2	254.7	6.074	0.7449	1.242	2039.0
250.0	30.52	672.0	0.0880	192.5	316.8	6.351	0.7449	1.241	2278.0
300.0	36.61	807.0	0.0733	229.7	378.9	6.577	0.7449	1.241	2495.0
350.0	42.70	941.0	0.0629	267.0	440.9	6.769	0.7448	1.241	2695.0
400.0	48.80	1070.0	0.0550	304.2	503.0	6.935	0.7448	1.241	2880.0
450.0	54.89	1210.0	0.0489	341.4	565.1	7.081	0.7448	1.241	3055.0
500.0	60-98	1340.0	0.6440	378.7	627.1	7.212	0.7448	1.241	3219.0
600.0	73.17	1610.0	0.0367	453.2	751.2	7.438	0.7448	1.241	3526.0
760.0	85.35	1880.0	0.0314	527.6	875.3	7.629	0.7448	1.241	3808.0
800.0	97.54	2150.0	0.0275	602.1	999.0	7.795	0.7448	1.241	4071.0
900.0	109.7	2410.0	0.3244	676.6	1124.0	7.941	0.7448	1.241	4318.0
1600.0	121.9	2680.0	0.0220	751.0	1248.0	8.072	0.7448	1.241	4551.0
1200.0	146.3	3220.0	0.0183	900.0	1496.0	8.298	0.7447	1.241	4985.0
1400.0	170.7	3760.0	0.0157	1049.0	1744-0	8 - 489	0.7447	1.241	5384.0
1600.0	195.0	4290.0	0.0137	1198.0	1992.0	8.655	0.7447	1.241	5756.0
1800.0	219.4	4830.0	0.0122	1347.0	2241.0	8.801	0.7447	1.241	6105.0
2000.0	243.8	5360.0	0.0110	1496.0	2489.0	8.932	0.7447	1.241	6435.0
2500.0	304.7	6700.0	0.00880	1868.0	3109-0	9.209	0-7447	1.241	7194.0
3000.0	365.6	8040.0	0.00733	2240.0	3730.0	9.435	0.7447	1.241	7881.0
		00,000	0,00,00	22 40 80	2,00.5	3.102			

^{*} THO-PHASE BOUNDARY

22 PSIA ISOBAR

TEMPERATUR	C OCHETTY	V (0H/0V)	V/08/0U) -	V (OP (OV)	(OV/OT)/V	THERMAL	VISCOSITY	THERMAL	OIELECTRIC	PRANOTL
TEMPERATUR	CE DENSTIT	V (UH/UV)	V(0P/0U) -	T		ONOUCTIVITY		OIFFUSIVITY		NUMBER
OEG. R	L8/CU FT	BTU/LB	PSIA-CU FT/BTU	DCTA		STU/FT-HR-R		SQ FT/HR	0011314111	HOITIEK
OEG. K	E8700 F1	810/28	F314-00 F17810	LOIM	17000 6	TOTE I - HK-K	X 10E+6	30 117110		
							X 10L+0			
4.0	9.308	56.0	2.28	1160.0	0.0116	0.00887	2.66	0-00146	1.02051	0.702
5.0	9.130	19.2	6.55	993.0	0.0262	0.0103	2.71	0.00224	1.02040	0.476
6.0	8.833	15.7	7 • 15	748.0	0.0410	0.0110	2.58	0.00194	1.02019	0.542
				486.0	0.0659	0.0115	2.37	0.00160	1.01981	0.636
7.0	8.385	13.0	7.20	223.0		0.0116				
8.0	7.652	10.1	6.61		0.132		2-11	0.00113	1.01904	0.878
* 8-429	7-114	8 • 42	6.06	111.0	0.239	0.0116	1.95	0.000812	1.01836	1.21
* 8.429	1.666	6.11	3.76	8.58	0.590	0.00773	0.990	0.00129	1.00583	1.66
9.0	1.324	7.54	3.79	13.1	0.299	0.00707	1.01	0.00237	1.00471	1.16
10.0	1.051	9.43	3.80	16.3	0.186	0.00720	1.06	0.00391	1.00379	0.930
11.0	0.8943	11.1	3.79	17.9	0.142	0.00755	1.12	0.00536	1.00325	0.844
12.0	0.7862	12.6	3.79	18.9	0.117	0.00794	1.19	0.00680	1.00287	0.798
13.0	0.7051	14.1	3.77	19.6	0.101	0.00834	1.25	0.00828	1.00258	0.770
14-0	0-6411	15.6	3.76	20.0	0.0895	0.00874	1.31	0.00978	1.00235	0.752
15.0	0.5890	17.0	3.75	20.4	0.0836	0.00912	1.37	0.0113	1.00217	0.740
16.0	0.5454	18.4	3.74	20.7	0.0734	0.00950	1.43	0.0129	1.00201	0.731
17.0	0.5083	19.7	3.73	20.9	0.0676	0.00987	1.49	0.0146	1.00188	0.724
18-0	0-4763	21.1	3.73	21.1	0.0627	0.0102	1.54	0.0162	1.00176	0.719
19.0	0.4484	22.4	3.72	21.2	0.0585	0.0106	1.63	0.0180	1.00166	0.716
20.0	0.4237	23.8	3.71	21.3	0.0550	0.0109	1.66	0.0197	1.00157	0.713
22.0	0.3820	26.4	3.70	21.5	0.0490	0.0116	1.76	0.0234	1.00142	0.710
							•			
24.0	0.3480	29.0	3.69	21.6	0.0443	0.0122	1.86	0.0272	1.00129	0.708
26.0	6.3198	31.6	3.69	21.7	0.0405	0.0128	1.96	0.0313	1.00119	0.707
28.0	0.2959	34.2	3.68	21.8	0.0372	0.0134	2.06	0.0355	1.00110	0.706
30.0	0.2755	36.8	3.67	21.8	0.0345	0.0139	2.15	0.0399	1.00103	0.706
32.0	0.2577	39.4	3.67	21.9	0.0322	0.0145	2.25	0.0444	1.00096	0.706
34.0	0.2422	41.9	3.66	21.9	0.0301	0.0150	2.33	0.0491	1.00091	0.707
36.0	ù.2284	44.5	3.66	22.0	0.0284	0.0155	2.42	0.0540	1.00085	0.707
38.0	0.2162	47 • 0	3.65	22.0	0.0268	0.0160	2.51	0.0590	1.00081	0.708
40.0	0.2052	49.5	3.65	22.0	0.0254	0.0165	2.59	0.0641	1.00077	0.708
45 • 0	0.1821	55 • 8	3.64	22.0	0.0225	0.0177	2.79	0.0777	1.00068	0.709
50.0	0.1637	62.1	3.64	22.0	0.0201	0.0189	2.98	0.0922	1.00061	0.710
55 • 0	0-1488	68.4	3.63	22.1	0.0183	0.0200	3.16	0.108	1.00056	0.710
60.0	0.1363	74.7	3.63	22.1	0.0167	0.0211	3.33	0.124	1.00051	0.710
70.0	0.1168	87.2	3.62	22.1	0.0143	0.0232	3.67	0.159	1.00044	0.710
80.0	0.1022	100.0	3.62	22.1	0.0125	0.0252	3.98	0.198	1.00038	0.709
90.0	0.09086	112.0	3.62	22.1	0.0111	0.0271	4.28	0.240	1.00034	0.708
100.0	0.08179	125.0	3.62	22.1	0.0100	0.0290	4.57	0.285	1.00031	0.706
120.0	0.06818	149.0	3.61	22.1	0.00832	0.0326	5.11	0.384	1.00026	0.702
140.0	0.05845	174.0	3.61	22.1	0.00713	0.0360	5 • 62	0.496	1.00022	0.698
160.0	0.05116	199.0	3.61	22.1	0.00624	0.0393	6.11	0.619	1.00019	0.694
180.0	0.04549	224.0	3.61	22.0	0.00555	0.0426	6.57	0.754	1.00017	0.691
200.0	0.04095	249.0	3.61	22.0	0.00499	0.0457	6.90	0.899	1.00015	0.675
250-0	0.03277	311.0	3.61	22.0	0.00399	0.0532	7.99	1.31	1.00012	0.671
366.0	0.02731	373.0	3.60	22.0	0.00333	0.0602	9.01	1.78	1.00010	0.669
356.0	0.02342	435.0	3.60	22.0	0.00285	0.0669	10.0	2.30	1.00009	0.667
400.0	0.02049	497.0	3.60	22.0	0.00250	0.0733	10.9	2.88	1.00008	0.666
450.0	0.01822	559.0	3.60	22.0	0.00222	0.0793	11.8	3.51	1.00007	0.666
500.0	0.01640	621.0	3.60	22.0	0.00200	0.0851	12.7	4.18	1.00006	0.668
600.0	0.01367	745.0	3.60	22.0	0.00167	0.0962	14.4	5.67	1.00005	0.669
000.0	3.01307	749.0	3.00	22.0	0.0010/	0.0305	14.4	2.01	1.00003	0.009
700.0	0.01172	869.0	3.60	22.0	0.00147	0.107	16 0	7.36	1 00004	0.668
800.0	0.01172				0.00143		16.0		1.00004	
		993.0	3.60	22.3	0.00125	0.118	17.6	9.23	1.00004	0.668
960.0	0.009114	1120.0	3.60	22.0	0.00111	0.128	19.1	11.3	1.00003	0.667
1000.0	0.008203	1240.0	3.60	22.0	0.00100	0.137	20.5	13.5	1.00003	0.667
1206.0	0.006836	1490.0	3.60	22.0	0.000833	0.156	23.3	18.4	1.00003	0.667
1400.0	0.005860	1740.0	3.60	22.0	0.006714	0.174	26.0	23.9	1.00002	0.667
1600.0	0.005127	1990.0	3.60	22.0	0.000625	0.191	28.5	30.1	1.00002	0.666
1800.0	0.004558	2230.0	3.60	22.0	0.000555	0.208	31-0	36.8	1.00002	0.666
2000-0	0.004102	2480.0	3.60	22.0	0.000500	0.224	33.4	44.0	1.00002	0.666
2500.0	0.003282	3100.0	3.60	22.0	0.000400	0.263	39.2	64.5	1.00001	0.666
3000.0	0.002735	3720.0	3.60	22.0	0.000333	0.299	44.6	88.1	1.00001	0.666

^{*} THO-PHASE BOUNDARY

24 PSIA ISOBAR

TEHPERATUR		I SOTHERH OERI VATI VE	ISOCHORE OERIVATIVE	INTERNAL ENERGY	ENTHALPY	ENTROPY	cv	СР	VELOCITY OF SOUND
OEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	aTU/LB-R	810 /	LB -R	FT/SEC
4 - 0	0.1072	127.0	13.5	1.391	1.868	0.3975	0.6327	0.6450	773.7
5.0	0.1093	111.0	26.0	1.881	2.367	0.5104	0.4337	0.5013	769.3
6.0	0.1129	86.5	30.8	2.425	2.927	0.6123	0.4854	0.6405	727.3
7.0	0.1188	59.9	32.2	3.130	3.657	0.7254	0.5295	0.8465	666-1
8 • 0	0.1296	31.5	30.0	4.111	4.687	0.8622	0.5821	1.292	569.1
* 8.620	0.1450	12.0	25.5	5.079	5.723	0.9865	0.6331	2.458	464.0
* 8.620	J.5341	4.26	5.73	10.04	12.41	1.762	0.8088	4.317	324.7
9.0	0.6457	7.97	4.64	10.78	13.65	1.903	0.7883	2.667	353.4
10.0	0.8437	14.3	3.45	12.06	15.81	2.131	0.7629	1.861	401.9
11.0	1.004	19.1	2.86	13.08	17.54	2.296	0.7521	1.629	437.7
12.0	1.148	23.3	2.47	14.00	19.10	2.432	0.7471	1.518	467.9
13.0	1.285	27.1	2.20	14.87	20.59	2.551	0.7447	1.453	494.8
14.0	1.417	30.7	1.98	15.72	22.02	2.657	0.7436	1.411	519.3
15.0	1.545	34.1	1.81	16.55	23.41	2.753	0.7432	1.381	542.0
16.0	1.671	37.4	1.67	17.36	24.78	2.841	0.7432	1.360	563.3
17.0	1.795	40.7	1.55	18.16	26.13	2.923	0.7433	1.344	583.5
18.0	1.917	43.8	1.45	18.95	27.47	3.000	0.7435	1.331	602.8
19.0	2.037	46.9	1.36	19.74	28.79	3.071	0.7437	1.321	621.3
20.0	2.157	50.0	1.28	20.52	30.11	3.139	0.7440	1.313	639.1
22.0	2.394	56.0	1.15	22.07	32.71	3.263	0.7444	1.300	673.0
24.0	2.629	61.9	1.05	23.61	35.30	3.376	0.7448	1.291	704.8
26.0	2.863	67.7	0.961	25.15	37.87	3.478	0.7451	1.284	735.1
28.0	3.095	73.5	0.888	26.68	40.43	3.573	0.7453	1.278	763.9
30.0	3.325	79.2	0.825	28.20	42.98	3.661	0.7455	1.273	791.4
32.0	3.555	84.9	0.770	29.72	45.52	3.743	0.7456	1.269	818.0
34.0	3.784	90.5	0.722	31.24	48-06	3.820	0.7457	1.266	843.5
36.0	4.313	96.1	0.681	32.75	50.58	3.892	0.7457	1.263	868.3
38.0	4.240	102.0	0.643	34.26	53.11	3.961	0.7457	1.261	892.3
40.0	4.468	107.0	0.610	35.77	55.63	4.025	0.7457	1.259	915.6
45.0	5.035	121.0	0.540	39.54	61.91	4.173	0.7457	1.255	971.3
50.0	5.599	135.0	0.485	43.29	68.18	4.305	0.7457	1.252	1024.0
55.0	6.163	148.0	0.440	47.05	74.44	4.425	0.7456	1.250	1074.0
60.0	6.726	162.0	0.403	50.79	80.68	4.533	0.7456	1.249	1121.0
70-0	7.849	189-0	0.344	58.28	93.16	4.726	0.7455	1.247	1210.0
80.0	8.971	216.0	0.301	65.75	105.6	4.892	0.7454	1.245	1293.0
90.0	10.J9	243.0	0.267	73.22	118.1	5.039	0.7453	1.244	1371.0
100.0	11.21	270.0	0.240	80 - 68	130.5	5.170	0.7453	1.244	1445.0
120.0	13.45	324.0	0.200	95.60	155.4	5.396	0.7452	1.243	1582.0
140.0	15.69	378.0	0.172	110.5	180.2	5.588	0.7451	1.242	1708.0
160.0	17.92	431.0	0.150	125.4	205.1	5.754	0.7450	1.242	1825.0
180.0	20.16	485.0	0.133	140.3	229.9	5.900	0.7450	1.242	1935.0
200.0	22.39	539.0	0.120	155.2	254.7	6.031	0.7450	1.242	2039.0
250.0	27.98	673.0	0.0960	192.5	316.8	6.308	0.7449	1.241	2279.0
300.0	33.56	807.0	0.0800	229.7	378.9	6-534	0.7449	1.241	2496.0
350.0	39-15	941.0	0.0686	267.0	440.9	6.726	0.7448	1.241	2695.0
400.0	44.73	1070.0	0.0600	304.2	503.0	6.891	0.7448	1.241	2880.0
450.0	50.32	1210.0	0.0533	341.4	565.1	7.038	0.7448	1.241	3055.0
500.0	55.90	1340.0	0.0480	378.7	627.1	7.168	0.7448	1.241	3220.0
600.0	67.07	1610.0	0.0400	453.2	751.2	7.395	0.7448	1.241	3526.0
700.0	78.25	1880.0	0.0343	527.6	875.4	7.586	0.7448	1.241	3809.0
800.0	89.42	2150.0	0.0343	602.1	999.0	7.752	0.7448	1.241	4071.0
900.0	100.6	2420.0	0.0267	676.6	1124.0	7.898	0.7448	1.241	4318.0
1000.0	111.8	2680.0	0.0240	751.0	1124.U 1248.G	8.029	0.7448		4551.0
1200.0	134.1	3220.0	0.0240	900.0	1496.0	8.255	0.7448	1.241	4985.0
1400.0	156.4	3760.0	0.0200	1049-0	1744-0	8.446	0.7447	1.241	5384.0
1600.0	178.8	4290.0	0.0171	1198.0	1992.0	8.612	0.7447	1.241	5756.0
1800.0	201.1	4830.0	0.0133	1347.0	2241.0	8.758	0.7447	1.241	6105.0
2000.0	223.5								
2500.0		5360.0	0.0120	1496.0	2489.0	8.889	0.7447	1.241	6435.0
2900.0	279.3	6700-0	0.00960	1868 • 0	3109.0	9.166	0.7447	1.241	7194.0
3000.0	335.2	8040.0	0.66800	2240.0	3730.0	9.392	0.7447	1.241	7881.0

^{*} TWO-PHASE BOUNDARY

24 PSIA ISOBAR

TEMPERATURE	DENSITY	V(DH/DV) _p	V (DP/DU)	-V(DP/DV) _T	(00/01)/0	THERMAL DNOUCTIVITY	VISCOSITY	THERMAL DIFFUSIVITY	DIELECTRIC	PRANOTL NUMBER
DEG. R	LB/CU FT	BTU/LB	PSIA-CU FT/B	TU PSIA		BTU/FT-HR-R		SQ FT/HR	CONSTANT	NUNDER
4.0 5.0	9.324	56.5 19.5	2.29 6.55	1180.0 1010.0	0.0114	0.00889	2.68	0.00148	1.02052	0.700
6.0	9.149 8.857	15.9	7.16	767.0	0.0257 0.0402	0.0103 0.0111	2.73 2.60	0.00225 0.00195	1.02041	0.542
7.0	8.419	13.3	7.23	504.0	0.0639	0.0116	2.40	0.00162	1.01984	0.631
8.0	7.715	10.5	6.67	243.0	0.123	0.0117	2.14	0.00117	1-01911	0.852
* 8.620	6.895	7.95	5.84	82.5	0.309	0.0118	1.90	0.000697	1.01805	1.42
* 8.620	1.872	6.01	3.79	7.98	0.718	0.00840	1.03	0.00104	1.00649	1.91
9.0	1.549	7.09	3.80	12.3	0.376	0.00743	1.03	0.00180	1.00545	1.33
10.0	1.185	9.14	3.82	16 • 9	0.204	0.00733	1.08	0.00332	1.00425	0.985
11.0	0.996	10.8	3.81	19.0	0.150	0.00763	1.14	0.00470	1.00360	0.873
12.0	0.8707	12.4	3.80	20.3	0.122	0.00801	1.20	0.00606	1.00316	0.818
13.0	0.7780	13.9	3.79	21.1	0.104	0.00840	1.26	0-00743	1.00284	0.784
14.0	0.7057	15-4	3.78	21.7	0.0916	0.00879	1.32	0.00882	1.00258	0.763
15.0	0.6471	16.8	3.77	22.1	0.0821	0.00917	1.38	0.0103	1.00238	0.748
16.0 17.0	0.5985	18.2 19.6	3.76 3.75	22.4 22.7	0.0746 0.0685	0.00954	1.44	0.0117	1.00220	0.738 0.730
18.0	0.5217	21.0	3.74	22.9	0.0634	0.00991 0.0103	1.55	0.0132 0.0148	1.00205 1.00193	0.724
19.0	0.4908	22.3	3.73	23.0	0.0591	0.0106	1.61	0.0164	1.00181	0.720
20.0	0.4636	23.7	3.72	23.2	0.0554	0.0109	1.66	0.0180	1.00172	0.717
22.0	0.4176	26.3	3.71	23.4	0.0494	0.0116	1.77	0.0214	1.00155	0.713
24.0	0.3833	29.0	3.70	23.5	0.0446	0.0122	1.87	0.0249	1.00141	0.711
26.0	0.3493	31.6	3.69	23.7	0.0406	0.0128	1.97	0.0286	1.00130	0.709
28.0	0.3231	34.2	3.69	23.7	0.0374	0.0134	2.07	0.0325	1.00120	0.708
30.0	0.3007	36.8	3.68	23.8	0.0346	0.0140	2.16	0.0365	1.00112	0.708
32.0	0.2813	39.3	3.67	23.9	0.0323	0.0145	2.25	0.0407	1.00105	0.708
34.0	0.2642	41.9	3.67	23.9	0.0302	0.0150	2.34	0.0450	1.00099	0.708
36.0	0.2492	44.4	3.66	23 • 9	0.0284	0-0156	2.42	0-0495	1.00093	0.708
38.0	0.2358	47.0	3.66	24.0	0.0268	0.0161	2.51	0.0541	1.00088	0.708
40.0	0.2238	49.5	3.65	24.0	0.0254	0.0166	2.59	0.0588	1.00084	0.709
45.0	0.1986	55.8	3.65	24.0	0.0225	0.0178	2.79	0.0713	1-00074	0.710
50.0	0.1786	62.1	3.64	24.1	0.0202	0.0189	2.98	0.0846	1.00067	0.710
55.0	0.1623	68.4	3.64	24.1	0.0183	0.0200	3.16	0.0987	1.00061	0.711
60.0 70.0	0.1487	74.7 87.2	3.63 3.63	24.1 24.1	0.0167 0.0143	0.0211	3.34	0.114 0.146	1.00056 1.00048	0.711
80.0	0.1115	100.0	3.62	24.1	0.0125	0.0232 0.0252	3.67 3.98	0.181	1.00042	0.710 0.709
90.0	0.09909	112.0	3.62	24.1	0.0111	0.0271	4.28	0.220	1.00037	0.708
106.0	0.08920	125.0	3.62	24.1	0.0100	0.0290	4.57	0.261	1.00034	0.706
120.0	0.07436	149.0	3.61	24.1	0.00832	0.0326	5.11	0.352	1.00028	0.702
140.0	0.06375	174.0	3.61	24.1	0.00713	0.0360	5.62	0.455	1.00024	0.698
160.0	0.05580	199.0	3.61	24.1	0.00624	0.0393	6.11	0.568	1.00021	0.694
180.0	0.04961	224.0	3.61	24.1	0.00554	0.0426	6.58	0.691	1.00019	0.691
200.0	0-04466	249.0	3.61	24.1	0.00499	0.0457	6.90	0.824	1.00017	0.675
250.0	0.03574	311.0	3.61	24.0	0.00399	0.0532	7.99	1.20	1.00013	0.671
300.0	0.02979	373.0	3.60	24.0	0.00333	0.0602	9.01	1.63	1.00011	0.669
350.0	0.02554	435.0	3.60	24 - 0	0.00285	0-0669	10.0	2-11	1.00010	0.667
400.0 450.0	0.02235	497.0 559.0	3.60 3.60	24.0 24.0	0.00250 0.00222	0.0733	10.9 11.8	2.64 3.22	1.00008	0.666 0.666
500.0	0.01789	621.0	3.60	24.0	0.00222	0.0851	12.7	3.83	1.00007	0.667
600.0	0.01491	745.0	3.60	24.0	0.00167	0.0962	14.4	5.20	1.00006	0.668
706.0	0.01278	869.0	3.63	24.0	0.00143	0.107	16.0	6.75	1.00005	0.668
800.0	0.01118	994.0	3.60	24.0	0.00125	0.118	17.6	8.47	1.00004	0.668
900.0	0.009942	1120.0	3.60	24.0	0.00111	0.128	19.1	10.3	1-00004	0.667
1000.0	0.008948	1240.0	3.60	24.0	0.00100	0.137	20.5	12.4	1.00003	0.667
12,0.0	0.007457	1490.0	3.60	24.0	0.000833	0.156	23.3	16.9	1.00003	0.667
1400.0	0.006392	1740.0	3.60	24.0	0.000714	0.174	26.0	21.9	1.00002	0.667
1600.0	0.005593	1990.0	3.60	24.0	0.000625	0.191	28.5	27.6	1.00002	0.666
1800.0	0.004972	2230.0	3.60	24.0	0.000555	0.208	31.0	33.7	1.00002	0.666
2000.0	0.004475	2480.0	3.60	24.0	0.300500	0.224	33.4	40.4	1.00002	0.666
2500.0	0.003580	3100.0	3.60	24.0	0.000400	0.263	39.2	59.1	1.00001	0.666
3000.0	0.302984	3720.0	3.60	24.0	0.000333	0.299	44.6	80.8	1.00001	0.666

^{*} TWO-PHASE BOUNDARY

26 PSIA ISOBAR

TEMPERATU	RE VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
TEIN CKATO	(C 10E011C	OERIVATIVE		ENERGY	C. T. T. T. T.	CATION	••	01	OF SOUNO
OEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU /	LB -R	FT/SEC
4.0	0.1071	128.0	13.5	1.389	1.905	0.3968	0.6277	0.6397	778.6
5.0	0.1091	112.0	26.0	1.875	2.401	0.5090	0.4330	0.4994	774.3
6.0	0.1126	88.4	30.9	2.415	2.957	0.6109	0.4849	0.6370	733.3
7.0	0.1183	61.9	32.4	3.111	3-681	0.7225	0.5286	0.8373	673.8
8.0	0.1287	33.7	30.4	4.071	4.690	0.8567	0.5802	1.251	580.5
* 8.800	0.1503	8 • 65	24.3	5.383	6.107	1.024	0.6494	3.154	441.2
* 8.800	0.4741	3.33	6.51	9.873	12.16	1.711	0.8095	5.474	322.9
9.0	0.5431	5.74	5.61	10.39	13.00	1.806	0.7969	3.486	341.1
16.0	0.7509	13.0	3.91	11.86	15.47	2.068	0.7660	1.995	396.0
11.0	0.9058	18.1	3.19	12.93	17.29	2.241	0.7535	1.690	433.9
11.0	0.5050	10.1	3419	12.70	11.127	20272	001707	1.000	40000
12.0	1.044	22.5	2.74	13.88	18.90	2.382	0.7477	1.554	465.2
13.0	1.173	26.4	2.42	14.77	20.42	2.503	0.7450	1.478	492.7
14.0	1.296	30.1	2.18	15.63	21.87	2.610	0.7437	1.429	517.6
15.0	1.416	33.6	1.98	16.46	23.28	2.708	0.7432	1.396	540.7
16.0	1.533	37.0	1.83	17.28	24.66	2.797	0.7431	1.372	562.3
17.0	1.648	40.3	1.69	18.09	26.02	2.880	0.7432	1.353	582.8
18.0	1.752	43.5	1.58	18.89	27.37	2.956	0.7434	1.339	602.2
			1.48	19.68	28.70	3.028	0.7437		
19.0	1.874	46.6		20.46		3.096	0.7439	1.328	620-8
20.0	1.985	49.7	1 - 40		30.02			1.319	638.8
22.0	2.205	55.7	1.26	22.02	32.64	3.221	0.7444	1.305	672.8
24.0	2.423	61.7	1.14	23.56	75 27	3.334	0.7448	1.295	70% 0
	2.423		1.14	25.56	35.23 37.81	3.334	0.7448		704.8 735.2
26.0		67.6						1.287	
28.0	2.854	73.4	0.964	26.63	40.38	3.532	0.7454	1.281	764.1
36.0	3.068	79.1	0.895	28.16	42.93	3.620	0.7456	1.276	791.7
32.0	3.280	84.8	0.836	29.69	45.48	3.702	0.7457	1.271	818.3
34-0	3-492	90.4	0.784	31.20	48.02	3.779	0.7457	1.268	843.9
36.0	3.703	96.1	0.738	32.72	50.55	3.852	0.7458	1.265	868.7
38.0	3.914	102.0	0.698	34.23	53.08	3.920	0.7458	1.262	892.7
40.0	4.124	107.0	0.662	35.74	55.60	3.985	0.7458	1.260	916.1
45.0	4.648	121.0	0.586	39.51	61.89	4.133	0.7458	1.256	971.8
50.0	5.170	135.0	0.526	43.27	68.16	4.265	0.7458	1.253	1024.0
55.0	5.690	148.0	0.477	47.03	74.42	4.385	0.7457	1.251	1074.0
60.0	6.210	162.0	0 • 437	50.78	80.67	4.493	0.7457	1.249	1122.0
70.0	7.248	189.0	0.373	58.26	93.16	4.686	0.7456	1.247	1211.0
80.0	8.284	216.0	0.326	65.74	105.6	4.852	0.7455	1.246	1294.0
90.0	9.318	243.0	0.296	73.21	118.1	4.999	0.7454	1.245	1372.0
100.0	10.35	270.0	0.261	80.68	130.5	5.130	0.7453	1.244	1445.0
120.0	12.42	324.G	0.217	95.60	155.4	5.357	0.7452	1.243	1582.0
140.0	14.48	378.0	0.186	110.5	180.2	5.548	0.7451	1.242	1708.0
160.0	16.55	431.0	0.163	125.4	205.1	5.714	0.7451	1.242	1825.0
180.0	18.01	485.0	0.144	140.3	229.9	5.860	0.7450	1.242	1935.0
200.0	20.67	539.0	0.130	155.2	254.8	5.991	0.7450	1.242	2040.0
250.0	25.83	673.0	0.104	192.5	316.8	6.268	0.7449	1-241	2279.0
300.0	30.99	807-0	0.0867	229.7	378.9	6.495	0.7449	1.241	2496.0
350.0	36.14	941.0	0.0743	267.0	441.0	6.686	0.7449	1.241	2695.0
400.0	41.30	1070.0	0.0650	304.2	503.0	6.852	0.7448	1.241	2881.0
450.0	46.45	1210.0	0.0578	341.4	565-1	6.998	0.7448	1.241	3055.0
500-0	51.61	1340.0	0.0520	378.7	627.2	7.129	0.7448	1.241	3220.0
600.0	61.92	1610.0	0.0433	453.2	751.3	7.355	0.7448	1.241	3527.0
700.0	72.23	1880.0	0.0371	527.6	875.4	7.546	0.7448	1.241	3809.0
800.0	82.54	2150.0	0.0325	602.1	1000.0	7.712	0.7448	1.241	4071.0
906.0	92.85	2420.0	0.0289	676.6	1124.0	7.858	0.7448	1.241	4318.0
1006.0	103.2	2680.0	0.0260	751.1	1248.0	7.989	0.7448	1.241	4551.0
1200.0	123.8	3220.0	0.6217	900.0	1496.0	8.215	0.7448	1.241	4985.0
1400-0	144.4	3760.0	0.0186	1049.0	1744.0	8.407	0.7448	1.241	5385.0
1600.0	165.0	4290.0	0.0162	1198.0	1992.0	8.572	0.7447	1.241	5756.0
1866.0	185.7	4830.0	0.0144	1347.0	2241.0	8.718	0.7447	1.241	6105.0
2000.0	200.3	5360.0	0.0130	1496.0	2489.0	8 - 849	0.7447	1.241	6435.0
2500.0	257.8	6700.0	0.0104	1868.0	3109.0	9.126	0.7447	1.241	7194.0
3000.0	309.4	8040.0	0.60867	2240.0	3730.0	9.352	0.7447	1.241	7881.0

^{*} TWO-PHASE BOUNDARY

26 PSIA ISDBAR

TEMPERATURE	DENSITY	V(DH/OV)	V (DP/DU)	-V(0P/DV)	(DV/DT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
		Р				ONDUCTIVITY		DIFFUSIVITY	CONSTANT	NUMBER
DEG. R	LB/CU FT	BTU/LB	PSIA-CU FT/31	U PSIA	1/0EG. R	BTU/FT-HR-R		SQ FT/HR		
							X 10E+6			
4.0	9.341	57.0	2.30	1200-0	0.0112	0.00890	2.70	0.00149	1.02053	0.698
5.0	9.168	19.8	6.55	1030.0	6.0253	0.3104	2.75	0.00226	1.02042	0.477
6.0	8.881	16.2	7.17	785.0	0.0394	0.0111	2.62	0.00196	1.02022	0.541
7 • 0	8.452	13.5	7.26	523.0	0.0620	0.0116	2.42	0.00164	1.01987	0.627
8.0	7.773	10.8	6.74	262.0	0.116	0.0118	2.16	0.00121	1.01918	0.829
* 6.800	6.651	7.48	5.62	57.5	0.422	0.0121	1.84	0.000576	1.01769	1.73
* 8.830	2.109	5.90	3.81	7.02	0.927	0.00937	1.08	0.000811	1.00723	2.27
9.0 10.0	1.841	6.58 8.83	3.82 3.83	10.6 17.3	0.530 0.226	0.06810	1.07	0.00126 0.00282	1.00639 1.00474	1.66 1.05
11.0	1.104	10.6	3.83	20.0	0.159	0.00773	1.15	0.00414	1.00397	0.907
11.0	1.104	20.0	3.00	2010	0,17,	0.00770	1.17	0.00414	1.00007	0.507
12.0	0.9582	12.2	3.82	21.5	0.127	0.00808	1.21	0.00542	1.00347	0.838
13.0	0.8528	13.8	3.81	22.5	0-107	0-00845	1.27	0.00671	1.00310	0.799
14.0	0.7715	15.2	3.79	23.2	0.0937	0.00884	1.33	0.00801	1.00282	0.774
15.0	0.7062	16.7	3.78	23.7	0.0836	0.00921	1.39	0.00935	1.00259	0.757
16.6	0.6522	18.1	3.77	24.1	0.0757	0.00958	1.45	0.0107	1.00239	0.745
17.0 18.0	0.5675	19.5 20.9	3.76 3.75	24.4 24.7	0.0694 0.0641	0.00995	1.50 1.56	0.0121 0.0136	1.00223	0.736 0.730
19.0	0.5336	22.2	3.74	24.9	0.0597	0.0106	1.61	0.0150	1.00197	0.735
20.0	0.5337	23.6	3.73	25.0	0.0559	0.0110	1.67	0.0165	1.00186	0.721
22.0	0.4534	26.3	3.72	25.3	0.0497	0.0116	1.77	0.6197	1.00168	0.716
24.0	0.4127	28.9	3.71	25.5	0 • 0 448	0.0123	1.88	0.0229	1.00153	0.713
26.0	0.3789	31.5	3.70	25.6	0.0408	0.0129	1.97	0.0264	1.00141	0.711
28.0	0.3504	34.1	3.69	25.7	0.0375	0-0134	2.07	0.0299	1.00130	0.710
36.0 32.0	0.3260	36.7 39.3	3.68 3.68	25.8 25.8	0.0347	0.0140	2.16 2.25	0.0337 0.0375	1.00121	0.710 0.709
34.0	0.2864	41.9	3.67	25.9	G.0303	0.0151	2.34	0.0415	1.00114	0.709
36.0	0-2700	44.4	3.67	25 • 9	0.0285	0.0156	2.43	0.0456	1.00101	0.709
38.0	0.2555	47.0	3.66	26.0	0.0269	0.0161	2.51	0.0499	1.00095	0.709
40.0	0.2425	49.5	3.66	26.J	0.0255	0.0166	2.59	0.0543	1.00091	0.710
45.0	0.2152	55.8	3.65	26.0	0.0225	0-0178	2.79	0.0658	1.00081	0.710
50-0	0-1934	62.1	3.64	26.1 26.1	0.0232	0.0189	2.98	0.0781	1.00072	0.711
55.0 60.0	0.1757 0.1610	68.4 74.7	3.64 3.64	26.1	0.0183 0.0167	0.0200 0.0211	3.16 3.34	0.0912 0.105	1.00066 1.00060	0.711 0.711
70.ú	0.1380	87.2	3.63	26.1	0.0143	0.0232	3.67	0.135	1.00052	0.711
80.0	G.1237	100.0	3.62	26.1	0.0125	0.3252	3.99	0.168	1.00045	0.709
90.0	0.1073	112.0	3.62	26.1	0.0111	0.0271	4.28	0.203	1.00040	0.708
106.0	0.09660	125.0	3.62	26.1	0.0100	0.0290	4.57	0.241	1.00036	0.706
120-0	0.08353	149.0	3 • 62	26.1	0.00832	0.0326	5.11	0.325	1.00030	0.702
140.0	0.06905	174.0	3.61	26.1	0.00713	0.0360	5.62	0.420	1.00026	0.698
160.0	0.06044	199.0	3.61	26.1	0.00624	0.0394	6.11	0.524	1.00023	0.694
180.0	G.05374	224.0	3.61	26.1	0.00554	G-0426	6.58	0.638	1.00023	0.694
200.0	0.04837	249.0	3.61	26.1	0.00499	0.0457	6.90	0.761	1.00018	0.675
256.0	G.03872	311.0	3.61	26.0	0.00399	0.0532	7.99	1.11	1.00015	0.671
300.0	0.33227	373.G	3.61	26.0	0.06333	0.0603	9.01	1.50	1.00012	0.669
350.0	0.02767	435 - 0	3.60	26.0	0.00285	0.0669	10.0	1.95	1.00010	0.667
400.0 450.0	0.J2421 0.02153	497.0 559.0	3.60 3.60	26.0 26.0	0.00250	0.0733	10.9	2.44	1.00009	0.666
500.0	0.02193	621.0	3.60		0.00222	0.0793 0.0851	11.8	2.97 3.54	1.00008	0.666
600.0	0.01615	745.0	3.60	26 • 0 26 • 0	0.00167	0.0962	12.7 14.4	4.80	1.00007 1.00006	0.667 0.668
						-,0,00	-,-,	,,,,,		
700.0	0.31384	869.0	3.60	26.0	0.00143	0.107	16.0	6.23	1.00005	0.668
866.0	0.01212	994.0	3.60	26.0	0.00125	0.118	17.6	7.81	1.00005	0.668
900.0	0.01077	1120.0	3.60	26 • 0	0-00111	0.128	19-1	9.55	1.00004	0.667
1000.0	0.009693	1246.0	3.60	26.0	0.00100	0.137	20.5	11.4	1.00004	0.667
1236.0	0.006925	1490.0 1740.0	3.60 3.60	26.0 26.0	0.000833 0.000714	0.156 0.174	23.3 26.0	15.6 20.3	1.00003	0.667 0.667
1600.0	0.006059	1990-0	3.60	26.0	0.000625	0.174	28.5	25.4	1.00002	0.666
1806.0	0.005386	2230.0	3.60	26.0	0.000555	0.208	31.0	31.1	1.00002	0.666
2000.0	0.004848	2486.0	3.60	26.0	0.000500	0.224	33.4	37.3	1.00002	0.666
2500.0	0.003878	3100.0	3.60	26.0	0.000400	0.263	39.2	54.6	1.00001	0.666
7000	0. 207072	7705 0	7.60	26.	0.0000			71. 6	4 00000	
3666.0	0.003232	3720.0	3.60	26.0	0.000333	0.299	44.6	74.6	1.00001	0.666

^{*} THD-PHASE BOUNDARY

28 PSIA ISOBAR

TEMPERATUR	E 401 11ME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
IEMPERATUR	E VOLUME	OERIVATIVE	OERIVATIVE	ENERGY	CHINACT	CHIKOI I	•	Or.	OF SOUND
DEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU /	LB -R	FT/SEC
4.0	0.1069	130.0	13.4	1.388	1.942	0.3961	0.6227	0.6345	783.5
5.0	0.1089	114.0	26.0	1.870	2.434	0.5076	0.4323	0.4975	779.3
6.0	0.1123	90.1	31.0	2.405	2.987	0.6090	0-4844	0-6336	739-1
7 • 0	0.1179	63.8	32.6	3.094 4.034	3.705 4.696	0.7196	0.5278	0.8287 1.216	681.2 591.4
8.0	0.1278 0.1571	35.9 5.69	30.8 22.8	5.723	6.537	0.8515 1.066	0.5785 0.6676	4.418	417.6
* 8.971 * 8.971	0.1571	2.35	7.47	9.644	11.81	1.653	0-8093	7.668	321.2
9.0	0.4320	2.85	7.19	9.770	12.01	1.676	0.8072	6.443	324.8
10.0	0.6693	11.6	4.43	11.64	15.11	2.005	0.7694	2.167	389.9
11.0	3.8214	17.1	3.54	12.77	17.03	2.189	0.7551	1.759	430.0
12.0	0.9535	21.7	3.01	13.75	18.70	2.334	0.7484	1.594	462.4
13.0	1.076	25.7	2.65	14.67	20.24	2.457	0.7452	1.504	490.6
14.0	1.192	29.5	2.38	15.53	21.72	2.567	0.7438	1.448	516.0
15.0	1.335	33.1	2.16	16.38	23.15	2.665	0.7432	1.411	539.4
16.0	1.415	36.5	1.99	17.20 18.02	24.54	2.755 2.839	0.7431	1.383	561.3
17.0	1.523	39.9	1.84 1.72	18.82	25.91 27.27	2.839	0.7432	1.363	582.0
18.0	1.629 1.734	43.1 46.3	1.61	19.61	28.61	2.988	0.7434	1.335	601.6 620.4
19.0 20.0	1.838	49.4	1.52	20.40	29.93	3.056	0.7438	1.326	638.4
22.0	2.043	55.5	1.36	21.97	32.56	3.182	0.7443	1.310	672.7
2010	2.010	,,,,			02770		••••	10010	0.20.
24.0	2.246	61.5	1.23	23.52	35-16	3.295	0.7448	1.299	704.9
26.0	2.448	67.4	1.13	25.06	37.75	3.398	0.7452	1.291	735.4
28.0	2.648	73.2	1.04	26.59	40.32	3.494	0.7454	1.284	764.3
30.0	2.847	79.0	0.967	28.12	42.88	3.582	0.7456	1.278	792.0
32.0	3.045	84.7	0.902	29.65	45.44	3.665	0 - 7 457	1.274	818.7
34.0	3.242	90.4	0.846	31.17	47.98	3.742	0.7458	1.270	844.3
36.0	3.438	96.0	0.797	32.69	50.52	3.814	0.7459	1.267	869.1
38.0	3.634	102.0	0.753	34.20 35.72	53.05 55.57	3.883 3.947	0.7459	1.264	893.2
40.0	3.829	107.0	3.714	39.72	22.21	3.947	0.7459	1.262	916.6
45.0	4.316	121.0	0.632	39.49	61.87	4.096	0.7459	1.257	972.3
50.0	4.802	135.0	0.567	43.25	68.15	4.228	0.7459	1.254	1025.0
55.0	5.285	149.0	0.514	47.01	74.41	4.347	0.7458	1.252	1075.0
60.0	5.768	162.0	0.470	50.76	80.67	4.456	0.7457	1.250	1122.0
70 . U	6.732	189.0	0.402	58.25	93.15	4.649	0.7456	1.248	1211.0
80.0	7.694	216.0	0.351	65.73	105.6	4.815	0.7455	1.246	1294.0
90.0	8-655	243-0	0.312	73.20	118-1	4.962	0.7454	1.245	1372.0
100.0	9.615	270.0	0.281	80.67	130.5	5.093	0.7453	1.244	1446.0
120.0	11.53	324.0	0.234	95.59	155.4	5.320	0.7452	1.243	1583.0
140.0	13.45	378.0	0.200	110.5	180.2	5.511	0.7451	1-243	1709-0
160.0	15.37	432.0	0.175	125.4	205.1	5.677	0.7451	1.242	1826.0
180.0	17.28	485.0	0.156	140.3	229.9	5.824	0.7450	1.242	1936.0
200.0	19.20	539.0	0.140	155.2	254.8	5.954	0.7450	1.242	2040.0
250.0	23.99	673.0	0.112	192.5	316.9	6.231	0.7449	1.241	2279.0
300.0	28.78	807.0	0.0933	229.7	378.9	6.458	0.7449	1.241	2496.0
350.0	33.56	941.0	0.0800	267.0	441.0	6.649	0.7449	1.241	2695.0
400.0	38.35	1080.0	0.0700	304.2	503.1	6.815	0.7448	1.241	2881.0
450.0	43.14	1210.0	0.0622	341.4	565.1	6.961	0.7448	1.241	3055.0
500.0	47.93	1340.0	0.0560	378.7	627.2	7.092	0.7448	1.241	3220.0
666.0	57.50	1610.0	0.0467	453.2	751.3	7.318	0.7448	1.241	3527.0
765 0	67.07	1000	0.21.00	507.	075	7 544	0.7//0	4 014	7000 0
700.0 800.0	67.07	1880.0	0.0400	527.6	875-4	7 - 509	0.7448	1.241	3809.0
900.0	76.65 86.22	2150.0 2420.0	0.0350 0.0311	602.1 676.6	1000.0 1124.0	7.675 7.821	0.7448 0.7448	1.241	4072.0 4318.0
1006.0	95.83	2680.0	0.0311	751.1	1248.0	7.952	0.7448	1.241	4551.0
1200.0	114.9	3220.0	0.0233	900.0	1496.0	8.178	0.7448	1.241	4985.0
1400.0	134.1	3760.0	0.0200	1049.0	1744.0	8.370	0.7448	1.241	5385.0
1600.0	153.2	4290.0	0.0175	1198.0	1992.0	8.535	0.7448	1.241	5756.0
1800.0	172.4	4830.0	0.0156	1347.0	2241.0	8-682	0.7447	1.241	6105.0
2000.0	191.5	5360.0	0.0140	1496.0	2489.0	8.812	0.7447	1.241	6435.0
250.0	239.4	6700.0	0.0112	1868.0	3109.0	9.089	0.7447	1.241	7194.0
3000.0	287.3	8050.0	0.00933	2240.0	3730.0	9.316	0.7447	1.241	7881.0

^{*} TWO-PHASE BOUNDARY

28 PSIA ISOBAR

TEMPERATUR	E DENSITY	V (DH/DV) _p	V (DP/OU) -	V(0P/0V) _T	(00/07)/0	THERMAL ONDUCTIVITY	VISCOSITY	THERMAL	DIELECTRIC	PRANOTL
DEG. R	L8/CU FT	BTU/L8	PSIA-CU FT/BTU	PSIA		BTU/FT-HR-R		OIFFUSIVITY SQ FT/HR	CONSTANT	NUMBER
4.0	9.356	57.5	2.31	1220.0	0.0110	0.00892	2.72	0.00150	1.02054	0.696
5.0	9.187	20.0		1050.0	0.0249	0.0104	2.77	0.00227	1.02043	0.478
6.0	8.904	16.4	7.18	803.0	0.0386	0.0111	2.64	0.00197	1.02024	0.541
7.0	8.484	13.7	7.29	541.D	0.0603	0.0117	2.44	0.00166	1.01990	0.624
8.0	7.828	11.1	6 • 8 0	281.0	0.109	0.0118	2.19	0.00124	1.01924	0.809
* 8.971	6.366	7.01	5.37	36.2	0.630	0.0127	1.79	0.000450	1.01724	2.24
* 8.971	2.396	5.79	3.85	5.63 6.60	1.33	0.0110 0.0102	1.13	0.000600 0.000685	1.00810	2.84 2.55
9.0 10.0	2.315	5.92 8.51	3.85 3.85	17.4	0.255	0.0102	1.13 1.12	0.00237	1.00786 1.00528	1.14
11.0	1.217	10.4	3.85	20.9	0.470	0.00783	1.17	0.00366	1.00435	0.944
12.0	1.049	12.0	3.84	22.7	0.132	0.00815	1.22	0-00488	1.00378	0.861
13.0	0.9295	13.6	3.82	23.9	0.111	0.00852	1.28	0.00609	1.00337	0.815
14.0	0.8386	15.1	3.81	24.8	0.0959	0.00889	1.34	0.00732	1.00305	0.786
15.0	0.7662	16.6	3.79	25.4	0.0852	0.00926	1.40	0.00857	1.00280	0.766
16.0	0.7066	18.0 19.4	3.78 3.77	25 - 8 26 - 2	0.0769 0.0703	0.00963	1.46	0.00985 0.0112	1.00259 1.00241	0.753 0.743
17.0 18.0	0.6566	20.8	3.76	26.5	0.0648	0.0103	1.57	0.0125	1.00226	0.735
19.0	0.5767	22.1	3.75	26.7	0.0603	0.0103	1.62	0.0139	1.00212	0.730
20.0	0.5441	23.5	3.74	26.9	0.0564	0.0110	1.68	0.0153	1.00201	0.726
22.0	0.4894	26.2	3.73	27.2	0.0500	0.0117.	1.78	0.0182	1.00181	0.720
24.0	0.4452	28.8	3.72	27.4	0.0451	0.0123	1.88	0.0212	1.00165	0.716
26.0	0.4085	31.5	3.71	27.5	0-0410	0.0129	1-98	0-0244	1-00152	0.714
28.0	0.3777	34.1	3.70	27.7	0.0377	0.0135	2.07	0.0278	1.00140	0.712
30.0	0.3513	36.7	3.69	27.7	0.0348	0.0140	2.17	0.0312	1.00131	0.711
32.0 34.0	0.3284	39.3 41.8	3.68 3.68	27.8 27.9	0.0324 0.0303	0.0146 0.0151	2.26 2.35	0.0348 0.0385	1.00122 1.00115	0.711 0.710
36.0	0.2909	44.4	3.67	27.9	0.0285	0.0151	2.43	0.0424	1.00108	0.710
38.0	0.2752	47.0	3.67	28.0	0.0269	0.0150	2.52	0.0463	1.00103	0.710
40.0	0.2611	49.5	3.66	28.0	0.0255	0.0166	2.60	0.0504	1.00098	0-710
45.0	0.2317	55 • 8	3.65	28.0	0.0225	0.0178	2.80	0.0611	1.00087	0.711
50.0	0.2083	62.2	3.65	28.1	0.0202	0.0190	2.99	0.0726	1.00078	0.711
55.0	0.1892	68.4	3.64	28.1	0.0183	0.0201	3.17	0.0847	1.00071	0.711
60.0 70.0	0.1734	74.7 87.2	3.64 3.63	28 · 1 28 · 1	0.0167 0.0143	0.0211	3.34 3.67	0.0976 0.125	1.00065 1.00056	0.711 0.711
80.0	0.1300	100.0	3.63	28.1	0.0143	0.0252	3.99	0.125	1.00049	0.711
90.0	0.1155	112.0	3.62	28.1	0.0111	0.0271	4.29	0.189	1.00043	0.708
106.0	0.1040	125.0	3.62	28.1	0.0100	0.0290	4.57	0.224	1.00039	0.706
120.0	0.08670	150.0	3.62	28.1	0.00831	0.0326	5.11	0.302	1.00033	0.702
140.0	0.07434	174.0	3.61	28.1	0.00713	0.0360	5.62	0.390	1.00028	0.698
160.0	0.06507	199.0	3.61	28.1	0.00623	0.0394	6-11	0-487	1.00025	0.694
180-0	0-05786	224.0	3.61	28.1	0.00554	0.0426	6.58	0.593	1.00022	0.691
200.0	0.05208	249.0 311.0	3.61 3.61	28.1 28.1	0.00499 0.00399	0.0457 0.0532	6.90 7.99	0.707 1.03	1.00020 1.00016	0.675 0.671
300.0	0.03475	373.0	3.61	28.0	0.00333	0.0603	9.01	1.40	1.00013	0.669
350.0	0.02979	435.0	3.60	28.0	0.00333	0.0669	10.0	1.81	1.00013	0.667
400.0	0.02608	497.0	3.60	28.0	0.00250	0.0733	10.9	2.26	1.00010	0.666
450.0	0.02318	559.0	3.60	28.0	0.00222	0.0793	11.8	2.76	1.00009	0.666
500.0	0.02087	621.0	3-60	28 - 0	0.00200	0.0851	12.7	3.29	1.00008	0.667
600.0	0.01739	745.0	3.60	28.0	0.00167	0.0962	14.4	4.46	1.00007	0.668
760.0	0.01491	870.0	3.60	28.0	0.00143	0.107	16.0	5.79	1.00006	0.668
900.0	0.01305	994.0 1120.0	3.60	28.0 28.0	0.00125	0.118	17.6	7-26	1.00005	0.668
1000.0	0.01160	1240.0	3.60 3.60	28.0	0.00111	0.128 0.137	19.1 20.5	8.86 10.6	1.00004	0.667 0.667
1260.0	0.038700	1490.0	3.60	28.0	0.000833	0.156	23.3	14.5	1.00003	0.667
1400.0	0.007457	1740.0	3.60	28.0	0.000714	0.174	26.0	18.8	1.00003	0.667
1600.0	0.006525	1990.0	3.60	28.0	0.000625	0.191	28.5	23.6	1.00002	0.666
1866.0	0.005801	2230.0	3.60	28.0	0.000555	0.208	31.0	28.9	1.00002	0.666
2000.0	0.005221	2480.0	3.60	28.0	0.000500	0.224	33.4	34.6	1.00002	0.666
2500-0	0.034177	3100-0	3.60	28.0	0.000400	0.263	39.2	50.7	1.00002	0.666
3000.0	0.003481	3720.0	3.60	28.0	0.000333	0.299	44.6	69.3	1.00001	0.666

^{*} TWO-PHASE BOUNDARY

3J PSIA ISOBAR

TEMPERATUR	E VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
		OERIVATIVE	OERIVATIVE	ENERGY					OF SOUNO
OEG. R	CU FTZ: B	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU	/ LB -R	FT/SEC
0200 K	00 1 1723	00 11 1324720							
4.0	0.1067	132.0	13.4	1.386	1.979	0.3955	0.6179	0.6294	788.4
5.0	J.1J86	116.0	26.0	1.864	2.468	0.5063	0.4316	0.4956	784.2
6.0	0.1120	91.9	31.1	2.395	3.018	0.6071	0.4839	0.6304	744.8
		65.7	32.8	3.077	3.729	0.7169	0.5270	0.8206	688.4
7 • 0	3.1174				4.704				
8.0	0.1269	38.1	31.1	3.999		0.8466	0.5769	1.185	601-8
9.0	0.1536	7 • 8 7	23.7	5 • 626	6 • 479	1.053	0.6623	3.463	436.5
* 9.134	1.1665	3.10	21.1	6.129	7.354	1.117	0.6892	7.394	392.7
* 9.134	0.3602	1.34	8.74	9.309	11.31	1.582	0.8072	13.31	320.2
10.0	0.5963	10.2	5.02	11.39	14.70	1.941	0.7730	2.397	383-4
11.0	0.7475	16.1	3.92	12.61	16.76	2.138	0.7566	1.839	426.0
12.0	0.8750	20.9	3.30	13.63	18.49	2.288	0.7491	1.637	459.6
13.0	0.9919	25.1	2.89	14.56	20.07	2.414	0.7455	1.532	488.5
14.0	1.103	28.9	2.58	15.44	21.57	2.525	0.7439	1.468	514.4
15.0	1.239	32.6	2.34	16.29	23.01	2.625	0.7432	1.426	538.2
		32.6		10.29					
16.0	1.313	36.1	2.15	17.13	24.42	2.716	0.7430	1.396	560.4
17.0	1.414	39.5	1.99	17.95	25.80	2.800	0.7431	1-373	581-2
18.0	1.514	42-8	1 • 85	18.76	27.17	2.878	0.7433	1.356	601.0
19.0	1.613	45.9	1.73	19.55	28.51	2.951	0.7435	1.343	619.9
20.0	1.710	49.1	1.63	20.34	29.84	3.019	0.7438	1.332	638.1
22.0	1.903	55.2	1.46	21.91	32.48	3-145	0.7443	1.316	672.6
24.0	2.093	61.3	1.33	23.47	35.10	3.259	0.7448	1.304	704.9
26.0	2.282	67.2	1.21	25.01	37.69	3.363	0.7452	1.295	735.5
			1.12	26.55					
28.0	2.469	73.1			40.27	3.458	0.7455	1.287	764.6
30-0	2.655	78•9	1.04	28.09	42.84	3.547	0.7457	1.281	792.4
32.0	2.840	84.6	0.969	29.61	45.39	3.629	0.7458	1.276	819.0
34.0	3.025	90.3	0.908	31.14	47.94	3.706	0.7459	1.272	844.7
36.0	3.208	96.0	0.855	32.66	50.48	3.779	0.7460	1.269	869.6
38 • 0	3.391	102.0	0.808	34.18	53.02	3.848	0.7460	1.266	893.7
40.0	3.574	107.0	0.766	35.69	55.54	3.912	0.7460	1.263	917.0

45.0	4.029	121.0	0.677	39.47	61.85	4.061	0.7460	1.259	972.8
50.0	4.482	135.0	0.608	43-23	68.13	4.193	0.7459	1.255	1025.0
55.0	4.934	149.0	0.551	46.99	74.40	4.313	0.7459	1.253	1075.0
		162.0	0.551						
60.0	5.385		0.504	50.74	80.66	4.422	0.7458	1.251	1123.0
70.0	6.285	189.0	0.431	58.23	93.15	4.614	0.7457	1-248	1212-0
80.0	7.184	217.0	0.377	65.72	105.6	4.781	0.7456	1.246	1295.0
90.0	8.081	244.0	0.334	73.19	118.1	4.928	0.7455	1.245	1373.0
106.0	8.977	271.0	0.301	80.66	130.5	5.059	0.7454	1.244	1446.0
120.0	10.77	324.0	0.250	95.58	155.4	5.285	0.7453	1.243	1583.0
140.J	12.56	378.0	0.214	110.5	180.3	5.477	0.7452	1.243	1709.0
160.0	14.35	432.0	0.188	125.4	205.1	5.643	0.7451	1.242	1826.0
180.0	16.13	485.0	0.167	140.3	230.0	5.789	0.7451	1.242	1936.0
200.0	17.92	539-0	0.150	155.2	25 4 . 8	5.920	0.7450	1.242	2040.0
250.0	22.39	673.0	0.120	192.5	316.9	6.197	0.7450	1.242	2280.0
300.0	26.86	807.0	0.106	229.7	378.9	6.423	0.7449	1.241	2496.0
350.0	31.33	941.0	0.0857		441.0	6.615	0.7449		2696.0
				267.0				1.241	
400.0	35.80	1080.0	0.1750	304.2	503.1	6.781	0.7449	1.241	2881.0
450.0	40.27	1210.0	0.0667	341.4	565.1	6.927	0.7448	1.241	3055.0
500.0	44.73	1340.0	0.0600	378.7	627.2	7.058	0.7448	1.241	3220.0
600.0	53.67	1610.0	0.0500	453.2	751.3	7-284	0.7448	1-241	3527.0
70 G • O	62.61	1880.0	0.0429	527.6	875.4	7.475	0.7448	1.241	3809.0
800.0	71.54	2150.0	0.0375	602.1	1000.0	7.641	0.7448	1.241	4072.0
900.0	80.48	2420.0	0.0333	676.6	1124.0	7.787	0.7448	1.241	4318-0
1000-0	89.41	2680.0	0.0300	751-1	1248.0	7.918	0.7448	1.241	4552.0
1200.0	107.3	3220.0	0.0250	900.0	1496.0	8.144	0.7448	1.241	4986.0
1400.0	125.2	3760.0	0.0214	1049.0	1744.0	8.335	0.7448	1.241	5385.0
1600.0	143.0	4290.0	0.0187	1198.0	1992.0	8.501	0.7448	1.241	5756-0
1800.0	160.9	4830.0	0.0167	1347.0	2241.0	8 • 6 4 7	0.7448	1.241	6105.0
2006.0	178.8	5360.0	0.0150	1496.0	2489.0	8.778	0.7447	1.241	6435.0
2500.0	223.5	6700.0	0.0120	1868.0	3109.0	9.055	0.7447	1.241	7194.0
3000-0	268-1	8050+0	0.0100	2240.0	3730.0	9.281	0.7447	1.241	7881.0

^{*} THO-PHASE BOUNDARY

30 PSIA ISDBAR

TEMPERATUR	E DENSITY	V (DH/DV)	V (DP/DU) -\	/(DP/DV) _T	(DV/DT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
DEG. R	L8/CU FT	BTU/LB	PSIA-CU FT/BTU			ONOUCTIVITY BTU/FT-HR-R		DIFFUSIVITY SQ FT/HR	CONSTANT	NUMBER
					0.0109		2.74	2 22152		0.605
4.0 5.0	9.372 9.205	58.0 20.3		1230.0 1060.0	0.0109	0.00894 0.0104	2.79	0.00152 0.00228	1.02055 1.02045	0.695 0.478
6.0	8.927	16.6	7.20	821.0	0.0379	0.0112	2.66	0.00198	1.02026	0.540
7.0	8.515	14.0	7.32	559.0	0.0587	0.0117	2.46	0.00168	1.01993	0.620
8.0	7.879	11.4	6.85	300.0	0.104	0.0119	2.21	0.00128	1.01930	0.793
9.0	6.510	7.49	5.49	51.2	0.462	0.0123	1.83	0.000544	1.01747	1.86
* 9.134	6.006	6.54	5.09	18.6	1.13	0.0142	1.71	0.000320	1.01664	3.21
* 9.134	2.776	5.67	3.90	3.73	2.35	0.0149	1.23	0.000404	1.00921	3.84
10.0	1.677	8.19	3.88	17.2	0.293	0.00793	1.14	0.00197	1.00587	1.24
11.0	1.338	10.1	3.87	21.6	0.182	0.00795	1.18	0.00323	1.00476	0.986
12.0	1.143	11.8	3.85	23.8	0.138	0.00823	1.24	0.00440	1.00410	0.885
13.0	1.008	13.4	3.84	25.3	0.114	0.00858	1.29	0.00555	1.00364	0.831
14.0	0.9070	14.9	3.82	26.2	0.0983	0.00894	1.35	0.00671	1.00329	0.798
15.0	0.8271	16.4	3.81	27.0	0.0868	0.00931	1.41	0.00789	1.00301	0.776
16.0 17.0	0.7617 0.7070	17.9 19.3	3.79 3.78	27.5 27.9	0.0781 0.0712	0.00967	1.46	0.00910 0.0103	1.00278	0.760 0.749
18.0	0.6633	20.7	3.77	28.2	0.0656	0.0104	1.57	0.0116	1.00242	0.741
19.0	0.6231	22.1	3.76	28.5	0.0609	0.0107	1.63	0.0129	1.00228	0.734
20.6	0.5847	23.4	3.75	28.7	0.0569	0.0111	1.68	0.0142	1.00215	0.730
22.0	0.5255	26.1	3.74	29.0	0.0504	0.0117	1.79	0.0169	1.00194	0.723
24.0	0.4777	28.8	3.73	29.3	0.0453	0.0123	1.89	0.0198	1.00177	0.719
26.0	0-4382	31.4	3.72	29.5	0.0493	0.0129	1.98	0.0228	1.00162	0.716
28.0	0.4050	34.0	3.71	29.6	0.0378	0.0135	2.08	0.0259	1.00150	0.714
30.0	0.3766	36.7	3.70	29.7	0.0349	0.0141	2.17	0.0291	1.00140	0.713
32.0	0.3521	39.2	3.69	29 - 8	0.0325	0.0146	2.26	0.0325	1.00131	0.712
34.0	0.3306	41.8	3.68	29.9	0.0304	0.0151	2.35	0.0360	1.00123	0.711
36.0	0.3117	44.4	3.68	29.9	0.0286	0.0156	2.44	0.0395	1.00116	0.711
38.0	0.2949	46.9	3.67	30.0	0.0270	0.0161	2.52	0.0432	1.00110	0.711
40.0	0.2798	49.5	3.67	30.0	0.0255	0.0166	2.60	0.0471	1.00104	0.711
45.0	0.2482	55.8	3.66	30.1	0.0225	0.0178	2.83	0.0571	1.00093	0.711
56.0	0.2231	62.2	3.65	30.1	0.0202	0.0190	2.99	0.0678	1.00083	0.712
55.0	0.2027	68.5	3.65	30 - 1	0.0183	0.0201	3.17	0.0791	1-00076	0.712
60.0	0.1857	74.7	3.64	30.1	0.0167	0.0212	3.34	0.0911	1.00070	0.712
70.0	0.1591	87.3	3.63	30.1	0.0143	0.0232	3.68	0.117	1.00060	0.711
80.0	0.1392	100.0	3.63	30.1	0.0125	0.0252	3.99	0.145	1.00052	0.710
90.0	0.1238	112.0	3.62	30 • 1	0.0111	0.0271	4.29	0.176	1.00046	0.708
106.0	0.1114	125.0	3.62	30.1	0.0100	0.0290	4.57	0.209	1.00042	0.706
120.0	0.09287	150 · G	3.62	30.1	0.00831	0.0326	5.11	0.282	1.00035	0.702
140.0	0.07963	174.0	3.61	30.1	0.00712	0.0361	5.63	0.364	1.00030	0-698
160.0	0.36970	199.0	3.61	30.1	0.00623	0.0394	6.11	0.455	1.00026	0.694
180.0	0.06198	224.0	3.61	30.1	0.00554	0.0426	6.58	0.553	1.00023	0.691
200.0	0.05580	249.0	3.61	30.1	0.00499	0.0457	6.91	0.660	1.00021	0.675
250.0	0.04466	311.0	3.61	30-1	0.00399	0.0532	7.99	0.960	1.00017	0.671
30G.0 35G.0	0.03723	373.0 435.0	3.61 3.60	30 • 1 30 • 0	0.00333 0.00285	0.0603 0.0669	9.01 10.0	1.30 1.69	1.00014	0.669 0.667
400.0	0.02794	497.0	3.60	30.0	0.00250	0.0733	10.9	2.11	1.00012	0.666
450.0	0.02484	559 - 0	3.60	30.0	0.00222	0.0793	11.8	2.57	1.00009	0.666
500.0	0.02235	621.0	3.60	30.0	0.00200	0.0851	12.7	3.07	1.00008	0.667
600.0	0.31863	745.0	3.60	30.0	0.00167	0.0962	14.4	4.16	1.00007	0.668
700.0	0.01597	870.0	3.60	30.0	0.00143	0.107	16.0	5.40	1.00006	0.668
800.0	0.01398	994.0	3.60	30.0	0.00125	0.118	17.6	6.77	1.00005	0.668
900.0	0.01243	1120.0	3.60	30.0	0.00111	0.128	19.1	8.27	1.00005	0.667
1000.0	0.01118	1240.0	3.60	30.0	0.00100	0.137	20.5	9.90	1.00004	0.667
1200.0	0.009321	1490.0	3.60	30-0	0.000833	0.156	23.3	13.5	1.00004	0.667
1406.0	0.037990	1740.0	3.60	30.0	0.000714	0.174	26.0	17.6	1.00003	0.667
1600.0	0.006991	1990.0	3.60	30.0	0.000625	J. 191	28.5	22.1	1.00003	0.666
1800.0 2000.0	0.006215 0.005594	2230.0 2480.0	3.60 3.60	30.0 30.0	0.000555	0.208	31.0 33.4	27.0 32.3	1.00002	0.666
2500.0	0.004475	3100.0	3.60	30.0	0.000500 0.000466	0.224 0.263	39.2	47.3	1.00002	0.666 0.666
3000.0	0.003729	3720.0	3.60	30.0	0.000333	0.299	44.6	64.6	1.00001	0.666

^{*} THO-PHASE BOUNDARY

32 PSIA ISOBAR

TEMPERATUR	F VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
TEIL ERATOR		DERIVATIVE	OERIVATIVE	ENERGY					OF SOUNO
OEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/L9	BTU/LB-R	BTU /	LB -R	FT/SEC
4.0	0.1365	133.0	13.4	1.384	2.015	0.3948	0.6131	0.6243	793.1
5.0	J.1J84	117.0	26.0	1.859	2.501	0.5050	0.4310	0.4938	789.1
6.0	0.1117	93.7	31.2	2.386	3.048	0.6053	0.4834	0.6272	750.4
7.0	0.1170	67.6	33.0	3.061	3.754	0.7142	0.5261	0.8130	695.5
8 • 0	0.1261	40.2	31.5	3.967	4.714	0.8420	0.5754	1.158	611.8
9.0	J.1495	10.8	24.7	5.482	6.368	1.035	0.6548	2.774	459.5
* 9.288	0.1835	0.947	18.6	6.711	7.799	1.191	0.7202	21.78	364.3
* 9.288	0.2927	0.354	10.9	8 • 6 9 7	10.43	1-474	0.7982	50.57	322.3
10.0	0.5296	8.74	5.72	11.11	14.25	1.875	0.7766	2.721	376.6
11.0	0.6821	15.1	4.32	12.44	16.48	2.088	0.7583	1.933	421.9

12.0	0.8061	20.0	3.60	13.49	18.27	2.244	0.7499	1-685	456 • 8
13.0	0.9182	24.4	3-13	14.45	19.89	2.373	0.7459	1.562	486.4
14.0	1.024	28.4	2.79	15.34	21.41	2.486	0.7440	1.490	512.8
15.0	1.125	32.1	2.53	16.21	22.87	2.587	0.7432	1.442	537.0
16.0	1.223	35.6	2.31	17.05	24.30	2.679	0.7429	1-408	559.4
17.0	1.319	39.1	2.14	17.88	25.69	2.764	0.7430	1.383	580.5
18.0	1.414	42.4	1.99	18.69	27.07	2.842	0.7432	1.364	600.4
19.0	1.537	45.6	1.86	19.49	28.42	2.915	0.7434	1.350	619.5
20.0	1.598	48.8	1.75	20.29	29.76	2.984	0.7437	1.339	637.8
			1.57	21.86	32.41	3.111	0.7443	1.321	672.5
22.0	1.780	55.0	1.57	21.00	32.41	3.111	0.7443	1.321	012.5
24.0	4 050	61.1	1.42	23.42	35.03	3.225	0.7448	1.308	704.9
	1.959		1.33	24.97	37.63	3.329	0.7452	1.298	735.7
26.0	2.137	67.1							
28-0	2.313	73.0	1.20	26.51	40.21	3.425	0.7455	1.290	764.8
36.0	2.488	78.8	1.11	28.05	42.79	3.513	0.7457	1.284	792.7
32.0	2.662	84.6	1.04	29.58	45.35	3.596	0.7459	1.278	819.4
34.0	2.835	90.3	0.971	31.11	47.90	3.673	0.7460	1.274	845.1
36 • 0	3.007	96.0	J.914	32.63	50.45	3.746	0.7460	1.270	870.0
38.0	3.179	102.0	0.863	34.15	52.98	3.815	0.7461	1.267	894.1
40.0	3.351	107.0	0.818	35.66	55.52	3.880	0.7461	1.265	917.5
45.0	3.778	121.0	0.723	39.44	61.83	4.028	0.7461	1.260	973.3
50.0	4.203	135.0	0.649	43.21	68.12	4.161	0.7460	1.256	1026.0
55 • 0	4.627	149.0	0.588	46.97	74.39	4.280	0.7460	1.253	1076.0
60.0	5.050	162.0	0.538	50.73	80.65	4.389	0.7459	1.251	1123.0
70.0	5.894	190.0	J.46C	58.22	93.15	4.582	0.7457	1.249	1212.0
80.0	6.737	217.0	0.402	65.71	105.6	4.749	0.7456	1.247	1295.0
90.0	7.578	244.0	0.357	73.18	118.1	4.895	0.7455	1.245	1373.0
100.0	8.418	271.0	0.321	80.65	130.5	5.027	0.7454	1.245	1447.0
120.0	10.10	325.0	0.267	95.58	155.4	5.253	0.7453	1.243	1584.0
140.0	11.78	378.3	0.229	110.5	180.3	5.445	0.7452	1.243	1709.0
160.0	13.45	432.0	0.200	125.4	205.1	5.611	0.7451	1.242	1827.0
180.0	15.13	486.0	J.178	140.3	230.0	5.757	0.7451	1.242	1937.0
250.0	16.81	539.0	0.169	155.2	254.8	5.888	0.7450	1.242	2041.0
256.0	21.00	673.0	0.128	192.5	316.9	6.165	0.7450	1.242	2280.0
300.0	25.18	808.0	0.107	229.7	379.0	6.391	0.7449	1.241	2497.0
350.0	29.37	942.0	3.0914	267.0	441.0	6.583	0.7449	1.241	2696.0
400.0	33.56	1080.0	0.6860	304.2	503.1	6.749	0.7449	1.241	2881.0
450.0	37.75	1210.0	0.0711	341.5	565.2	6.895 -	0.7448	1.241	3056.0
500.0	41.94	1340.0	0.0640	378 • 7	627.2	7.026	0.7448	1.241	3221.0
600.0	50.32	1616.0	Ç.0533	453.2	751.3	7.252	0.7448	1.241	3527.0
700.0	58.74	1880.0	3.3457	527.6	875.4	7.443	0.7448	1.241	3809.0
800.0	67.07	2150.0	3.0460	602.1	1000.C	7.609	0.7448	1.241	4072.0
900.0	75.45	2420.0	0.0356	676.6	1124.0	7.755	0.7448	1.241	4318.0
1000.0	83.83	2680.0	0.0320	751.1	1248.0	7.886	0.7448	1.241	4552.0
1206.0	100.6	3220.0	0.0267	900.0	1496.0	8.112	0.7448	1.241	4986.0
1460.0	117.3	3760.0	0.0229	1049.0	1744.3	8.303	0.7448	1.241	5385.0
1630.0	134.1	4290.0	0.0200	1198.0	1992.0	8.469	0.7448	1.241	5756.0
1806.0	150.9	4830.0	0.0178	1347.0	2241.0	8.615	0.7448	1.241	6105.0
2006.0	167.6	5360.0	0.0160	1496.0	2489.0	8.746	0.7448	1.241	6435.0
2500.0	209.5	6700.0	0.3128	1868.0	3110.0	9.023	0.7447	1.241	7195.0
2000.0	203.9	0100.0	0.1150	1000.0	2110+0	7.023	0.1441	1.541	1 1 2 2 4 0
3000.0	251.4	8050.0	0.0107	2240.0	3730.6	9.249	0.7447	1.241	7881.0
		5555,0	0.0.0.0		0,00.0	34543	**, **,		,

^{*} TWO-PHASE BOUNDARY

32 PSIA ISDBAR

TEMPERATUR	E DENSITY	V(0H/DV) _p	V (DP/DU)	-V(DP/DV)_	(DV/DT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
12 2		Р	v	T		DNDUCTIVITY		DIFFUSIVITY		NUMBER
DEG. R	La/CU FT	BTU/L8	PSIA-CU FT/BT	U PSIA	1/DEG. R	BTU/FT-HR-R		SQ FT/HR		
							X 10E+6			
4.0	9.388	58.4	2.32	1250.0	0.0107	0.00896 0.0104	2.76 2.81	0.00153 0.00229	1.02056	0.693 0.478
5.0	9.223 8.949	20.5 16.9	6.55 7.21	838.0	0.0241 0.0372	0.0112	2.68	0.00199	1.02027	0.540
6 • 0 7 • 0	8.545	14.2	7.35	577.0	0.0572	0.0118	2.48	0.00199	1.01995	0.617
6.0	7.929	11.7	6.90	318.0	0.0989	0.0120	2.24	0.00131	1.01935	0.778
9.0	6.690	8.07	5.65	72.0	0.344	0.0121	1.88	0.000651	1.01775	1.55
* 9.288	5.451	6.06	4.73	5.16	3.60	0.6227	1.61	0.000191	1.01562	5.57
* 9.288	3.416	5.59	4.01	1.21	9.04	0.0389	1.29	0.000225	1.01096	6.05
10.0	1.888	7.85	3.90	16.5	0.347	0.00825	1.17	0.00161	1.00654	1.39
11.0	1.466	9.88	3.89	22.1	0.196	0.00808	1.20	0.00285	1.00518	1.03
12.0	1.241	11.6	3.87	24.9	0.145	0.00832	1.25	0.00398	1.00443	0.912
13.0	1.089	13.2	3.86	26.6	0.118	0.00865	1.30	0.00508	1.00392	0.849
14.0	0.9768	14.8	3.84	27.7	0.101	0.00900	1.36	0.00619	1.00353	0.811
15.0	0.8889	16.3	3.82	28.5	0.0885	0.00936	1.42	0.00730	1.00323	0.786
16.0	G.8175	17.7	3.81	29.1	0.0794	0.00972	1 - 47	0.00844 0.00960	1.00298	0.768
17.0 18.0	0.7579 G.7073	19.2 20.6	3.79 3.78	29.6 30.0	0.0722 0.0663	0.0104	1.53 1.58	0.0108	1.00277 1.00259	0.756
19.0	0.6637	22.0	3.77	30.3	0.0615	0.0104	1.64	0.0108	1.00243	0.739
20.0	0.6256	23.3	3.76	30.5	0.0574	0.0111	1.69	0.0132	1.00230	0.734
22.0	0.5618	26.0	3.75	36.9	0.0507	0.0117	1.79	0.0158	1.00207	0.726
		20.0			-		••••	0,02,0	1.0000	0-, 20
24.0	0.5104	28.7	3.74	31.2	0.0456	0.0124	1.89	0.0185	1.00189	0.721
26.0	0.4680	31.4	3.72	31.4	6.0414	0.0129	1.99	0.0213	1.00173	0.718
28.0	0.4324	34.0	3.71	31.5	0.0379	0.0135	2.08	0.0242	1.00160	0.716
36.0	0.4020	36.6	3.70	31.7	0.0351	0.0141	2.18	0.0273	1.00149	0.714
32.0	0.3757	39.2	3.73	31.8	0.0326	0.0146	2.27	0.0304	1.00140	0.713
34.0	0.3528	41.8	3.69	31.8	0.0305	0.0151	2.35	0.0337	1.00131	0.713
36.0	0.3325	44.4	3.68	31.9	0.0286	0.0157	2.44	0.0371	1.00124	0.712
38.0	0.3145	46.9	3.68	32.0	0.0270	0.0162	2.52	0.0405	1.00117	0.712
40.0	0.2984	49.5	3.67	32 • G	0.0256	0.0167	2.60	0.0441	1.00111	0.712
	2 25/7		7.66	70 4	0.0006	0.0470	2 22	0.0535	4 00000	0.740
45.0 50.0	0.2647	55.8 62.2	3.66 3.65	32.1 32.1	0.0226 0.0202	0.0178 0.0190	2.80	0.0535 0.0636	1.00099	0.712 0.712
55.0	0.2379 0.2161	68.5	3.65	32.1	0.0183	0.0201	3.17	°.0742	1.00081	0.712
60.0	0.1980	74.8	3.64	32.1	0.0167	0.0212	3.35	0.0855	1.00074	0.712
70.0	0.1697	87.3	3.64	32.2	0.0143	0.0232	3.68	0.110	1.00064	0.711
80.0	0.1484	100.0	3.63	32.2	0.0125	0.0252	3.99	0.136	1.00356	0.710
96.0	0.1320	112.0	3.63	32.2	0.0111	0.0272	4.29	0.165	1.00050	0.708
106.0	0.1188	125.0	3.62	32.2	0.0100	0.0290	4.58	0.196	1.00045	0.706
120.0	0.09903	150.0	3.62	32.1	0.00831	0.0326	5.12	0.265	1.00037	0.702
140.0	0.08492	174.0	3.62	32.1	0.06712	0.0361	5.63	0.342	1.00032	0.698
160.0	0.07434	199.0	3.61	32.1	0.00623	0.0394	6.11	0.426	1.00028	0.694
180.0	0.06610	224.0	3.61	32.1	0.00554	0.0426	6.58	0.519	1.00025	0.691
200.0	0.05950	249.0	3.61	32.1	0.00499	0.0457	6.91	0.619	1.00022	0.675
256.0	0.34763	311.0	3.61	32.1	0.00399	0.0532	7.99	0.900	1.00018	0.671
300.0	0.03971	373.0	3.61	32.1	0.00333	0.0603	9.02	1.22	1.00015	0.669
350.0 466.0	0.03404	435.0 497.0	3.61 3.60	32 • 1 32 • 0	0.00285 0.00250	0.0670 0.0733	10.0 10.9	1.58 1.98	1.00013	0.667 0.666
450.0	0.02649	559.0	3.60	32.0	0.00222	0.0793	11.8	2.41	1.00011	0.666
500.0	0.02384	621.0	3.60	32.0	0.00222	0.0851	12.7	2.88	1.00009	0.667
600.0	0.01987	745.0	3.60	32.0	0.00166	0.0962	14.4	3.90	1.00008	0.668
700.0	0.31704	870.0	3.60	32.0	0.00143	0.107	16.0	5.06	1.00006	0.668
800.0	0.01491	994.0	3.60	32.0	0.00125	0.118	17.6	6.35	1.00006	0.668
900.0	0.31325	1120.0	3.60	32.0	0.00111	0.128	19-1	7.76	1.00005	0.667
1000-0	0-01193	1240.0	3.60	32.0	0.00100	0.137	20.5	9.28	1.00005	0.667
1206.0	0.009942	1490.0	3.60	32.0	0.000833	0.156	23.3	12.7	1.00004	0.667
1400.0	0.008522	1740.0	3.60	32.0	0.000714	0.174	26.0	16.5	1.00003	0.667
1600.0	0.007457	1990.0	3.60	32.0	0.000625	0.191	28.5	20.7	1.00003	0.666
1806.0	0.006629	2230.0	3.60	32.0	0.000555	0.208	31.0	25.3	1.00003	0.666
2606.0	0.005966	2480.0	3.60	32.0	0.000500	0.224	33.4	30.3	1.00002	0.666
2500.0	0.004773	3100.0	3.60	32.0	0.000400	0.263	39.2	44.3	1.00002	0.666
3000.0	0-003978	3720.0	3.60	32.0	0.000333	0.299	44.6	60.6	1.00002	0.666
0000.0	0.003310	3120.0	3.00	32.0	4.444333	0 0 6 7 7 7	77.0	00.0	1.00002	0.000

^{*} TWD-PHASE BOUNDARY

33 PSIA ISOBAR

TEMBEDATUS	E MOLLIME	TCATHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
TEMPERATUR	E VOLUME	ISOTHERM	DERIVATIVE	ENERGY	ENIHALFI	ENTRUFT	CV	CF	OF SOUNO
255 2	DU 5740	DERIVATIVE CU FT-PSIA/LB	PSIA/P	BTU/LR	BTU/L8	9TU/LB-R	0.711 /	LB -R	FT/SEC
OEG. R	CU FT/LB	CO FI-PSIAZEB	PSTAVE	510/65	BIO/LB	310/CB-K	810 /	LB -K	FIZEC
	2 4244	474 3	47 6	4 707	2 274	C 70/F	0.6407	0.6340	705 /
4-0	0.1064	134.0	13.4	1.383	2.134	0.3945	0.6197	0.6219	795.4
5.0	0.1083	118.0	26.0	1.856	2.518	0.5043	0.4306	0.4929	791.4
6.0	0.1116	94.6	31.2	2.381	3.063	0.6044	0.4831	0.6257	753.2
7.0	0.1168	68.5	33-1	3.053	3.767	0.7129	0.5257	0.8093	698.9
8.0	0.1258	41.2	31.7	3.951	4.720	0.8398	0.5746	1.145	616.6
9.0	0.1478	12.1	25.2	5.422	6.326	1.027	0.6517	2.561	469.6
16.0	0.4980	7.97	6.12	10.96	14.00	1.840	0.7784	2 • 936	373.1
11.0	0.6521	14.6	4.54	12.35	16.33	2.063	0.7591	1.985	419.9
		19.6	3.76	13.43	18.16	2.222	0.7503	1.710	455.4
12.0	0.7746								
13.0	J.8847	24.0	3.26	14.39	19.80	2.354	0.7460	1.578	485.4
14.0	0.9879	28.1	2.90	15.30	21.33	2.467	0.7440	1.501	512.0
15.0	1.087	31.8	2 • 62	16.17	22.81	2.569	0.7432	1.450	536.3
16.0	1.133	35.4	2.40	17.61	24.24	2.661	0.7429	1.415	558.9
17.0	1.276	38.9	2.21	17.84	25.64	2.746	0.7430	1.389	580.1
18.0	1.368	42.2	2 • 06	18.66	27.02	2.825	0.7432	1.369	600.1
19.0	1.458	45.5	1.93	19.46	28.37	2.899	0.7434	1.354	619.3
20.0	1.548	48.6	1.81	20.26	29.71	2.967	0.7437	1.342	637.6
22.0	1.724	54.9	1.62	21.83	32.37	3.094	0.7442	1.324	672.4
24.0	1.898	61.0	1 • 47	23.40	34.99	3.208	0.7448	1.310	705.0
26.0	2.371	67.0	1.34	24.95	37.60	3.313	0.7452	1.300	735.7
28.0	2.242	72.9	1.24	26.49	40.19	3.409	0.7455	1.292	765.0
36.0	2.412	78.7	1.15	28.03	42.76	3.497	0.7458	1.285	792.8
32.0	2.580	84.5	1.07	29.56	45.33	3.580	0.7459	1.280	819.6
34.0	2.748	90.3	1.03	31.09	47.88	3.658	0.7460	1.275	845.3
36.0	2.916	95.9	0.943	32.61	50.43	3.730	0.7461	1.271	870.2
38.0	3.383	162.6	0.891	34-13	52.97	3.799	0.7461	1.268	894.3
46.0	3.249	107.0	0.844	35.65	55.50	3.864	0.7461	1.265	917.8
45.0	3.664	121.0	0.746	39.43	61.82	4.013	0.7461	1.260	973.6
50.0	4.076	135.0	0.669	43.20	68-11	4-145	0.7461	1.257	1026.0
55.0	4.487	149.0	0.607	46.96	74.38	4.265	0.7460	1.254	1076.0
60.0	4.898	162.ū	0.555	50.72	80.65	4.374	0.7459	1.252	1124.0
70.0	5.717	196.0	0.474	58.21	93.15	4.567	0.7458	1.249	1213.0
80.0	6.534	217.0	0.414	65.70	105.6	4.733	0.7457	1.247	1296.0
90.0	7.349	244.0	0.368	73.18		4.880			1374.0
					118.1		0.7455	1.246	
100.0	8.164	271.0	0.331	83.65	133.5	5.011	0.7455	1.245	1447.0
120.0	9.793	325.0	0.275	95.58	155.4	5.238	0.7453	1.243	1584.0
146-0	11.42	378.0	0.236	110.5	180.3	5.430	0.7452	1.243	1710.0
16û.D	13.05	432.0	0.206	125.4	205.1	5.596	0.7452	1.242	1827.0
180.0	14.67	486.0	0.183	140.3	230.0	5.742	0.7451	1.242	1937.0
200.0	16.30	539.0	0.165	155.2	254.8	5.873	0.7451	1.242	2041.0
250.0	20.36	674.0	0.132	192.5	316.9	6.150	0.7450	1.242	2280.0
300.0	24.42	868.0	0.110	229.7	379.3	6.376	0.7449	1.241	2497.0
350.0	28.49	942.0	0.0943	267.0	441.0		0.7449	1.241	2696.0
						6.568			
460-0	32.55	1080-0	0.0825	304.2	503.1	6.733	0.7449	1.241	2882.0
450.0	36.61	1210.0	0.6733	341.5	565.2	6.879	0.7449	1.241	3056.0
500.0	40.67	1340.0	0.0660	378.7	627.2	7.010	0.7448	1.241	3221.0
600.0	48.79	1610.0	0.0550	453.2	751.3	7 • 237	0.7448	1.241	3527.0
700.ú	56.92	1880.0	0.0471	527.6	875.5	7.428	0.7448	1.241	3809.0
806.0	65.04	2150.0	0.9412	602.1	1000.3	7.594	0.7448	1.241	4072.0
906.0	73.17	2420.0	0.0367	676.6	1124.0	7.740	0.7448	1.241	4319.0
1000.0	81-29	2680.0	G • 0330	751.1	1248.0	7.871	0.7448	1.241	4552.0
1200.0	97.54								
		3220.0	0.3275	900.0	1496.0	8.097	0.7448	1.241	4986.0
1400.0	113.8	3760.0	0.0236	1349.6	1744.3	8.288	0.7448	1.241	5385.0
1600.0	130.0	4290.0	0.0206	1198.0	1992.0	8.454	0.7448	1.241	5756.0
1800-0	146.3	4830.0	0.0183	1347.0	2241.0	8.600	0.7448	1.241	6105.0
2000.0	162.5	5360.0	3.3165	1496.0	2489.0	8.731	0.7448	1.241	6435.0
2500.U	203.1	6700.0	0.0132	1868.0	3110.0	9.008	0.7447	1.241	7195.0
3006.0	243-8	8050.0	0.0116	2241.0	3730.G	9.234	0.7447	1.241	7881.0
		0070.0	0-0110	71.0	2,0000	,,,,,			

^{*} TWO-PHASE BOUNDARY

33 PSIA ISDBAR

TEMPERATURE		V(DH/DV)	V(DP/DU) -			THERMAL ONDUCTIVITY	VISCOSITY	THERMAL DIFFUSIVITY	DIELECTRIC CDNSTANT	PRANDTL NUMBER
DEG. R	L8/CU FT	BTU/LB	PSIA-CU FT/8TU	PSIA	1/DEG. R	BTU/FT-HR-R	LB/FT-SEC X 10E+6	SQ FT/HR		
										2.500
4.0	9.395	58.7		1260 - 0	0.0106	0.00896	2.77	0.00153	1.02056	0.692
5.0	9.232	20.7		0.90.0	0.0239	0.0104	2.82	0.00229	1.02046	0.479
6.0	8.963	17.0	7.21	847.0	0.0368	0.0112	2.69	0.00200	1.02028	0.540
7.0	8.563	14.3	7.36	536.0	0.0565	0.0118	2.49	0.00170	1.01996	0.616
8 • 0	7.952	11.8	6.93	328.0	0.0967	0.0120	2.25	0.00132	1.01938	0.771
9.0	6.765	8.33	5.72	82.0	0.307	0.0121	1.93	0.000696	1.01786	1.45
10.0	2.008	7.68	3.91	16.0	0.382	0.00845	1.18	0.00143	1.00692	1.48
11.0	1.534	9.76	3.90	22.3	0.203	0.00815	1.21	0.00268	1-00540	1.06
12.0	1.291	11.5	3.88	25.4	0.148	0.00836	1.26	0.00379	1.00460	0.926
13.0	1.133	13.2	3.86	27 • 2	0.123	6.00868	1.31	0.00487	1.00406	0.858
14.0	1.012	14.7	3.85	28.4	0.102	0.00903	1.37	0.00594	1.00365	0.817
15.0	0.9232	16.2	3.83	29.3	0.0894	0.00939	1.42	0.00703	1.00334	0.791
16.0	0.8456	17.7	3.81	29.9	0.0800	0.00974	1.48	0.00814	1.00308	0.772
17.0	0.7836	19.1	3.8ŭ	30.5	0.0727	0.0101	1.53	0.00927	1.00286	0.759
18.0	0.7309	20.5	3.79	30.9	0.0667	0.0104	1.59	0.0104	1.00267	0.749
19-0	0.6857	21.9	3-78	31.2	0.0618	0.0108	1.64	0.0116	1.00251	0.742
20.0	0.6461	23.3	3.77	31.4	0.0576	0.0111	1.69	0.0128	1.00237	0.736
22.0	0.5800	26.0	3.75	31.8	0.0509	0.0117	1.79	0.0153	1.00214	0.728
24.0	0.5268	28.7	3.74	32.1	0.0457	0.0124	1.89	0.0179	1-00194	0.723
26.0	0-4830	31.3	3.73	32.3	0.0415	0.0130	1.99	0.0206	1.00179	0.719
28.0	0.4461	34.0	3.72	32.5	0.0380	0.0135	2.09	0.0235	1.00165	0.717
30.0	0.4147	36.6	3.71	32.7	0.0351	0.0141	2.18	0.0264	1.00154	0.715
32.0	0.3875	39.2	3.70	32.8	0.0326	0.0146	2.27	0.0295	1.00144	0.714
34.0	0.3638	41.8	3.69	32.8	0.0305	0.0152	2.36	0.0327	1.00135	0.713
36.0	0.3429	44.4	3.69	32.9	0.0287	0.0157	2.44	0.0359	1.00128	0.713
38.0	0.3244	46.9	3.68	33.0	0.0270	0.0162	2.52	0.0393	1.00121	0.713
40-0	0.3078	49.5	3.67	33.0	0.0256	0.0167	2.61	0.0428	1.00115	0.712
45.0	0 2770	55.8	2.66	33.1	0.0226	0.0179	2.80	0.0519	4 00400	0.712
	0.2730		3.66						1.00102	
56.0	0.2453	62.2	3.66	33.1	0.0202	0.0190	2.99	0.0616	1.00092	0.712
55 - 0	0-2228	68 - 5	3 - 65	33.1	0.0183	0.5201	3.17	0.0720	1.00083	0.712
60.0	0.2042	74 - 8	3.64	33.2	0.0167	0.0212	3.35	0.0829	1.00076	0.712
76.0	0.1749	87.3	3.64	33.2	0.0143	0.0233	3.68	0.106	1.00066	0.711
80.0	0.1531	100.0	3.63	33.2	0.0125	0.0252	3.99	0.132	1.00057	0.710
90.0	0.1361	112.0	3.63	33.2	0.0111	0.0272	4.29	0.160	1.00051	0.708
100.0	0.1225	125.0	3.62	33.2	0.0100	0.0290	4.58	0.190	1.00046	0.706
120.0	0.1021	150.0	3.62	33.1	0.00831	0.0326	5.12	0.257	1.00038	0.702
140.0	0.08757	174.0	3.62	33.1	0.00712	0.0361	5.63	0.331	1.00033	0.698
160.0	0.07665	199.0	3.61	33.1	0.00623	0.0394	6.11	0.414	1.00029	0.694
180.0	0.06816	224.0	3.61	33.1	0.00554	0.0426	6.58	0.503	1.00026	0.691
200.0	0.06136	249.0	3.61	33.1	0.00499	0.0457	6.91	0.600	1.00023	0.675
250.0	0.04911	311.0	3.61	33.1	0.00399	0.0532	7.99	0.873	1.00019	0.671
300.0	0.04394	373.€	3.61	33.1	0.00333	0.0603	9.02	1.19	1.00015	0.669
350.0	0.03511	435.0	3.61	33.1	0.00285	0.0670	10.0	1.54	1.00013	0.667
400.0	0.03072	497.ū	3.60	33 - 0	0.00250	0.0733	10.9	1-92	1-00012	0.666
450.0	0.02732	559.0	3.60	33.0	0.00222	0.0793	11.8	2.34	1.00010	0.666
500.0	0.02459	621.0	3.60	33.0	0.00200	0.0851	12.7	2.79	1.00009	0.667
600.0	0.02049	746.0	3.60	33.0	0.00166	0.0962	14.4	3.78	1.00008	0.668
700-0	0.01757	870 - 0	3-60	33.0	0.00143	0.107	16.0	4.91	1.00007	0.668
830.3	0.01537	994.0	3.60	33.0	0.00125	0.118	17.6	6.16	1.00006	0.668
900.0	0.01367	1120.0	3.60	33.0	0.00111	0.128	19.1	7.52	1.00005	0.667
1000.0	0.01230	1240.0	3.60	33.0	0.00100	0.137	20.5	9.00	1-00005	0.667
1200-0	0.01025	1490.0	3.60	33.0	0.000833	0.156	23.3	12.3	1.00004	0.667
1400.0	0.308789	1740.0	3.60	33.0	0.003714	0.174	26.0	16.0	1.00003	0.667
1600.0	0.007690	1990.0	3.60	33.0	0.000625	0.191	28.5	20.0	1.00003	0.666
1806.0	0.006836	2230.0	3.60	33.0	0.000555	0.208	31.0	24.5	1.00003	0.666
2000.0	0.006153	2480.0	3.60	33.0	0.000500	0.224	33.4	29.4	1.00002	0.666
2500.0	0.004923	3100.0	3.60	33.0	0.000400	0.263	39.2	43.0	1.00002	0.666
3000.0	0-034102	3720.0	3.60	33.0	0.000333	0.299	44.6	58.8	1.00002	0.666

^{*} TWD-PHASE BOUNDARY

34 PSIA ISOBAR

TEMPEDATUS		ISDTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
TEMPERATUR	CE VOLUME			ENERGY	ENIHALPI	ENTRUPT	CV	LP	OF SOUND
		DERIVATIVE	DERIVATIVE		071141.0	2711412	0.711 4		
DEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/L8	BTU/LB-R	810 7	LB -R	FT/SEC
4.0	1.1163	135.0	13.3	1.383	2.052	0.3941	0.6084	0.6194	797.8
5.0	0.1082	119.0	26.0	1.853	2.535	0.5037	0.4303	0.4920	793.8
€.0	3.1115	95.4	31.3	2 • 377	3.079	0.6035	0.4828	0.6242	755.9
7.0	0.1166	69.4	33.2	3.045	3.779	0.7117	0.5253	0.8057	702.4
8.0	0.1254	42.2	31.8	3.936	4.725	0.8376	0.5739	1.133	621.3
9.0	0.1463	13.4	25.6	5.369	6-290	1.020	0.6490	2.394	479.1
10.0	0.4672	7.18	6.56	10.79	13.73	1.804	0.7801	3.206	369.6
				12.25	16.18	2.039	0.7599		
11.0	1.6236	14.0	4.76		16.18	2.039	0.7599	2.042	417.8
12.0	0.7449	19.2	3.92	13.36	18.05	2.201	0.7506	1.737	453.9
13.0	0.8530	23.7	3.39	14 - 33	19.70	2.334	0.7462	1.594	484.3
14.0	0.9541	27.8	3.01	15.25	21.25	2.449	0.7441	1.512	511.2
15.0	1.051	31.6	2.71	16.12	22.74	2.551	0.7432	1.458	535.7
16.0	1.144	35.2	2.48	16.97	24-18	2.644	0.7429	1.421	558.4
17.0	1.235	38.7	2.29	17.80	25.58	2.729	0.7429	1.394	579.7
18.0	1.325	42.0	2.13	18.62	26.97	2.809	0.7431	1.373	599.9
19.0	1.413	45.3	1.99	19.43	28.32	2.882	0.7433	1.358	619.1
26.0	1.500	48.5	1.87	20.23	29.67	2.951	0.7436	1.345	637.5
22.0	1.671	54.8	1.67	21.81	32.33	3.078	0.7442	1.326	672.3
24.0	1.841	60.9	1.51	23.37	34.96	3.193	0.7448	1.313	705.0
26.0	2.008	66.9	1.38	24.92	37.57	3.297	0.7452	1.302	735.8
28.0	2.175	72.8	1.28	26.47	40.16	3.393	0.7456	1.293	765.1
36.0	2.340	78.7	1.18	28.01	42.74	3.482	0.7458	1.286	793.0
32.0	2.504	84.5	1.10	29.54	45.31	3.565	0.7459	1.281	819.8
		90.2	1.03	31.07	47.86	3.642	C.7460	1.276	845.5
34.0	2.667						0.7460		
36.0	2.830	95.9	0.972	32.60	50.41	3.715	0.7461	1.272	870.4
38.0	2.992	102.0	0.918	34.12	52.95	3.784	0.7461	1.269	894.6
40.0	3.154	107.0	0.870	35.63	55.49	3.849	0.7462	1.266	918.0
45.0	3.556	121.0	0.769	39.42	61.81	3.998	0.7462	1.261	973.9
56.0	3.957	135.0	0.690	43.19	68.10	4.130	0.7461	1.257	1026.0
55.0	4.356	149.0	0.625	46.95	74.38	4.250	0.7460	1.254	1076.0
60.0	4.754	162.0	0.572	50.71	80.64	4.359	0.7460	1.252	1124.0
70.0	5.549	190.0	0.489	58.21	93.15	4.552	0.7458	1.249	1213.0
80.0	6.342	217.0	0.427	65 • 69	105.6	4.718	0.7457	1.247	1296.0
90.0	7.134	244.0	0.379	73.17	118.1	4.865	0.7456	1.246	1374.0
100-0	7.925	271.0	0.341	80-64	130.5	4.996	0.7455	1.245	1447.0
120.0	9.506	325.0	0.284	95.57	155.4	5.223	0.7453	1.244	1584.0
140.0	11.19	378.0	0.243	110.5	180.3	5.415	0.7452	1.243	1710.0
160.0	12.66	432.0	0.213	125.4	205.1	5.581	0.7452	1.242	1827.0
180.0	14.24	486.0	0.189	140.3	230.0	5.727	0.7451	1.242	1937.0
256.0	15.82	540.0	0.170	155.2	254.8	5.858	0.7451	1.242	2041.0
250.0	13.76	674.0				6.135			
		808.0	0.136	192.5	316.9		0.7450	1.242	2280.0
300.0	23.71		9.113	229.7	379.0	6.361	0.7449	1.241	2497.0
350.0	27.65	942.0	0.0971	267.0	441.3	6.553	0.7449	1.241	2696.0
400.0	31.59	1080.0	0.0850	304.2	503.1	6.718	0.7449	1.241	2882.0
450.0	35.53	1210.0	0.0755	341.5	565.2	6.865	0.7449	1.241	3056.0
500.0	39.48	1340-0	0.0680	378.7	627.2	6.995	0.7448	1.241	3221.0
600.0	47.36	1610.0	0.0567	453.2	751.3	7.222	0.7448	1.241	3527.0
				.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	.,		••••		
700.ū	55.25	1880.0	0.0486	527.6	875.5	7.413	0.7448	1.241	3809.0
800.0	63.13	2150.0	0.0425	602.1	1000.0	7.579	0.7448	1.241	4072.0
900.0									
	71.31	2420.0	0.0378	676.6	1124.0	7.725	0.7448	1.241	4319.0
1000.0	78.90	2680.0	0.0340	751.1	1248.0	7 • 856	0.7448	1.241	4552.0
1200.0	94.67	3220.0	0.0283	930.0	1496.0	8.082	0.7448	1.241	4986-0
1400-0	113-4	3760.0	0.0243	1049.0	1744.0	8.273	0.7448	1.241	5385.0
1600.0	126.2	4290.0	0.0212	1198.0	1992.0	8.439	0.7448	1.241	5756.0
1860.0	142.0	4830.0	0.0189	1347.0	2241.0	8.585	0.7448	1.241	6105.0
2000.0	157.7	5360.0	0.0170	1496.0	2489.0	8.716	0.7448	1.241	6435.0
2500.0	197.2	6710.0	0.0136	1868.0	3110.0	8.993	0.7448	1.241	7195.0
-,,,,,	- ,,	0,10.0	0.0100	20010	3110.0	0.,,,,	301410		, 1,,,,,
3000.0	236.6	8050.0	0.0113	2241.0	3730.0	9.219	0.7447	1.241	7881.0
3000.0	230.0	0070.0	0.0113	C 2 4 1 • U	3/30.0	3.513	0 . / 44 /	1.241	,001.0

^{*} TWO-PHASE BOUNDARY

34 PSIA ISOBAR

TEMPERATURE	DENSITY	V (OH/DV)	V(DP/DU)	-V(DP/DV)	(DV/DT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
TEIT EXATORE	DENSIN	Р.	V(DP/DU)	T		DNOUCTIVITY		DIFFUSIVITY		NUMBER
DEG. R	L3/CU FT	BTU/L9	PSIA-CU FT/9TO	J PSIA		BTU/FT-HR-R		SQ FT/HR		
							X 10E+6			
4.0	9.403	58.9	2.33	1270.0	0.0105	0.00897	2.78	0.00154	1.02056	0.691
5.0	9.241	20.8	6.55	1100.0	0.0237	0.0105	2.83	0.00230	1.02047	0.479
6.0	8.971	17-1	7.22	856.0	0.0365	0.0112	2.70	0.00200	1.02029	0.540
7.0	8.574	14.4	7.38	595.0	0.0558	0.0118	2.50	0.00171	1.01998	0.614
8.0	7.975	12.0	6.95	337.0	0.0945	0.0121	2.26	0.00133	1.01940	0.765
9.0	6.834	8.58	5.78	91.8	0.279	0.0121	1.92	0.000737	1.01796	1.37
10.0	2.140	7.50	3.93	15.4	0.427	0.00870	1.20	0.00127	1.00733	1.59
11.0	1.604	9.64	3.91	22.5	0.212	0.00823	1.22	0.00251	1.00563	1.09
12.0	1.342	11.4	3.89	25.8	0.152	0.00841	1.26	0.00361	1.00477	0.940
13.0	1.172	13.1	3.87	27 - 8	0.122	0.00872	1.32	0.00466	1.00420	0.867
14.0	1.048	14.6	3.85	29.1	0.103	0.00906	1.37	0.00572	1.00378	0.824
15.0	0.9518	16.1	3.84	30.1	0.0903	0.00941	1.43	0.00678	1.00345	0.796
16.0	0.8740	17.6	3.82	30.8	0.0807	0.00976	1 • 48	0.00786	1-00318	0.776
17.0	0.8094	19.1	3.81	31.3	0.0731	0.0101	1.54	0.00896	1.00295	0.762
18.0	0.7547	20.5	3.79	31.7	0.0671	0.0105	1.59	0.0101	1.00276	0.752
19.0	0.7077	21.9	3.78	32.1	0.0621	0.0108	1.64	0.0112	1.00259	0.744
20.0	ŭ.6667	23.2	3.77	32.3	0.0579	0.0111	1.70	0.0124	1.00245	0.738
22.0	0.5983	26.0	3.76	32.8	0.0511	0.3118	1.80	6.0148	1.03220	0.730
24.0	0.5432	28.7	3.74	33.1	9.0458	0.0124	1.93	0.0174	1.00200	0.724
26.0	0.4979	31.3	3.73	33.3	0.0416	0.0130	1.99	0.0230	1.00184	0.720
28.0	0.4598	34 - 0	3.72	33.5	0.0381	0.0135	2.09	3.0228	1.00170	0.718
30.0	0.4274	36.6	3.71	33.6	0.0352	0.0141	2.18	0.0257	1.00158	0.716
32.0	0.3994	39.2	3.70	33.7	0.0327	0.0146	2.27	0.0286	1.00148	0.715
34.0	0.3749	41.8	3.69	33.8	0.0335	0.3152	2.36	0.0317	1.00139	0.714
36.0	0.3534	44.4	3.69	33.9	0.0287	0.0157	2.44	0.0349	1.00131	0.713
38.0	0.3342	46.9	3.68	34.9	0.0273	0.0162	2.53	0.0382	1.00124	0.713
40.0	0.3171	49.5	3.68	34 · u	0.0256	0.0167	2.61	0.0415	1.00118	0.713
45.0	0.2812	55.8	3.67	34.1	0.0226	0.0179	2.81	0.0504	1.00105	0.713
50.0	0.2527	62.2	3.66	34.1	0.0202	0.0190	2.99	0.0599	1.00094	0.712
55.0	0.2296	68.5	3.65	34.1	0.0183	J.0201	3.17	0.0699	1.00086	0.712
66.0	0.2103	74.8	3.65	34.2	0.0167	0.0212	3.35	0.0805	1.00079	0.712
70.0	0.1832	87.3	3.64	34 • 2	0.0143	0.0233	3.68	0.103	1.00368	0.711
80.0	0.1577	100.0	3.63	34.2	0.0125	0.0253	3.99	0.128	1.00059	0.710
90.0	0.1402	112.0	3.63	34.2	0.0111	0.0272	4.29	0.156	1.00053	0.708
100.0	0.1262	125.0	3.62	34 - 2	0.0100	0.0290	4.58	0.185	1.00047	0.706
120.0	0.1052	150.0	3.62	34.2	0.00831	0.0326	5.12	0.249	1.03040	0.732
140.0	0.09021	175.0	3.62	34.1	0.00712	0.0361	5.63	0.322	1.00034	0.698
160.0	0.07896	199.0	3.61	34.1	0.00623	0.0394	6.11	0.402	1.00030	0.694
180-0	0.07021	224.0	3.61	34.1	0.00554	0.0426	6.58	0.489	1.00026	0.691
206.0	0.06321	249.0	3.61	34.1	0.00499	0.3457	6.91	0.583	1.00024	0.675
250.0	0.05060	311.0	3.61	34.1	0.00399	0.0532	7.99	0.847	1.00019	0.671
300.0	0.04218	373.0	3.61	34 • 1	0.00333	0.0603	9.02	1.15	1.00016	0.669
350.0	0.03617	435.0	3.61	34.1	0.00285	0.0670	10.0	1.49	1.00014	0.667
466.0	0.03165	497.0	3.60	34.1	0.00250	0.6733	10.9	1.87	1.00012	0.666
450.0	0.02814	559.0	3.60	34.0	0.00222	0.0793	11.8	2.27	1.00011	0.666
500-0	0.02533	621.0	3.60	34.0	0.00206	0.0851	12.7	2.71	1.00010	0.667
600.0	3.02111	746.0	3.63	34.0	0.00166	0.0962	14.4	3.67	1.30008	0.668
700.0	0.01810	870.0	3.60	34.0	0.00143	0.107	16.0	4.77	1.00007	0.668
800.0	0.01584	994.0	3.60	34.0	0.00143	0.107	17.6	5.98	1.00006	0.668
900.0	0.01408	1120.0	3.60	34.0	G.00111	0.128	19.1	7.36	1.00005	0.667
1000.0	0.01267	1240.0	3.60	34.0	0.00111	0.128	20.5	8.73	1.00005	0.667
1200.0	0.01356	1490.0	3.60	34.0	0.000833	0.156	23.3	11.9	1.00004	0.667
1400.0	0.009055	1740.0	3.60	34.0	0.000633	0.174	26.0	15.5	1.00003	0.667
1600.0	0.007923	1990.0	3.60	34.0	0.000625	0.191	28.5	19.5	1.00003	0.666
1860.0	0.007043	2230.0	3.60	34.0	0.000555	0.208	31.0	23.8	1.00003	0.666
2000.0	0.005339	2480.0	3.60	34.0	0.000500	0.224	33.4	28.5	1.00003	0.666
2500-0	0.005072	3100.0	3.60	34.0	0.003400	0.263	39.2	41.7	1.00302	0.666
		01000	3.00		0.003400	0.200	33.6	12.1	1.00302	0.000
3000.0	0.034227	3720.6	3.60	34.0	0.000333	0.299	44.6	57 • O	1.03002	0.666

^{*} TWD-PHASE BOUNDARY

35 PSIA ISOBAR

TEMPERATU	RE VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
		OERIVATIVE	OERIVATIVE	ENERGY					OF SOUNO
OEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BIU /	LB -R	FT/SEC
4.0	0.1063	136.0	13.3	1.382	2.071	0.3938	0.6060	0.6170	800-1
5 - 0	0-1081	120.0	26.0	1.851	2.552	0.5033	0.4300	0.4912	796.2
6.0	3.1113	96.3	31.3	2.372	3.394	0.6026	0.4826	0.6227	758.7
7.0	0.1164	70.4	33.3	3.037	3.792	0.7104	0.5250	0.8023	705.8
8.0	0.1250	43.2	32.0	3.922	4.732	0.8355	0.5732	1.122	626.0
9.0	0.1450	14.7	26.0	5.319	6.259	1.014	0.6465	2.260	488.1
16.3	0.4371	6.38	7.06	10.60	13.43	1.766	0.7816	3.549	366.2
11.0	0.5966	13.5	5.00	12.16	16.02	2.014	0.7607	2.104	415.8
12.0	0.7168	18.8	4.09	13.29	17.93	2.180	0.7510	1.765	452.6
13.0	3.8232	23.4	3.52	14.28	19.61	2.315	0.7464	1.611	483.3
13.0	1.0532	23.7	3.96	14.50	19101	2.519	001404	1.011	40343
14.0	0.9222	27.5	3.12	15.20	21.18	2.431	0.7441	1.523	510.5
15.0	1.017	31.3	2.81	16.08	22.67	2.534	0.7432	1.467	535.1
16.0	1.108	35.0	2.57	16.93	24.11	2.627	0.7429	1.428	558.0
17.0	1.197	38.5	2.37	17.77	25.53	2.713	0.7429	1.399	579.3
		41.9	2.20	18.59	26.92	2.792	0.7431	1.378	599.6
18.0	1.284								
19.0	1.370	45.1	2.06	19.40	28-28	2 - 866	0.7433	1.362	618.9
20.0	1.455	48.3	1.93	20.20	29.63	2.935	0.7436	1.349	637.3
22.0	1.622	54.6	1.73	21.78	32.29	3.062	0.7442	1.329	672.3
24.0	1.797	60.8	1.56	23.35	34.93	3.177	0.7448	1.315	705-0
26.0	1.950	66 • 8	1.43	24.98	37.54	3.282	0.7452	1.304	735.9
			4 70	24 . 5			0.7154		74.0
28.0	2.112	72.8	1.32	26 • 45	40.13	3.378	0.7456	1.295	765.2
30.0	2.272	78.6	1.22	27.99	42.72	3.467	0.7458	1.288	793.1
32.0	2.432	84.5	1.14	29.53	45.29	3.550	0.7460	1.282	819.9
34.0	2.591	90.2	1.06	31.06	47.85	3.627	0.7461	1.277	845.7
36.0	2.749	95.9	1.66	32.58	50.40	3.700	0.7461	1.273	870.7
38.0	2.916	162.0	0.946	34.10	52.94	3.769	0.7462	1.270	894.8
40.0	3.063	107.0	0.896	35.62	55.48	3.834	0.7462	1.267	918.2
45.0	3.455	121.0	0.792	39.41	61.80	3.983	0.7462	1.261	974.1
50.0	3.844	135.0	0.710	43.18	68.39	4.116	0.7461	1.257	1027.0
55∙0	4.232	149.0	0.644	46.94	74.37	4.235	0.7461	1.255	1077.0
60.0	4.619	162.0	0.589	50.79	89.64	4.344	0.7460	1.252	1124.0
76.0	5.392	190.0	0.503	58.20	93.14	4.537	0.7458	1.249	1213.0
80.0	6.162	217.0	0.446	65.69	135.6	4.704	0.7457	1.247	1296.0
90.0	6.932	244.0	0.390	73.17	118.1	4.851	0.7456	1.246	1374.0
100.0	7.700	271.0	0.351	80.64	130.5	4.982	0.7455	1.245	1448.0
120.0	3.236	325.0	0.292	95.57	155.4	5.209	0.7454	1.244	1584-0
140.0	10.77	379.0	0.250	110.5	180.3	5.400	0.7453	1.243	1710.0
140.0	10.77	3/9•0	0.250	110.5	100.3	5.400	0.7453	1.243	1/10.0
160.0	12.30	432.0	0.219	125.4	205.1	5.566	0.7452	1.242	1827.0
186.0	13.84	486.0	0.195	140.3	230.3	5.713	0.7451	1.242	1937.0
200.0	15.37	540.0	0.175	155.2	254.8	5.844	0.7451	1.242	2041.0
250.0	19.20	674.0	0.146	192.5	316.9	6.121	0.7450	1.242	2281.0
300.0	23.03	808.0	G • 117	229.7	379.0	6.347	0.7449	1.242	2497.0
350.0	26.86	942.0	0.100	267.0	441.1	6.538	0.7449	1.241	2696.0
400.0	30.69	1086-0	0.0875	304.2	503-1	6.704	0.7449	1.241	2882.0
450.0	34.52	1210.0	0.0778	341.5	565.2	6.850	0.7449	1.241	3056.0
500.0	38.35	1340.0	0.0700	378.7	627.2	6.981	0.7448	1.241	3221.0
600.0	46.01	1610.0	0.0583	453.2	751.4	7.207	0.7448	1.241	3527.0
760.0	53.67	1880 0	0 0500	527 6	07E E	7 700	0 7440	4 261	7010 0
860.0	61.33	1880.0 2150.0	0.0500	527.6	875.5	7 + 399	0.7448	1.241	3810.0
			0.0437	602.1	1000.0	7.564	0.7448	1.241	4072.0
900.0	68.93	2420.0	0.0389	676.6	1124.0	7.711	0.7448	1.241	4319.0
1000.0	76.65	2680.0	0.0350	751 - 1	1248.3	7.841	0.7448	1.241	4552.0
1200.0	91.97	3220.0	0.0292	3.606	1496.0	8.068	0.7448	1.241	4986.0
1400.0	107.3	3760.0	0.0250	1349.0	1744.0	8.259	0.7448	1.241	5385.0
1600.0	122.5	4290.0	0.0219	1198.0	1993.0	8.425	0.7448	1.241	5756-0
1800-0	137.9	4830-6	0.0194	1347.0	2241.3	8.571	0.7448	1.241	6105.0
2000.0	153.2	5360.ù	0.0175	1496.0	2489.0	8.702	0.7448	1.241	6435.0
2500.0	191.5	6710.0	0.0140	1868.0	3110.0	8.979	0.7448	1.241	7195.0
3000.0	229.8	8050.0	0.0117	2241.0	3730.0	9.205	0.7447	1.241	7881.0

^{*} TWO-PHASE BOUNDARY

35 PSIA ISOBAR

TEMPERATURE	DENSITY	V(DH/DV) _P	V (DP/DU) -1	(DP/DV)	(DV/DT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
TEIN ERATOR		P	v	T		DNOUCTIVITY		DIFFUSIVITY	CONSTANT	NUMBER
DEG. R	LB/CU FT	BTU/L8	PSIA-CU FT/BTU	PSIA		BTU/FT-HR-R		SQ FT/HR		
							X 10E+6			
4.0	9.411	59.2		1280.0	0.0104	0.00898	2.79	0.00155	1.02057	0.690
5.0	9.249	20.9		1110.0	0.0235	0.0105	2.84	0.00230	1.02047	0.479
6.0	8.982	17.2	7.22	865.0	0.0362	0.0112	2.71	0.00201	1.02030	0.540
7.0	8.589	14.5	7.39	604.0	0.0551	0.0118	2.51	0.00172	1.01999	0.613
8.0	7.998	12.1	6.98	346.0	0.0925	0.0121	2.27	0.00135	1.01943	0.759
9.0	6.897	8.81	5.84	101.0	0.257	0.0121	1.94	0.000774	1.01806	1.31
10.0	2.288	7.33	3.95	14.6	0.484	0.00901	1.22	0.00111	1.00778	1.73
11.0	1.676	9.52	3.92 3.90	22.6	0.221	0.00831	1.23	0-00236 0-00344	1-00587	1.12 0.955
12-0 13-0	1.395	11.3 13.0		26 • 2 28 • 4	0.156 0.124	0.00846	1.27	0.00344	1.00495 1.00435	0.876
13.0	1.215	13.0	3.88	20.4	0.124	0.00075	1.52	0.00447	1.00435	0.070
14.0	1.084	14.6	3.86	29.8	0.105	0.00909	1.38	0.00550	1.00390	0.830
15.0	0.9836	16.1	3.84	30.8	0.0912	0.00944	1-43	0.00654	1.00356	0.801
16.0	0.9025	17.6	3.83	31.6	0.0813	0.00979	1.49	0.00760	1.00327	0.780
17.0	0.8353	19.0	3.81	32.1	0.0736	0.0101	1.54	0.00867	1.00304	0.765
18.0	0.7785	20.4	3.80	32.6	0.0674	0.0105	1.59	0.00977	1.00284	0.754
19.0	0.7299	21.8	3.79	32.9	0.0624	0.0108	1.65	0.0109	1.00267	0.746
20.0	0.6874	23.2	3.78	33.2	0.0581	0.0111	1.70	0.0120	1.00252	0.740
22.0	0.6165	25.9	3.76	33.7	0.0513	0.0118	1.80	0.0144	1.00227	0.731
24.0	0.5597	28.6	3.75	34.0	0.0459	0.0124	1.90	0.0168	1.00206	0.726
26.0	0.5128	31.3	3.74	34.3	0.0417	0.0130	2.00	0.0194	1.00189	0.722
					••••					*****
28.0	0.4736	33.9	3.72	34.5	0.0382	0.0136	2.09	0.0221	1.00175	0.719
30.0	0.4401	36.6	3.71	34.6	0.0352	0.0141	2.18	0.0249	1.00163	0.717
32.0	0.4112	39.2	3.71	34 - 7	0.0327	0.0147	2.27	0.0278	1.00153	0.715
34.0	0.3860	41.8	3.70	34.8	0.0306	0.0152	2.36	0.0308	1.00143	0.714
36.0	0.3638	44.3	3.69	34.9	0.0287	0.0157	2.44	0.0339	1.00135	0.714
38.0	0.3441	46.9	3.68	34.9	0.0271	0.0162	2.53	0.0371	1.00128	0.713
40 - 0	0.3264	49.5	3.68	35.0	0.0256	0.0167	2.61	0.0404	1.00122	0.713
45.0	0.2895	55 • 8	3.67	35.1	0.0226	0.0179	2.81	0.0490	1.00108	0.713
50.0	0.2601	62.2	3.66	35.1	0.0202	0.0190	2.99	0.0582	1.00097	0.713
55.0	0.2363	68.5	3.65	35 - 2	0.0183	0.0201	3.18	0.0679	1.00088	0.713
60.0	0.2165	74.8	3.65	35.2	0.0167	0.0212	3.35	0.0782	1.00081	0.712
70.0	0.1855	87.3	3.64	35 • 2	0.0143	0.0233	3.68	0.100	1.00069	0.711
80.0	0.1623	100.0	3.63	35.2	0.0125	0.0253	3.99	0.125	1.00061	0.710
90.0	0-1443	112.0	3.63	35.2	0.0111	0.0272	4.29	0.151	1.00054	0.708
100.0	0.1299	125.0	3.63	35.2	0.0100	0.0290	4.58	0.180	1.00049	0.706
120.0	0.1083	150.0	3.62	35.2	0.00831	0.0326	5.12	0.242	1.00041	0.702
140.0	0.09285	175.0	3.62	35.1	0.00712	0.0361	5.63	0.313	1.00035	0.698
450.0	0.004.00	400.0	2.64	75.4					4 00074	0.500
160.0	0.08128	199.0	3.61	35.1	0.00623	0.0394	6.12	0.390	1.00031	0.694
180.0	0.07227	224.0	3.61	35.1	0.00554	0.0426	6.58	0.475	1.00027	0.691
200.0	0.06506	249.0	3.61	35.1	0.00499	0.0457	6.91	0.566	1.00025	0.675
250.0	0.05208	311.0	3.61	35.1	0.00399	0.0532	7.99	0.823	1.00020	0.671
300.0	0.04342	373.0	3.61	35.1	0.00333	0.0603	9.02	1.12	1.00016	0.668
350.0	0.03723	435.0	3.61	35.1	0.00285	0.0670	10.0	1.45	1.00014	0.667
400.0	0.03258	497.0	3.60	35.1	0.00250	0-0733	10.9	1.81	1.00012	0.666
450 - 0 500 - 0	0.02897	559.0 621.0	3.60	35.0	0.00222	0.0793	11.8	2.21	1.00011	0.666
600.0	0.02608 0.02173	746.0	3.60 3.60	35.0 35.0	0.00200 0.00166	0.0851	12.7 14.4	2.63 3.57	1.00010	0.667 0.668
000.0	0.021/3	740.0	3.00	37.0	0.00100	0.0902	14.4	3.51	1.00008	0.000
700-0	0.01863	870.0	3.60	35.0	0.00143	0.107	16.0	4.63	1.00007	0.668
860.0	0.01631	994.0	3.60	35.0	0.00125	0.118	17.6	5.81	1.00006	0.668
900.0	0.01450	1120.0	3.60	35.0	0.00111	0.128	19.1	7.09	1.00005	0.667
1000.0	0.01305	1240.0	3.60	35.0	0.00100	0.137	20.5	8 - 48	1.00005	0-667
1200.0	0-01087	1490.0	3.60	35.0	0.000833	0.156	23.3	11.6	1.00004	0.667
1460.0	0.009321	1740.0	3.60	35.0	0.000714	0.174	26.0	15.1	1.00004	0.667
1660.0	0.008156	1990.0	3.60	35.0	0.000625	0.191	28.5	18.9	1.00003	0.666
1800.0	0.007250	2230.0	3.60	35.0	0.000555	0.208	31.0	23.1	1.00003	0.666
2000.0	0.006526	2480.0	3.60	35.0	0.000500	0.224	33.4	27.7	1.00002	0.666
2500.0	0.005221	3100.0	3.60	35.0	0.000400	0.263	39.2	40.5	1.00002	0.666
3000.0	0.004351	3720.0	3.60	35.0	0.000333	0.299	44.6	55.4	1.00002	0.666

^{*} THO-PHASE BOUNDARY

36 PSIA ISOBAR

TEMPERATURE	E VOLUME	ISOTHERM OERIVATIVE	ISOCHORE OERIVATIVE	INTERNAL ENERGY	ENTHALPY	ENTROPY	CV	CP	VELOCITY OF SOUNO
OEG. R	CU FT/LB	CU FT-PSIA/LB	PSI A/R	BTU/LB	BTU/LB	9TU/LB-R	8TU /	LB -R	FT/SEC
4.0	0.1362	137.0	13.3	1.381	2.089	0.3935	0.6037	0.6146	802.4
	0.1080	121.0	26.0	1.848	2.568	0.5024	0.4296	0.4903	798.5
5.0									
6 • 0	0.1112	97.2	31.3	2.368	3.139	0-6017	0-4823	0-6213	761.4
7.0	0.1162	71.3	33.4	3.030	3.805	0.7091	0.5246	0.7989	709.1
8.0	0.1247	44.2	32.2	3.917	4.739	0.8334	0.5725	1.111	630.5
9.0	0.1438	16.0	26.4	5.274	6.233	1.008	0.6443	2.149	496.6
10.0	0.4072	5.57	7.63	10.39	13.10	1.725	0.7829	3.997	362.9
11.0	J.5708	13.0	5.25	12.06	15.86	1.990	0.7615	2.171	413.8
12.0	0.6902	18.4	4.26	13.21	17.82	2.160	0.7514	1.795	451.2
		23.0	3.65	14.22	19.52	2.296	0.7465	1.628	482.3
13.0	3.7950								
14.0	J-8921	27.2	3.23	15.15	21.10	2.413	0.7442	1.535	509.7
15.0	3.9846	31.1	2.91	16.04	22.60	2.517	0.7432	1.475	534.5
16.0	1.074	34.7	2.65	16.89	24.05	2.611	0.7428	1.435	557.5
17.0	1.161	38.3	2.44	17.73	25.47	2.697	0.7429	1.405	579.0
18.0	1.246	41.7	2.27	18.56	26.86	2.776	0.7431	1.382	599.3
					28.23	2.850	0.7433		618.7
19.0	1.330	45.G	2.12	19.37				1.366	
20.0	1.412	48.2	1.99	20.17	29.58	2.920	0.7435	1.352	637.2
22.0	1.575	54.5	1.78	21.75	32.25	3.047	0.7442	1.332	672.2
24.0	1.736	60.7	1.61	23.32	34.89	3.162	0.7448	1.317	705.0
26.0	1.895	66.7	1.47	24.88	37.51	3.267	0.7452	1.306	736.0
28.0	2.352	72.7	1.35	26.43	40-11	3.363	0.7456	1.297	765.4
30.0	2.208	78.6	1.26	27.97	42.69	3.452	0.7458	1.289	793.3
32.0	2.364	84.4	1.17	29.51	45.27	3.535	0.7460	1.283	820.1
34.0	2.518	90.2	1.10	31.04	47.83	3.613	0.7461	1.278	845.9
				32.57	50.38	3.686	0.7462	1.274	870.9
36.0	2.672	95.9	1.03						
38.0	2.826	102.0	0.974	34.09	52.92	3.755	0.7462	1.271	895.0
40.0	2.978	107.0	0.922	35.61	55.46	3.820	0.7462	1.268	918.5
45.0	3.359	121.0	0.815	39.39	61.78	3.969	0.7462	1.262	974.4
50.0	3.738	135.0	0.731	43.17	68.08	4.102	0.7462	1.258	1027.0
55.0	4.115	149.0	0.663	46.93	74.37	4.221	0.7461	1.255	1077.0
60.0	4.492	163.0	0.606	50.69	80.63	4.330	0.7460	1.253	1124.0
70.0	5.243	190.0	0.516	58.19	93.14	4.523	0.7459	1.249	1214.0
80.0	5.992	217.0	0.452	65.68	105.6	4.690	0.7457	1.247	1296.0
90.0	6.740	244.0	0.402	73.16	118.1	4.837	0.7456	1.246	1374.0
100.0	7.487	271.0	0.361	80.63	130.5	4.968	0.7455	1.245	1448.0
120.0	8.980	325.0	J. 301	95.57	155.4	5.195	0.7454	1.244	1585.0
140.0	10.47	379.0	0.257	110.5	189.3	5.386	0.7453	1.243	1710.0
160.0	11.96	432.0	0.225	125.4	205.2	5.552	0.7452	1.242	1827.0
180.0	13.45	486.0	0.200	140.3	230.0	5-699	0.7451	1.242	1937.0
200.0	14.94	540.0	0.180	155.2	254.8	5.830	0.7451	1.242	2041.0
250.0	18.67	674.0	0.144	192.5	316.9	6.107	0.7450	1.242	2281.0
300.0	22.39	808.0	0.120	229.7	379.0	6.333	0.7449	1.241	2497.0
350.0	26.12	942.0	0.163	267.0	441.1		0.7449	1.241	2696.0
400.0	29.84	1080.0	0.103		503.1	6.524	0.7449	1.241	2882-0
				304.2		6.690			
450.0	33.56	1210.0	0.0800	341.5	565.2	6.836	0.7449	1.241	3056.0
500.0	37.29	1340.0	0.3720	378.7	627.2	6.967	0.7449	1.241	3221.0
600.0	44.73	1610.0	0.3600	453.2	751.4	7.193	0.7448	1.241	3528.0
700.0	52.18	1880-0	0.0514	527.6	875.5	7.385	0.7448	1.241	3810.0
800.0	59.63	2150.0	0.0450	602.1	1000.0	7.550	0.7448	1.241	4072.0
900.0	67.07	2420.0	0.0400	676.6	1124.0	7.697	0.7448	1.241	4319.0
1000.0	74.52	2680.0	0.0360	751.1	1248.0	7.827	0.7448	1.241	4552-0
1200.0	89.41	3220.0	0.9300	900.0	1496.0	8.054	0.7448	1.241	4986.0
1400.0	104.3								
		3760.0	0.0257	1049.0	1744.0	8.245	0.7448	1.241	5385.0
1600.0	119.2	4290.0	0.0225	1198.0	1993.0	8.411	0.7448	1.241	5756.0
1800.0	134.1	4830.0	0.0200	1347.0	2241.0	8.557	0.7448	1.241	6105.0
2000-0	149.0	5360.0	0.0180	1496.0	2489.3	8.688	0.7448	1.241	6435.0
2500.0	186.2	6710.0	0.0144	1868.0	3110.0	8.965	0.7448	1.241	7195.0
3000.0	223.5	8050.0	0.0120	2241.0	3730.0	9.191	0.7447	1.241	7881.0

^{*} TWO-PHASE BOUNDARY

36 PSIA ISO9AR

TEMPERATURE	DENSITY	V (DH/DV) _D	V (0P/0U)	-V(0P/0V)_	(DV/0T)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANOTL
		Р	v	T	P Co	NOUCTIVITY		OIFFUSIVITY		NUMBER
DEG. R	L8/CU FT	BTU/LB	PSIA-CU FT/BT	U PSIA	1/DEG. R	TU/FT-HR-R	LB/FT+SEC	SQ FT/HR		
							X 10E+6			
	0.140	50.4	2.7/	4200 0	0.0103	0.00899	2 00	0.00155	1.02057	0.500
4.0	9.418	59.4 21.0	2.34	1290.0	0.0103	0.0105	2.80 2.85	0.00155		0.689 0.479
5.0 6.0	9.258 8.992	17.3	6.54 7.23	874.0	0.0359	0.0113	2.71	0.00231	1.02048	0.539
7.0	8.603	14.7	7.40	613.0	0.0545	0.0118	2.52	0.00172	1.02000	0.612
8.0	8.020	12.3	7.00	355.0	0.0906	0.0121	2.28	0.00136	1.01945	0.753
9.0	6.955	9.03	5.89	111.0	0.238	0.0121	1.96	0.000808	1.01814	1.26
16.0	2.456	7.16	3.97	13.7	0.558	0.00940	1.24	0.000958	1.00828	1.90
11.0	1.752	9.48	3.93	22.7	0.231	0.00839	1.24	0.00221	1.00611	1.15
12.0	1.449	11.2	3.91	26.7	0.160	0.00851	1.28	0.00327	1.00513	0.971
13.0	1.258	12.9	3.89	29.0	0.126	0.00879	1.33	0.00429	1-00449	0-886
14.0	1.121	14.5	3.87	30.5	0.106	0.00912	1.38	0.00530	1.00403	0.837
15.0 16.0	1.016 0.9312	16.0 17.5	3.85 3.83	31.6 32.4	0.0921 0.0820	0.00946	1.44	0.00632 0.00735	1.00367 1.00337	0.806 0.784
17.0	0.8614	19.0	3.82	33.0	0.0741	0.0102	1.54	0.00739	1.00313	0.769
18.0	0.8025	20.4	3.80	33.4	0.0678	0.0105	1.60	0.00946	1.00293	0.757
19.0	0.7521	21.8	3.79	33.8	0.0627	0.0108	1.65	0.0105	1.00275	0.749
20.0	0.7081	23.2	3.78	34.1	0.0584	0.0112	1.70	0.0117	1.00259	0.742
22.0	0.6349	25.9	3.77	34.6	0.0514	0.0118	1.80	0.0140	1.00233	0.733
24.0	0.5761	28.6	3.75	35.0	0.0461	0.0124	1.90	0.0164	1.00212	0.727
26.0	0.5278	31.3	3.74	35.2	0.0418	0.0130	2.00	0.0189	1.00195	0.723
			_							
28.0	0.4873	33.9	3.73	35 - 4	0.0382	0.0136	2.09	0.0215	1.00180	0.720
30.0	0.4528	36.5	3.72	35.6	0.0353	0.0141	2.19	0.0242	1.00168	0.718
32.0	0.4230	39.2	3.71	35.7	0.0328	0.0147	2.27	0.0270	1.00157	0.716
34.0 36.0	0.3971	41.8	3.70 3.69	35.8 35.9	0.0306 0.0287	0.0152	2.36	0.0299	1.00147	0.715
38.0	0.3742	46.9	3.69	35.9	0.0271	0.0157 0.0162	2.45 2.53	0.0329 0.0360	1.00139 1.00132	0.714
40.0	0.3358	49.5	3.68	36.0	0.0256	0.0167	2.61	0.0392	1.00125	0.714
4000	0.0000	4,000	0.00	3010	0.050	0.010	2.01	0.0072	1.00127	00114
45.0	0.2977	55.8	3.67	36.1	0.0226	0.0179	2.81	0.0476	1.00111	0.713
50.0	0.2676	62.2	3.66	36.1	0.0202	0.0190	3.00	0.0566	1.00100	0.713
55.0	0.2430	68.5	3.65	36.2	0.0183	0.0201	3.18	0.0660	1.00091	0.713
60.G	0.2226	74.8	3.65	36.2	0.0167	0.0212	3.35	0.0761	1.00083	0.712
70.0	0.1907	87.3	3.64	36.2	0.0143	0.0233	3.68	0.0977	1.00071	0.711
86.0	0.1669	100.0	3.63	36.2	0.0125	0.0253	4.00	0.121	1.00063	0.710
90.0	0.1484	112.0	3.63	36.2 36.2	0.0111	0.0272	4.29	0.147	1.00056	0.708
126.0	0.1336 0.1114	125.G 150.0	3.63 3.62	36.2	0.0100 0.00831	0.0290 0.0326	4.58 5.12	0.175 0.236	1.00050 1.00042	0.706 0.702
140.0	0.09549	175.0	3.62	36.2	0.00712	0.0361	5.63	0.304	1.00036	0.698
140.0	0.03343	117.0	3.02	30.2	0.00,12	0.0301	2.03	0.004	1.00000	4.070
160.0	0.08359	199.0	3.61	36.1	0.00623	0.0394	6.13	0.379	1.00031	0.694
180.0	0.07433	224.0	3.61	36 • 1	G • 0G554	0.0426	6.58	0.462	1:00028	0.691
200.0	0.06692	249.0	3.61	36.1	0.00499	0.0458	6.91	0.551	1.00025	0.675
250.0	0.05357	311.0	3.61	36.1	0.00399	0.0532	7.99	0.800	1.00020	0.671
300.0	0.04466	373.0	3.61	36.1	0.00333	0.0603	9.02	1.09	1.00017	0.668
350.0	0.03829	435 • 0	3.61	36.1	0.00285	0.0670	10.0	1.41	1.00014	0.667
400.0	0.03351	497.0	3.60	36.1	0.00250	0.0733	10.9	1.76	1.00013	0.666
450.0	0.02980	559.0	3.60	36.1	0.00222	0.0793	11.8	2.15	1.00011	0.666
500.0 600.0	0.02682 0.02236	621.0 746.0	3.60 3.60	36.0 36.0	0.00200 0.00166	0.0851 0.0963	12.7	2.56 3.47	1.00010	0.667
000.0	0.02236	740.0	3.00	30.0	0.00100	0.0963	14.4	3.47	1.00000	0.000
700.0	0.01916	870.0	3.60	36.1	0.06143	0.107	16.0	4.50	1.00007	0.668
800.0	0.01677	994.0	3.60	36.0	0.00125	0.118	17.6	5.65	1.00006	0.668
906-0	0-31491	1120.0	3.60	36.0	0.00111	0.128	19.1	6.90	1.00006	0.667
1000.0	0.01342	1240.0	3.60	36.0	0.06100	0.137	20.5	8 • 25	1.00005	0.667
1200.0	0.31118	1490.0	3.60	36.0	0.000833	0.156	23.3	11.3	1.00004	0.667
1400.0	0.009587	1740.0	3.60	36.0	0.000714	0-174	26.0	14.6	1.00004	0-667
1600.0	0.008389	1990.0	3.60	36.0	0.000625	0.191	28.5	18.4	1.00003	0.666
1800.0	G.007458	2230.0	3.60	36.0	0.600555	G.208	31.0	22.5	1.30003	0.666
2000.0	0.006712	2480.0	3.60	36.0	0.000500	0.224	33.4	26.9	1.00003	0.666
2500.0	0.035370	3100.0	3.60	36.0	0.000403	0.263	39.2	39.4	1.00002	0.666
3000.0	0.004475	3720.0	3.60	36.0	0.000333	0.299	44.6	53.9	1.00002	0.666
00000	0.004475	3720.0	3.00	30.7	0.000333	0.277	44.0	23.7	1.00002	0.000

^{*} THO-PHASE BOUNDARY

38 PSIA ISOBAR

TEMPERATUR	E VOLUME	ISOTHERM OERIVATIVE	ISOCHORE OERIVATIVE	INTERNAL ENERGY	ENTHALPY	ENTROPY	cv	CP	VELOCITY OF SOUND
DEG. R	CU FT/LB	CU FT-PSIA/LB	PSI A/R	BTU/LB	BTU/LB	BTU/LB-R	8TU /	LB -R	FT/SEC
		470 0	13.3	1.380	2.126	0.3929	0.5992	0.6098	806.9
4-0	0.1060	138.0							
5.0	0.1078	122.0	26.0	1.843	2.602	0.5011	0.4290	0.4886	803.1
6.0	0.1109	98.9	31.4	2.360	3.140	0.6000	0.4818	0.6184	766.7
7 • 0	0.1159	73.1	33.6	3.015	3 • 8 31	0.7067	0.5238	0.7924	715.7
8 • 0	0.1240	46.2	32.5	3.880	4.753	0.8294	0.5712	1.091	639.4
9.0	0.1416	18.4	27.1	5.193	6.189	0.997	0.6403	1.975	512.4
10.0	0.3474	4.00	9.10	9.876	12.32	1.633	0.7835	5.408	357.7
11.0	0.5228	11.9	5.78	11.85	15.53	1.941	0.7631	2.325	409.8
12.0	0.6410	17.6	4.61	13.07	17.58	2.120	0.7522	1.858	448.4
13.0	0.7429	22.3	3.93	14.10	19.33	2.260	0.7469	1.665	480.3
14.0	J.8366	26.6	3.46	15.05	20.94	2.379	0.7443	1.559	508.2
15.0	0.9255	30.6	3.10	15.95	22.46	2.484	0.7432	1.493	533.3
16.0	1.011	34.3	2.83	16.81	23.93	2.579	0.7428	1.448	556.6
17.0	1.094	37.9	2.60	17.66	25.36	2.666	0.7428	1.416	578.3
18.0	1.176	41-3	2 • 41	18.49	26.76	2.746	0.7430	1.391	598.7
19.0	1.255	44.7	2.25	19.30	28.14	2.820	0.7432	1.373	618.2
20.0	1.334	47.9	2.12	20.11	29.49	2.890	0.7435	1.359	636.9
22.0	1.439	54.3	1.89	21.70	32.18	3.018	0.7441	1.337	672.2
24.0	1.642	60.5	1.71	23.27	34.82	3.133	0.7448	1.321	705.1
26.0	1.793	66.6	1.56	24.83	37.45	3.238	0.7453	1.310	736.2
28.0	1.942	72.6	1.43	26.39	40.05	3.335	0.7456	1.300	765.6
	2.091		1.33	27.93	42.65	3.424	0.7459	1.292	
30.0		78.5							793.6
32.0	2.238	84.3	1.24	29.47	45.22	3.507	0.7461	1.286	820.5
34.0	2.385	90.1	1.16	31.01	47.79	3.585	0.7462	1.280	846.4
36.0	2.531	95.9	1.09	32.53	50.34	3.658	0.7463	1.276	871.3
38.0	2.677	102-0	1-03	34.06	52.89	3.727	0.7463	1.272	895.5
40.0	2.822	107.0	0.975	35.58	55.43	3.792	0.7463	1.269	919.0
45.0	3.182	121.0	0.862	39.37	61.76	3.941	0.7463	1.263	974.9
50.0	3.542	135.0	0.772	43-15	68.07	4.074	0.7463	1.259	1028.0
55.0	3.899	149.0	0.700	46.91	74.35	4.194	0.7462	1.256	1077.0
60.0	4.256	163.0	0.640	50.67	80.63	4.303	0.7461	1.253	1125.0
70.0	4.968	190.0	0.547	58.18	93.14	4.496	0.7459	1.250	1214.0
80.0	5.678	217.0	0 • 478	65 • 67	105.6	4.663	0.7458	1.248	1297.0
96.0	6.387	244.0	0.424	73.15	118.1	4.810	0.7457	1.246	1375.0
100.0	7.095	271.0	0.381	80-63	130.6	4.941	0.7456	1.245	1448.0
120.0	8.510	325.0	0.317	95.56	155.4	5-168	0.7454	1.244	1585.0
140.0	9-923	379.0	0.272	110.5	180.3	5.360	0.7453	1.243	1711.0
160.0	11.34	433.0	0.238	125.4	205.2	5.526	0.7452	1.243	1828.0
180.0	12.75	486.0	0.211	140.3	230.0	5.672	0.7452	1.242	1938-0
200.0	14.16	540.0	0.190	155.2	254.9	5.803	0.7451	1.242	2042.0
250.0	17.69	674.0	0.152	192.5	316.9	6.080	0.7450	1.242	2281.0
300.0	21.22	808.0							
			0.127	229.7	379.0	6.306	0.7450	1.241	2498.0
350.0	24.74	942.0	0.109	267.0	441.1	6 • 497	0.7449	1.241	2697.0
400-0	28.27	1080-0	0.0950	304.2	503.1	6.663	0.7449	1.241	2882.0
450.0	31.80	1210.0	0.0844	341.5	565.2	6.809	0.7449	1.241	3056.0
500.0	35.33	1340.0	0.0760	378.7	627.3	6.940	0.7449	1.241	3221.0
600.0	42.38	1610.0	0.0633	453.2	751.4	7 - 167	0.7448	1-241	3528.0
700.0	49.44	1880.0	0.0543	527.6	875.5	7.358	0.7448	1.241	3810.0
860.0	56.49	2150.0	0.0475	602.1	1000.0	7.524	0.7448	1.241	4072.0
900.0	63.54	2420.0	0.0422	676.6	1124.0	7.670	0.7448	1.241	4319.0
1000.0	70-60								
		2680.0	0.0380	751.1	1248.0	7.801	0.7448	1.241	4552.0
1200.0	84.71	3220.0	0.0317	900.0	1496.0	8.027	0.7448	1.241	4986.0
1400.0	98.82	3760.0	0.0271	1049.0	1744.0	8.218	0.7448	1.241	5385.0
1600.0	112.9	4290.0	0.0237	1198.0	1993.0	8.384	0.7448	1.241	5757.0
1800.0	127-0	4830.0	0.0211	1347.0	2241.0	8.530	0.7448	1.241	6106.0
2000.0	141.1	5360.0	0.0190	1496.0	2489.0	8.661	0.7448	1.241	6436.0
2500.J	176.4	6710.0	0.0152	1868.0	3110.0	8.938	0.7448	1.241	7195.0
3000-0	211.7	8050-0	0.0127	2241.0	3730.0	9.164	0.7448	1.241	7881.0
******		00,000	0.0161		J. 700.0	7.104	001770	***	, 00110

^{*} TWO-PHASE BOUNDARY

38 PSIA ISOBAR

TEMPERATURE	DENSITY	V(0H/0V)	V (DP/DU)	-V(DP/DV) _T	(DV/DT)/V	THERMAL	VISCOSITY	THERMAL	OIELECTRIC	PRANDTL
				-		ONOUCTIVITY		DIFFUSIVITY	CONSTANT	NUMBER
OEG. R	LB/CU FT	BTU/LB	PSIA-CU FT/8	TU PSIA	1/DEG. R	BTU/FT-HR-R		SQ FT/HR		
							X 10E+6			
4.0	9.433	59.9	2.35	1300.0	0.0102	0.00901	2.82	0.00157	1.02058	0.688
5.0	9.275	21.3	6.54	1130.0	0.0230	0.0105	2.87	0.00232	1.02049	0.480
6.0	9.014	17.5	7.24	891.0	0.0353	0.0113	2.73	0.00202	1.02032	0.539
7 - 0	8.633	14.9	7.43	631.0	0.0532	0.0119	2.54	0.00174	1.02002	0.609
8.0	8.062	12.5	7.05	373.0	0.0871	0.0122	2.30	0.00139	1.01949	0.742
9.0	7.061	9.46	5.99	130.0	0.209	0.0121	1.99	0.000869	1.01829	1.17
16.0	2.378	6.85	4.03	11.5	0.790	0.0106	1.29	0.000680	1.00950	2.38
11.0	1.913	9.16	3.96	22.8	0.254	0.00859	1.26	0.00193	1.00662	1.23
12.0	1.560	11.0 12.7	3.93 3.91	27.4 30.1	0.168 0.131	0.00862 0.00887	1.29	0.00297 0.00396	1.00549	1.00 0.907
13.0	1.3+6	12.7	2.91	30.1	0.131	0.00007	1.54	0.00396	1.004/9	0.907
14.0	1.195	14.3	3.89	31.8	0.109	0.00918	1.39	0.00493	1.00428	0.851
15.0	1.081	15.9	3.87	33.0	0.0940	0.00952	1.45	0.00590	1.00389	0.816
16.0	0.9891	17.4	3 . 85	33.9	0.3833	0.00986	1.50	0.00688	1.00357	0.793
17.0	0.9139	18.8	3.83	34.6	0.0751	0.0102	1.55	0.00788	1.00331	0.775
18.0	0.8506	20.3	3.82	35.2	0.0686	0.0105	1.60	0.00890	1.00309	0.763
19.0	0.7967	21.7	3.81	35.6	0.0633	0.0109	1.66	0.00993	1.00290	0.754
20.0	0.7497	23.1	3.80	35.9	0.0589	0.0112	1.71	0.0110	1.00274	0.747
22.0	0.6716	25.8	3.78	36.5	0.0518	0.0118	1.81	0.0132	1.00246	0.736
24.0	0.6091	28.5 31.2	3.76	36.8 37.1	0.0463 0.0420	0.0124 0.0130	1.91	0.0155 0.0178	1.00224	0.730
20.0	0.5578	31.2	3.75	37.1	0.0420	0.0130	2.00	0.0110	1.00206	0.725
28.0	0.5148	··•9	3.74	37.4	0.0384	0.0136	2.10	0.0203	1.00190	0.722
30.0	0.4783	36.5	3.72	37.5	0.0354	0.0142	2.19	0.0229	1.00177	0.719
32.0	0.4468	39.1	3.71	37.7	0.0329	0.0147	2.28	0.0256	1.00165	0.717
34.0	0.4193	41.7	3.71	37.8	0.0307	0.0152	2.37	0.0284	1.00155	0.716
36.0	0.3951	44.3	3.70	37 • 9	0.0288	0.0157	2.45	0.0312	1.00147	0.715
38.0	0.3736	46.9	3.69	37.9	0.0271	0.0162	2.53	0.0342	1.00139	0.715
46.0	0.3544	49.5	3.69	38.0	0.0257	0.0167	2.61	0.0372	1.00132	0.714
	. 74.0		2.42	70.4	2 2224					
45 • 0 5G • 0	0.3142	55.8	3.67 3.66	38.1 38.2	0.0226	0.0179 0.0191	2.81	0.0451	1.00117	0.714
55.0	0.2824 0.2564	62•2 68•5	3.66	38.2	0.0202 0.0183	0.0202	3.00 3.18	0.0536 0.0626	1.00105	0.713 0.713
60.0	0.2349	74.8	3.65	38.2	0.0168	0.0212	3.35	0.0721	1.00088	0.713
70.0	0.2313	87 • 4	3.64	38.2	0.0143	0.0233	3.68	0.0926	1.00075	0.712
80 - 0	0.1761	100.0	3.64	38.2	0.0125	0.0253	4.00	0.115	1.00066	0.710
96.0	0.1566	112.0	3.63	38.2	0.0111	0.0272	4.29	0.139	1.00059	0.708
166.0	0.1469	125.0	3.63	38.2	0.0100	0.0291	4.58	0.166	1.00053	0.706
120.0	0.1175	150.0	3.62	38 - 2	0.00831	0.0326	5.12	0.223	1.00044	0.702
140.0	0.1008	175.0	3.62	38 • 2	0.00712	0.0361	5.63	0.288	1.00038	0.698
160.0	0 10022	199.0	7.63	38.2	0 20627	0.0704	6.43	0.760	4 00077	0.604
180.0	0.08822		3.62		0.00623	0.0394	6.12	0.360	1.00033	0.694
200.0	0.07844	224.0 249.0	3.61 3.61	38.1 38.1	0.00554 0.00498	0.0426 0.0458	6.58 6.91	0.438 0.522	1.00030 1.00027	0.691 0.675
250.0	0.15653	311.6	3.61	38.1	0.00399	0.0532	8.00	0.758	1.00027	0.671
360.0	0.04713	373.0	3.61	38.1	0.00333	0.0603	9.02	1.03	1.00018	0.668
350.0	0.34341	435.0	3.61	38 - 1	0.00285	0.0670	10.0	1.33	1.00015	0.667
400.0	0.03537	497.0	3.61	38.1	0.00250	0.0733	10.9	1.67	1.00013	0.666
450.0	0.J3145	559.0	3.61	38.1	0.00222	0.0794	11.8	2.03	1.00012	0.666
500.0	0.02831	622.0	3.60	38.1	0.00200	0.0851	12.7	2.42	1.00011	0.667
600.0	0.32360	746.0	3.60	38 • 0	0.00166	0.0963	14.4	3,29	1.00009	0.668
700 0	0 32027	070 0	7.63	70.0	0. 304/2	0.407	46.6		4 00000	
700.0 800.0	0.32023	870.0 994.0	3.60 3.60	38.0 38.0	0.06143 0.00125	0.107	16.0	4.27	1.00008	0.668
900.0	0.01770	1120.0	3.60	38.U 38.O	0.00125	0.118 0.128	17.6 19.1	5.35 6.53	1.00007 1.00006	0.668 0.667
1000.0	0.01574	1240.0	3.60	38.0	0.00111	0.128	20.5	7.81	1.00005	0.667
1264.0	0.31181	1490.0	3.60	38.0	0.001833	0.156	23.3	10.7	1.00004	0.667
1436.0	0.01012	1740.0	3.60	38.0	0.000714	0.174	26.0	13.9	1.00004	0.667
1606.0	0.008855	1990.0	3.60	38.0	0.000625	0.191	28.5	17.4	1.00003	0.666
1800.0	0.007872	2230.0	3.60	38.0	0.000555	0.208	31.6	21.3	1.00003	0.666
2660.0	0.037085	2480.0	3.60	38.0	0.000503	0.224	33.4	25.5	1.00003	0.656
2500.0	u.005668	3100.0	3.60	38.0	0.000400	0.263	39.2	37.3	1.00002	0.666
								2		
3000.0	0.334724	3720.0	3.60	38.0	0.000333	0.299	44.6	51.0	1.00002	0.666

^{*} TWO-PHASE BOUNDARY

40 PSIA ISOBAR

TEMPERATI	URE VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
TEIN CKAT	OKE *0E0.1E	DERIVATIVE	DERIVATIVE	ENERGY				•	OF SOUND
OEG. I	R CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU /	LB -R	FT/SEC
4.0	0.1058	140.0	13.2	1.378	2.162	0.3922	0.5947	0.6051	811.4
5.0	J.1076	124.0	26.0	1.839	2.636	0.4999	0.4283	0.4869	807.7
6.0	0.1107	161.0	31.5	2.351	3.171	0.5984	0.4813	0.6157	771.9
7.0	0.1155	74.9	33.8	3.001	3.857	0.7043	0.5230	0.7862	722.1
8.0	0.1234	48.2	32.8	3.854	4.768	0.8256	0.5700	1.072	648.0
9.0	0.1234	20.7	27.7	5-121	6.156	0.9876	0.6368	1.844	526.9
		2.77	11.3	9.181	11.31	1.520	0.7777	7.751	357.5
10.0	0.2869		6.37	11.62	15.17	1.891	0.7644	2.510	406.1
11.0	0.4787	10.8							
12.0	0.5965	16.7	4.99	12.91	17.33	2.080	0.7529	1.928	445.8
13.0	0.6959	21.7	4.22	13.98	19.13	2.224	0.7472	1.704	478.3
44.0	2 7066	26.0	3.69	14.95	20.77	2.346	0.7444	1.585	506.7
14.0	0.7866								
15.0	0.8722	30.1	3.31	15.86	22.32	2.452	0.7432	1.511	532.2
16.0	0.9544	33.9	3.00	16.73	23.80	2.548	0.7427	1.462	555.7
17.0	1.034	37.5	2.76	17.59	25.25	2.636	0.7427	1.427	577.6
18.0	1.112	41.0	2.56	18.42	26.66	2.717	0.7429	1.401	598.2
19.0	1.188	44.3	2.39	19.24	28.04	2.791	0.7431	1.381	617.9
20.0	1.263	47.6	2.24	20.05	29-41	2.862	0.7434	1.366	636.6
22.0	1.411	54.0	2.00	21.65	32.10	2.990	0.7441	1.343	672.1
24.0	1.557	60.3	1.80	23.22	34.76	3.106	0.7447	1.326	705.2
26.0	1.701	66.4	1.65	24.79	37.39	3.211	0.7453	1.313	736.4
28.0	1.844	72.5	1.51	26.35	40.00	3.308	0.7457	1.303	765.9
36.0	1.985	78.4	1.40	27.89	42.60	3.398	0.7459	1.295	794.0
32.0	2.126	84.3	1.31	29.44	45.18	3.481	0.7461	1.288	820.9
34.0	2.265	90-1	1.22	30.97	47.75	3.559	0.7463	1.282	846.8
36.0	2.404	95.8	1.15	32.50	50.31	3.632	0.7463	1.278	871.8
38.0	2.543	102.0	1.09	34.63	52.86	3.701	0.7464	1.274	896.0
46.0	2.681	107.0	1.63	35.55	55.41	3.766	0.7464	1.271	919.5
40.0	2.001	107.0	1.03	37.77	77.41	3.100	0.1707	1.511	27.2.2
45.0	3.024	121.0	0.908	39.35	61.74	3.915	0.7464	1.264	975.4
56.0	3.365	135.0	0.814	43.13	68.05	4.048	0.7463	1.260	1028.0
		149.0			74.34				
55.0	3.705		0.737	46.90		4.168	0.7463	1.256	1078.0
60.0	4.045	163.0	0.674	50-66	80-62	4.277	0.7462	1.254	1125.0
70.0	4.721	190.0	0.576	58.17	93.14	4.470	0.7460	1.250	1215.0
86.0	5.396	217.0	0.503	65.66	105.6	4.637	0.7459	1.248	1298.0
90.0	6.070	244.0	0.446	73.14	118.1	4.784	0.7457	1.247	1375.0
106-0	6.743	271.0	0.401	80-62	130.6	4.915	0.7456	1.245	1449.0
126.0	8.087	325.0	0.334	95.55	155.5	5.142	0.7455	1.244	1586.0
146.0	9.429	379.0	0.286	110.5	180.3	5.334	0.7453	1.243	1711.0
160.0	10.77	433.0	0.250	125.4	205.2	5.500	0.7452	1.243	1828.0
180.0	12.11	486.0	0.222	140.3	230.0	5.646	6.7452	1.242	1938.0
200.0	13.45	540.0	0.200	155.2	254.9	5.777	0.7451	1.242	2042.0
250.0	16.81	674.0	0.166	192.5	317.0	6.054	0.7450	1.242	2281.0
300.0	20.16	808.0	0.133	229.7	379.0	6.281	0.7450	1.241	2498.0
350.0	23.51	942.0	0.114	267.0	441.1	6.472	0.7449	1.241	2697.0
406.0	26.86	1086.0	0.100	304.2	503.2	6.638	0.7449	1.241	2882.0
450.0	30.21	1210.0	0.0889	341.5	565.2	6.784	0.7449	1.241	3057.0
506 • 0	33.56	1340.0	0.0800	378.7	627.3	6.915	0.7449	1.241	3221.0
600.0	40.26	1610.0	0.0667	453.2	751.4	7.141	0.7448	1.241	3528.0
						, , , , ,		312.5	
706.0	46.97	1880.0	0.0571	527.7	875.5	7.332	0.7448	1.241	3810.0
800.0	53.67	2150.0	0.0500	602.1	1030.0	7 • 498	0.7448	1.241	4072.0
900.0	60.37	2420.0	0.0444	676.6	1124.0	7.644	0.7448	1.241	4319.0
1066.0	67.07	2686.0	0.0460	751.1	1248.0	7.775	0.7448	1.241	4552.0
1200.0	80.48	3220.0	0.0333	900.0	1496.0	8.001	0.7448	1.241	4986.0
1400-0	93.88	3760.0	0-0286	1049.0	1744.0	8.193	0.7448	1.241	5385.0
1600.0	107.3	4290.0							
1800.0	120.7	4290.U 4830.U	3.0250	1198.0	1993.0	8.358	0.7448	1.241	5757.0
2000.0			0.0222	1347.0	2241.0	8.505	0.7448	1.241	6106.0
2500.0	134.1	5370.0	0.0200	1496.0	2489-J	8 • 635	0-7448	1-241	6436-0
2900.0	167-6	6710.0	0.0160	1868.0	3110.0	8.912	0.7448	1.241	7195.0
3006.0	201.1	8050.0	0.0133	2244 2	7770 0	0 170	0.76.60	1 2/1	7001 0
3000.0	201.1	0020.0	0.0133	2241.0	3730.0	9.139	0.7448	1.241	7881.0

^{*} THO-PHASE BOUNDARY

40 PSIA ISOBAR

TEMPERATURE	OENSITY	V (DH/OV)	V (OP/OU)	-V(OP/DV)_T	(OV/OT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
255 2	LB/CU FT	P	PSIA-CU FT/8	-		ONOUCTIVITY BTU/FT-HR-R	1045T 050	DIFFUSIVITY SQ FT/HR	CONSTANT	NUMBER
DEG. R	EBYCO FI	BTU/LB	PSIA-CO FIZE	110 5214	T/UEG. R	3107F1-HK-K	X 10E+6	SU FITHK		
			2.75	1720 0	0.0400	0.00000	2.2/	0.0450	4 02050	0.606
4 • 0 5 • 0	9.448	60.4 21.5	2.35 6.54	1320.0 1150.0	0.0100 0.0226	0.00902 0.0105	2.84	0.00158	1.02059 1.02050	0.686 0.480
6.0	9.034	17.8	7.25	918.1	0.0347	0.0113	2.75	0.00204	1.02033	0.539
7.0	8.658	15.1	7.46	648.0	0.0521	0.0119	2.56	0.00175	1.02005	0.607
8.0	8.103	12.8	7.09	391.0	0.0839	0.0122	2.32	0.00141	1-01954	0.733
9.0 10.0	7 • 155 3 • 485	9.86 6.65	6 • 0 8 4 • 15	148.0 9.65	0.187 1.17	0.0122 3.0125	2.03 1.37	0.000923	1.01841	1.10 3.06
11.0	2.089	8.93	3.99	22.6	0.281	0.00882	1.28	0.00168	1.00717	1.32
12.0	1.677	10.9	3.95	28.1	0.178	0.00874	1.31	0.00273	1.00587	1.04
13.0	1.437	12.6	3.93	31.1	9.135	0.00895	1.35	0.00366	1.00509	0.928
14.0	1.271	14.2	3.90	33.1	0.112	0.00925	1.40	0.00459	1.00454	0.866
15.0	1.147	15.8	3.88	34.5	0.0959	0.00957	1.46	0.00553	1.00411	0.827
16.0	1.048	17 - 3	3 - 86	35 • 5	0.0847	0.00991	1.51	0.00647	1.00378	0.801
17.0	0.9670	18.7	3.84	36.2	0.0761	0.0102	1.56	0.00743	1.00350	0.782
18.0	0.8992	20.2	3.83 3.82	36 • 8 37 • 3	0.0694 0.0640	0.0106	1.61	0.00840 0.00938	1.00326	0.769 0.759
19.0 20.0	0.8416	21.6	3.81	37.7	0.0594	0.0112	1.66 1.72	0.0104	1.00306 1.00289	0.751
22.0	0.7086	25.8	3.79	38.3	0.3521	0.0119	1.82	0.0125	1.00259	0.740
24.0	0.6423	28.5	3.77	38.7	0.0456	0.0125	1.91	0.0147	1.00236	0.732
26.0	0.5879	31.2	3.76	39-1	0.0421	0.0131	2.01	0.0169	1.00216	0.727
28.0	0.5424	33.8	3.74	39.3	0.0385	0.0136	2.10	0.0193	1.00200	0.724
30.0	0.5038	36.5	3.73	39.5	0.0355	0.0142	2.19	0.0218	1.00186	0.721
32.0	0.4705	39.1	3.72	39.6	0.0329	0.0147	2.28	0.0243	1-00174	0.719
34-0	0-4415	41.7	3.71	39.8	0.0307	0.0152	2.37	0.0269	1.00164	0.717
36.0 38.0	0.4159 0.3933	44.3 46.9	3.70 3.70	39.9 39.9	0.0288 0.0272	0.0158 0.0163	2.45 2.54	0.0296 0.0324	1.00154	0.716 0.716
40.0	0.3731	49.5	3.69	40 • 0	0.0257	0.0167	2.62	0.0353	1.00139	0.715
45.0	0.3307	55.8	3.69	40.1	0.0226	0.0179	2.81	0.0429	1.00123	0.714
50.0 55.0	0.2972 0.2699	62 • 2 68 • 5	3.67 3.66	40.2 40.2	0.02J3 0.0183	0191 0.0202	3.00 3.18	0.0509 0.0595	1.00111	0.714 0.713
60.0	0.2472	74.8	3.65	40.2	0.0168	0.0212	3.36	0.0685	1.00092	0.713
70.0	0.2118	87.4	3.65	40.3.	0.0143	0.0233	3.69	0.0880	1.00079	0.712
80.0	0.1853	100.0	3.64	40.3	0.0125	0.0253	4.00	0.109	1.00069	0.710
90.0	0.1648	112.0	3.63	40.2	0-0111	0-0272	4-30	0-133	1.00062	0.709
100.0 120.0	0.1483	125.0 150.0	3.63 3.62	40.2 40.2	0.0103	0.0291	4.58	0.157 0.212	1.00056	0.707
140.0	0.1361	175.0	3.62	40.2	0.00712	0.0327 0.0361	5.12 5.63	0.274	1.00046 1.00040	0.702 0.698
160.0	0.09284	200.0	3.62	40.2	0.00623	0.0394	6.12	0.342	1.00035	0.694
180.0 200.0	0.08256	224.0	3.61 3.61	40.2 40.1	0.00554 0.00498	0.0426 0.0458	6.59 6.91	0.416 0.496	1.00031	0.691 0.675
250.0	0.05950	311.0	3.61	40.1	0.00399	0.0532	8.00	0.496	1.00028	0.671
300.0	0.04961	373.0	3.61	40.1	0.00333	0.0603	9.02	0.979	1.00019	0.668
350.0	0.04254	435.0	3.61	40.1	0.00285	0.0670	10.C	1.27	1.00016	0.667
400.0	0.03723	497.0	3.61	40.1	0.00250	0.0733	10.9	1.59	1.00014	0.666
450.0	0.03310	560 - C	3.60	40.1	0.00222	0.0794	11-8	1.93	1.00012	0.656
560.0 600.0	0.J2980 0.02484	622.0 746.0	3.60 3.60	40.1 40.J	0.00200 0.00166	0.0851 0.0963	12.7 14.4	2.30 3.12	1.30011	0.667 0.668
700.0 800.0	0.02129	870.0 994.0	3.60 3.60	40.0 40.0	0.00143 0.00125	0.107 0.118	16.0 17.6	4.05 5.08	1.00008	0.668 0.668
900.0	0.01656	1120.0	3.60	40.0	0.30125	0.118	19.1	6.21	1.00006	0.667
1000.0	0.01491	1240.0	3.60	40.0	0.00100	0.137	20.5	7.42	1.00006	0.667
1200.0	0.01243	1490.0	3.60	40.0	0.000833	0.156	23.3	10.1	1.00005	0.667
1400.0	0.01065	1740.0	3.60	40.0	0.000714	0.174	26.0	13.2	1.00004	0.667
1600.0	0.339321	1990.0	3.60	40.0	0.000625	0.191	28.5	16.5	1.00004	0.666
180C.0 2000.0	0.038286	2230.0	3.60 3.60	40.0 40.0	0.000555	0.208 0.224	31.0 33.4	20.2	1.00003	0.666
25.0.0	0.015966	3100.0	3.60	40.0	0.000400	0.263	39.2	35.5	1.00002	0.666
3000.0	0.304972	3720.0	3.60	40 • 0	0.000333	0.299	44.6	48.5	1.00002	0.666

^{*} THO-PHASE BOUNDARY

45 PSIA ISOBAR

TEMPERATURE	VOLUME	ISOTHERM DERIVATIVE	ISOCHORE DERIVATIVE	INTERNAL ENERGY	ENTHALPY	ENTROPY	CV	CP	VELOCITY OF SOUNO
DEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	вти	/ LB -R	FT/SEC
4 • 0	0-1054	144-0	13-1	1.376	2.254	0.3907	0.5838	0.5937	822.3
5.0	0.1371	128.0	26.0	1.827	2.720	0.4969	0.4266	0.4829	818.8
6.0	0.1101	105.0	31.7	2.332	3.249	0.5943	0.4800	0.6091	784.7
7 • 0	0.1146	79.3	34.2	2.968	3.924	0-6986	0.5211	0.7718	737.6
8.0		53.0	33.4	3.793	4.810	0.8166	0.5670	1.032	668.4
	0.1220								
9.0	0.1360	26.2	29.0	4.972	6.105	0.9677	0.6296	1.622	559.2
10.0	0.1888	4.31	18.4	7.356	8.929	1.261	0.7090	5.871	406.7
11.0	0.3826	8.39	8.17	10.97	14-16	1.763	0.7660	3.141	399.2
12.0	0.5013	14.7	6.04	12.50	16.68	1.983	0.7544	2.137	439.8
			4.99	13.66	18.63	2.140	0.7479	1.812	
13.0	1.5962	20.0	4.99	13.00	10.03	2.140	0.7479	1.012	473.8
14.0	0.6809	24.6	4.31	14.68	20.36	2.268	0.7447	1.654	503.2
15.0	0.7597	28.8	3.83	15.63	21.96	2.378	0.7432	1.560	529.5
16.0	0.8348	32.8	3.46	16.53	23.49	2.477	0.7426	1.499	553.6
17.0	0.9373	36.5	3.17	17.40	24.96	2.567	0.7425	1.456	575.9
18.0	0.9779	40.1	2.93	18.25	26.40	2.649	0.7427	1.424	597.0
				10.29		2.049			
19.0	1.047	43.6	2.73	19.08	27.80	2.725	0.7429	1.401	616.9
20.0	1.114	46.9	2.56	19.96	29.19	2.796	6.7432	1.383	636.0
22.0	1.248	53.5	2.27	21.51	31.91	2.926	0.7440	1.356	671.9
24.0	1.378	59.8	2.05	23.10	34.59	3.042	0.7447	1.337	705.4
		66.0	1.87	24.68		3.148	0.7453		
26.0	1.537	00.0	1.07	24.00	37.24	3.148	0.7453	1.323	736.9
28.0	1.635	72.2	1.72	26.24	39.87	3.246	C.7458	1.311	766.6
30.0	1.762	78.2	1.59	27.80	42.48	3.336	0.7461	1.302	794.8
32.0	1.887	84.1	1.48	29.35	45.07	3.420	0.7463	1.294	821.8
				30.89					
34.0	2.012	90.0	1.38		47.66	3.498	0.7464	1.288	847.8
36.0	2.136	95.8	1.30	32.43	50.23	3.571	0.7465	1.282	872.9
38.0	2.260	102.0	1.23	33 • 96	52.79	3-641	0.7466	1.278	897.2
46.0	2.383	107.0	1.16	35.48	55.34	3.706	0.7466	1.274	920.7
45.0	2.689	121.0	1.02	39.29	61.69	3.856	0.7466	1.267	976.7
50.0	2.993	135.0	0.917	43-07	68-01	3-989	0.7465	1.262	1029-0
55 • 0	3.296	149.0	0.831	46.85	74.31	4.109	0.7465	1.258	1079.0
60.0	3.598	163.0	0.759	50.62	80.60	4.218	0.7464	1.255	1127.0
76.0	4.230	190.0	0.649	58.13	93.13	4.412	0.7462	1.251	1216.0
80.0	4.800	218.0	0.566	65 • 63	105.6	4.578	0.7460	1.249	1299.0
96.0	5.400	245.0	0.502	73.12	118.1	4.725	0.7459	1.247	1377.0
100.0	5.998	272.0	0.452	80.60	130.6	4.857	0.7457	1.246	1450.0
120.0	7.193	326.0	0.376	95.54	155.5	5.084	0.7455	1.244	1587.0
140-0	8-387	379-0	0-322	110-5	180-4	5.276	0.7454	1.243	1712.0
160.0	9.580	433.0	0.282	125.4	205.2	5.441	0.7453	1.243	1829.0
180.0	10.77	487.0	0.250	140.3	230.1	5.588	0.7452	1.242	1939.0
200.0	11.96	541.0	0.225	155.2	254.9	5.719	0.7452	1.242	2043.0
250.0	14.94	675.0	0.180	192.5	317.0	5.996	0.7451	1.242	2282.0
300.0	17.92	809.0	0.150	229.7	379.1	6.222	0.7450	1.241	2499.0
350.0	20.90	943.0	0.129	267.0	441.1	6.414	0.7450	1.241	2698.0
406.0	23.88	1080.0	0.112	304.2	503.2	6.579	0.7449	1.241	2883.0
450.0	26.86	1210.0	6.160	341.5	565.3	6.726	0.7449	1.241	3057.0
500.0	29.84	1340.0	0.4960	378.7	627.3	6.856	0.7449	1.241	3222.0
600.0	35.80	1610.0	0.0750	453.2	751.5	7.083	0.7449	1.241	3528.0
766.0	41.75	1880.C	0.0643	527.7	875.6	7.274	0.7448	1.241	3810.0
800.0	47.71	2150.0	0.3562	602.1	1000.6	7.440	0.7448	1.241	4073.0
900.0	53.67	2420.0	0.0500	676.6	1124.0	7.586	0.7448	1.241	4319.0
1000.0	59.62	2690.0	0.0450	751 - 1	1248-0	7.717	0.7448	1.241	4553.0
1200.0	71.54	3220.0	0.0375	900.0	1496.0	7.943	0.7448	1.241	4986.0
1406.0	83.45	3760.0	0.0321	1049.0	1744.0	8.134	0.7448	1.241	5385.0
1600.0	95.37	4290.0	0.0281	1198.0	1993.0	8.300	0.7448	1.241	5757.0
						0.500		1 2/4	
	107-3	4830 • 0	0.0250	1347.0	2241.0	8.446	0.7448	1.241	6106.0
	119.2	5370.0	0.3225	1496.0	2489.0	8.577	0.7448	1.241	6436.0
2500.0	149.0	6710.0	3.6180	1868.0	3110.0	8.854	0.7448	1.241	7195.0
3000.0	178.8	8650.0	0.0150	2241.0	3730 • 0	9-380	0.7448	1.241	7881.0

^{*} TWO-PHASE 90UNDARY

45 PSIA ISOBAR

TEMPERATURE	DENSITY	V (DH/DV)	V(DP/DU)	-V(DP/DV) _T	(DV/DT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
TE E		Р	v	T		CONDUCTIVITY		DIFFUSIVITY		NUMBER
OEG. R	L8/CU FT	BTU/L8	PSIA-CU FT/B1	TU PSIA		STU/FT-HR-R		SQ FT/HR		
							X 10E+6			
4.0	9.484	61.6	2.37	1360-0	6-00964	0.00906 0.0106	2 . 89	0.00161	1.02061	0.682
5.0 6.0	9.334	22.2 18.3	6.53 7.27	1190.0 952.0	0.0218	0.0114	2.93	0.00235	1.02052	0.481
7.0	8.723	15.6	7.52	692.0	0.0494	0.0120	2.60	0.00179	1.02010	0.602
8.0	8.199	13.4	7.19	434.0	0.0770	0.0124	2.38	0.00146	1.01963	0.713
9.0	7.353	10.8	6.27	193.0	0.151	0.0123	2.13	0.00104	1.01868	0.993
10.0	5.297	7.30	4.89	22.8	0.804	0.0131	1.66	0.000422	1.01531	2.67
11.0	2.613	8 - 43	4.08	21.9	9.373	0.00958	1.35	0.00117	1.00874	1.60
12.0	1.995	10.4	4.01	29 • 4	0.205	0.00908	1.35	0.00213	1.00688	1.15
13.0	1.677	12.2	3.98	33.5	0.149	0.00918	1.39	0.00302	1.00587	0.987
14.0	1.469	13.9	3.94	36 • 2	0-119	0.00942	1.43	0.00388	1.00519	0.905
15.0	1.316	15.4	3.92	38.0	C.101	0.00972	1.48	0.06473	1.00469	0.856
16.0	1.198	17.0	3.90	39.3	0.0883	0.0100	1.53	0.00559	1.00429	0.823
17.0	1.102	18.5	3.87	40.2	0.3788	0.0104	1.58	0.00646	1.00396	0-800
18.0 19.0	1.023	19.9 21.4	3-86 3-84	41.0 41.6	0.0714 0.0655	0.0107	1.63 1.68	0.00734 0.00822	1.00369	0.783 0.771
20.0	0.8974	22.8	3.83	42.1	0.0607	0.0113	1.73	0.00913	1.00326	0.762
22.0	0.8016	25.6	3.81	42.9	6.0530	0.0120	1.83	0.00913	1.00292	0.748
24.0	0.7255	28.3	3.79	43.4	0.0472	0.0126	1.93	0.0129	1.00265	0.739
26.0	0.6634	31.0	3.78	43.8	0.0426	0.0131	2.02	0.0150	1.00243	0.733
	•									
28.0	0.6116	33.7	3.76	44.1	0.0389	0.0137	2.11	0.0171	1.00225	0.728
30.0	0.5676	36 • 4	3.75	44.4	0.0353	0.0143	2.20	0.0193	1.00209	0.725
32.0	0.5299	39.0	3.74	44.6	0.0331	0.0148	2.29	0.0216	1.00196	0.722
34.0	0.4970	41.7	3.73	44.7	0.0309	0.0153	2.38	0.0239	1.00184	0.720
36.0	0.4681	44.3	3.72	44.8	0.0290	0.0158	2.46	0.0263	1.00173	0.719
38-0	0-4426	46.9	3-71	44.9	0.0273	0.0163	2.55	0.0288	1.00164	0.718
46.0	0.4197	49.4	3.70	45.0	0.0258	0.0168	2.63	0.0314	1.00156	0.717
45.0	0.3719	55.8	3.69	45.1	C.J227	0.0180	2.82	0.0382	1.00138	0.716
50.0	0.3341	62.2	3.68	45.2	0.0203	0.0191	3.01	0.0453	1.00124	0.715
55.0	0.3034	68.6	3.67	45.3	0.0184	0.0202	3.19	0.0533	1.00113	0.714
60.0	0.2779	74.9	3.66	45.3	0.0168	0.0213	3.36	0.0610	1.00104	0.714
70.0	0.2381	87.4	3.65	45.3	C.0143	0.0234	3.69	0.0784	1.00089	0.712
80-0	0-2083	160-0	3 • 6 4	45.3	0.0125	0.0253	4.00	0.0974	1.00078	0.711
90.0	0.1852	112.0	3.64	45.3	0.0111	0.6272	4.30	0.118	1.00069	0.709
100.0	0.1667	125.0	3.63	45.3	0.0100	0.6291	4.59	0.140	1.00063	0.707
120.0	0.1390	150.0	3.63	45.3	0.00830	0.0327	5.13	0.189	1.00052	0.702
140.0	0.1192	175.0	3.62	45.2	0.00711	0.0361	5.64	0.244	1.00045	0.698
160.0	0.1044	200.0	3.62	45.2	C.00623	0.0394	6.12	0.304	1.00039	0.694
180.0	0.09283	224.0	3.62	45.2	0.00553	0.0427	6.59	0.370	1.00039	0.691
200.0	0.09283	249.0	3.61	45.2	0.00498	0.0458	6.91	0.441	1.00031	0.675
250.0	0.06691	311.0	3.61	45.1	6.00399	0.0533	8.00	0.641	1.00025	0.671
300.0	0.35579	373.0	3.61	45.1	0.00332	0.0603	9.02	0.871	1.00021	0.668
350.0	0.04784	436.0	3.61	45.1	0.00285	0.0670	10.0	1-13	1.00018	0.667
400-0	0.04187	498.0	3.61	45.1	6.00249	0.0733	10.9	1.41	1.00016	0.666
450.0	0.03723	560.0	3.61	45.1	0.00222	0.0794	11.8	1.72	1.00014	0.666
566.0	0.03351	622.0	3.60	45.1	0.00200	0.0851	12.7	2.05	1.00013	0.667
600.0	0.02794	746.0	3.60	45 - 1	0.00166	0.0963	14-4	2.78	1-00011	0.668
700 0			7.40	4				7.60		
706.0	0.02395	870.0	3.60	45.0	0.00143	0.107	16.0	3.60	1.00009	0.668
866.6	0.02096	994.0	3.60	45.0	0.00125	0.118	17.6	4.52	1.00008	0.668
906.0	0.01863	1120.0	3.60 3.60	45.0 45.0	0.00111	0.128 0.137	19.1	5.52 6.60	1.00007	0.667 0.667
1200.0	0.01398	1490.0	3.60	45.0	0.00100	0.156	23.3	9.00	1.00005	0.667
1400.0	0.01198	1740.0	3.60	45.0	0.000714	0.174	26.0	11.7	1.00005	0.667
1660.0	0.01049	1990.0	3.60	45.0	0.000625	0.191	28.5	14.7	1.00004	0.666
1800-0	0.009321	2240.0	3.60	45.0	6.000555	0.208	31.0	18.0	1.00004	0.666
2000.0	0.008389	2480.0	3.60	45.0	6.300500	0.224	33.4	21.5	1.00003	0.666
2506.0	0.006712	3100.0	3.60	45.0	0.006400	0.263	39.2	31.5	1.00003	0.666
3000-0	0.005594	3720.0	3-60	45 . C	0.000333	0.299	44.6	43.1	1.00002	0.666

^{*} TWO-PHASE BOUNDARY

5J PSIA ISOBAR

TEMPERATUR	E VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
		OERIVATIVE	DERIVATIVE	ENERGY					OF SOUND
DEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	8TU/L8	BTU/LB	BTU/LB-R	BTU /	LB -R	FT/SEC
4.0	0.1051	147.0	13.0	1.373	2.346	0.3893	0.5733	0.5827	832.9
5.0	J.1967	132.0	26.0	1.817	2.805	0.4940	0.4250	0.4790	829.5
6.u	0.1095	109.0	31.9	2.314	3.327	0.5904	0.4786	0.6029	796.9
7.0	0.1138	83.6	34.5	2.938	3.992	0.6933	0.5193	0.7590	752.4
8.0	J.1207	57.6	34.1	3.739	4.856	C.8084	0.5643	0.999	687.3
9.0	0.1330	31.4	30.2	4.851	6.083	0.9515	C.6240	1.480	587.3
10.0	0.1651	9.68	22.1	6.674	8.203	1.172	0.6738	3.219	462.8
11.0	J. 3042	6.70	10.6	10.17	12.99	1.628	0.7618	3.927	400.0
12.0	0.4242	12.9	7.28	12.04	15.97	1.889	0.7551	2.396	435.7
13.0	J.5161	18.4	5.85	13.33	18.13	2.060	0.7484	1.939	470.1
13.0	3.9101	10.4	7.07	13.55	10.10	2.000	011404	1.737	470.1
14.0	0.5960	23.2	4.99	14.41	19.93	2.195	0.7449	1.730	500.2
15.0	0.6396	27.6	4.39	15.39	21.59	2.310	C.7431	1.613	527.1
16.0	0.7391	31.7	3.95	16.32	23.17	2.41	0.7424	1.538	551.7
17.0	0.8059	35.6	3.60	17.22	24.68	2.503	0.7423	1.486	574.5
		39.3	3.31	18-08	26.14	2.587	0.7425	1.449	595.9
18.0	3.8737			10.00					
19.0	0.9335	42.8	3.08	18.92	27.57	2.664	0.7426	1.422	616.2
20.0	J.995	46.2	2.88	19.75	28.97	2.736	0.7430	1.401	635.5
22.0	1.117	52.9	2.55	21.38	31.72	2.867	0.7438	1.370	671.8
24.J	1.235	59.4	2.30	22.98	34.42	2.985	0.7446	1.348	705.6
26.0	1.353	65.7	2.09	24.56	37.09	3.092	0.7453	1.332	737.4
28.0	1.468	71.9	1.92	26.14	39.73	3.190	0.7458	1.319	767.3
36.0	1.583	77.9	1.77	27.70	42.36	3.280	0.7462	1.308	795.7
32.0	1.697	83.9	1.65	29.26	44.97	3.365	0.7464	1.300	822.8
34.0	1.310	89.8	1.54	30.81	47.56	3.443	C.7466	1.293	848.9
36.0	1.322	95.7	1.45	32.35	50.14	3.517	0.7467	1.287	874.0
38.0	2.033	101.C	1.37	33.88	52.71	3.586	0.7468	1.282	898.4
40.0	2.144	107.0	1.29	35.42	55.27	3.652	0.7468	1.278	921.9
45.0	2.421	121.0	1.14	39.23	61.64	3.802	0.7468	1.270	978.0
50.G	2.695	135.0	1.02	43.02	67.97	3.936	0.7467	1.264	1031.0
55.0	2.958	149.0	0.925	46.80	74.28	4.056	0.7466	1.260	1081.0
66.0	3.240	163.0	0.845	50.57	80.58	4.165	0.7465	1.257	1128.0
76.0	3.783	191.0	0.721	58.10	93.12	4.359	0.7463	1.253	1217.0
80.0	4.324	218.0	0.629	65 - 60	105.6	4.526	0.7461	1.250	1300.0
91.0	4.963	245.0	0.559	73.09	118.1	4.673	0.7460	1.248	1378.0
106.0	5.402	272.0	0.502	87.58	130.6	4.804	0.7458	1.246	1451.0
126.0	6.478	326.0	0.418	95.52	155.5	5.031	0.7456	1.245	1588-0
140.0	7.553	380.0	0.358	110.5	180.4	5.223	0.7455	1.244	1713.0
140.0	1.773	300.0	0.390	110.5	100.4	3.223	0.1499	1.577	1/13+0
16 L . ú	8.627	434.0	9.313	125.4	205.2	5.389	0.7454	1.243	1830.0
186.0	9.700	487.0	0.278	140.3	230.1	5.536	0.7453	1.243	1940.0
260.0	10.77	541.0	0.250	155.2	254.9	5.666	0.7452	1.242	2044.0
250.0	13.45	675.0	0.200	192.5	317.0	5.944	0.7451	1.242	2283.0
300.0	16.14	809.0		229.7	379.1		0.7450	1.242	2499.0
			3.167			6.170			
350.0	18.82	943.0	0.143	267.0	441.2	6.361	0.7450	1.241	2698-0
400.0	21.53	1086.0	0.125	364.2	503.3	6.527	0.7450	1.241	2884.0
450.0	24.18	1210.0	0.111	341.5	565.3	6.673	0.7449	1.241	3058.0
500.0	26.86	1350.0	0.106	378.7	627.4	6.804	0.7449	1.241	3222.0
600.0	32.22	1610.0	0.0833	453.2	751.5	7.036	0.7449	1.241	3529.0
70.0	77 50	4000 0	0 674	507.7	075 (7 000	0.7440	4 244	7044 0
706.0	37.58	1880.0	0.6714	527.7	875.6	7.222	0.7449	1.241	3811.0
8 u 0 • 0	42.94	2150.0	0.0625	602.1	1000.0	7.387	0.7448	1.241	4073.0
920.6	43.33	2420.0	0.0555	676.6	1124.0	7.534	0.7448	1.241	4320.0
1000-0	53.57	2690.0	0.0500	751 - 1	1248.0	7.664	0.7448	1.241	4553.0
1206.0	64.39	3220.0	G. 0417	900.0	1496.0	7.891	0.7448	1.241	4987.G
14.0.0	75.11	3766.0	J.0357	1349.0	1744.G	8.082	0.7448	1.241	5386.0
1600.0	85.83	4290.0	0.0312	1198.0	1993.0	8 - 2 4 8	0-7448	1.241	5757.0
1860 • G	95.56	4830.0	0.0278	1347.0	2241.0	8.394	0.7448	1.241	6106.0
2006.0	107.3	5370.0	0.0250	1496.0	2489.3	8.525	0.7448	1.241	6436.0
2500 · u	134.1	6710.0	0.0200	1868.0	3110.0	8.802	0.7448	1.241	7195.0
3000-0	160.9	8050.0	0.3167	2241.0	3730.0	9.328	0.7448	1.241	7881.0

^{*} TWO-PHASE BOUNDARY

50 PSIA ISDBAR

TEMPERATURE	DENSITY	V(DH/DV) _p	V (OP/DU) -V	(DP/DV)_	(DV/DT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
TEIN EKATOKE	00.113111	p	V.0.7507 _V	T	, or or p	CONDUCTIVITY		DIFFUSIVITY	CONSTANT	NUMBER
DEG. R	L3/CU FT	BTU/L8	PSIA-CU FT/BTU	PSIA	1/DEG. R	BTU/FT-MR-R		SQ FT/MR		
							X 10E+6			
4 . ū	9.519	62.7	2.39 1	400.0	0.00929	0.00910	2.94	0.00164	1.02063	0.677
5.0	9.374	22.8		240.0	0.0210	0.0107	2.98	0.00237	1.02055	0.483
6.0	9.133	18 - 8		994.0	0.0321	0.0115	2.85	0.00238	1.02040	0.539
7.0	8.784	16.1		735.0	0.0470	0.3121	2.65	0.00182	1.02015	0.597
8 • 0	8.287	14.0	7.29	477.0	0.0714	0.0125	2.43	0.00151	1.31972	0.696
9.0	7.517	11.6	6.44	236.0	0.128	0.0125	2.16	0.00112	1.01888	0.925
16.0	6.059	8.54	5.41	58.6	0.377	0.0124	1.82	0.000636	1.01673	1.70
11.0	3.287	8.15	4.24	22.0	0.482	0.0106	1.44	0.000821	1.31062	1.92
12.0	2.357	10.0	4.09	30.5	0.239	0.00950	1.40	0.00168	1.00798	1.27
13.0	1.938	11.8	4.63	35 • 7	0.164	0.10944	1.43	0.60251	1.00670	1.05
14.0	1.678	13.5	3.99	39.C	0.128	0.00962	1.46	0.00331	1.00587	0.947
15.0	1.493	15.2	3.96	41.3	C.106	0.00988	1.51	0.00331	1.00527	0.886
16.0	1.353	16.7	3.93	42.9	0.0920	0.0102	1.55	0.00410	1.30481	0.846
17.0	1.241	18.2	3.91	44.2	0.0920	0.0102	1.63	0.00569	1.00443	0.818
18.0	1.149	19.7	3.89	45.1	6.0735	0.0108	1.65	0.00649	1.00412	0.798
19.0	1.371	21.2	3.87	45.9	0.0672	0.0111	1.73	0.00730	1.00386	0.783
20.0	1.305	22.6	3.86	46.5	0.0620	0.0114	1.75	0.00730	1.00363	0.772
22.0	0.8956	25.4	3.83	47.4	6.0539	0.3120	1.85	0.00981	1.00325	0.757
24.0	0.3394	28.2	3.81	48.3	C.0478	0.0126	1.94	0.0116	1.00325	0.746
26.0	0.7393	30.9	3.80	48.6	0.0431	0.0132	2.04	0.0134	1.00270	0.739
20.0	0.7393	30.9	3.00	40.0	0.0431	0.0132	2.04	0.0134	1.00270	0.739
28.0	0.6810	33.6	3.78	48.9	0.0392	0.0138	2.13	0.0153	1.00250	0.733
30.0	0.6317	36.3	3.76	49.2	0.0360	0.0143	2.22	0.0173	1.00232	0.729
32.0	ù.5894	39.0	3.75	49.5	C.0334	0.0149	2.33	0.0194	1.00217	0.726
34.0	0.5526	41.6	3.74	49.6	0.0311	0.0154	2.39	0.0215	1.00204	0.723
36.0	0.5234	44.2	3.73	49.8	0.0291	0.0159	2.47	0.0237	1.00192	0.721
38.0	0.4918	46 • 8	3.72	49.3	(.)274	0.0164	2.55	0.0260	1.30182	0.720
40.0	0.4663	49.4	3.71	50.0	6.0259	0.0169	2.63	0.0283	1.00173	0.719
45 • 0	6-4131	55.9	3.70	50.2	0.0227	0.0186	2.83	0.0344	1.00153	0.717
50.0	0.3711	62.2	3.69	50.3	C.J203	0.0192	3.02	0.0409	1.00138	0.716
55.0	0.33.9	68.6	3.68	50.3	G.3184	J.0203	3.19	0.0477	1.00125	0.715
60.0	0.3086	74.9	3.67	50.4	0.0168	0.0213	3.37	0.0550	1.00115	0.714
70.0	0.2643	87.5	3.66	50.4	0.0143	0.0234	3.70	0.0706	1.00099	0.713
80.0	0.2313	100.0	3.65	50.4	t.0125	0.0254	4.01	0.0878	1.00086	0.711
96.0	U.2J56	113.0	3.64	50.4	0.0111	0.0273	4.31	0.106	1.00077	0.709
160.0	0.1851	125.0	3.64	50.4	0.0100	0.0291	4.59	0.126	1.30069	0.707
120.0	0.1544	150.0	3.63	50.3	C.00830	0.0327	5.13	0.170	1.00058	0.703
140.3	0.1324	175.0	3.62	50.3	0.00711	0.0362	5.64	0.223	1.00050	0.698
160.0	0.1159	200.0	3.62	50.3	0.00622	6.0395	6.12	0.274	1-00044	0.694
180.0	0.1031	225.0	3.62	50.2	0.00553	0.0427	6.59	0.333	1.00039	0.691
200.0	0.09282	249.0	3.62	50 • 2	0.00498	0.0458	6 • 92	0.397	1.00335	0.675
250.0	0.07432	312.0	3.61	50.2	0.00399	0.0533	8.00	0.577	1.00028	0.671
300.0	0.06197	374.0	3.61	50 • 2	0.00332	0.3603	9.02	0.784	1.00023	0.668
350.0	0.05314	436.0	3.61	50.1	0.00285	0.0670	10.0	1.02	1.00320	0.667
406.0	0.04652	498.0	3.61	50 • 1	0.00249	0.0733	10.9	1.27	1.00018	0.666
450.0	0.04136	56G.C	3.61	50.1	0.00222	0.0794	11.8	1.55	1.00016	0.666
500.0	0.03723	622 • 0	3.61	50-1	0-00200	0.0851	12.7	1.84	1.00014	0.667
600.0	0.03104	746.0	3.60	50.1	0.00166	E.0963	14.4	2.50	1.30012	0.668
760.0	0.02661	870.0	3.60	50.1	0.00143	G.1C7	16.0	3.24	1.00010	0.668
800.0	0.02329	994.0	3.60	50.1	0.00145	0.118	17-6	4.07	1.00009	0.668
960-0	0.02329	1120.0	3.60	50.1	0.00125	0.128	19.1	4.97	1.00008	0.667
1646.0	6.01863	1240.0	3.60	50.3	6.00100	0.137	20.5	5.94	1.00007	0.667
1200.0	0.01553	1490.0	3.60	50.0	0.000833	0.156	23.3	8.10	1.00006	0.667
1460.0	0.01331	1740.0	3.60	50.0	0.000714	0.174	26.0	10.5	1.00005	0.667
1600.0	0.01331	1990.0	3.60	50.0	0.000625	0.174 0.191	28.5	13.2	1.00004	0.666
1800.0	0.01336	2240.0	3.60	50.0	0.000555	0.208	31.0	16.2	1.00004	0.666
2066.0	0.009321	2480.0	3.60	50.0	C.000550	0.224	33.4	19.4	1.00004	0.666
2500.0	0.007458	3100.0	3.60	50.0	C-00040C	0.263	39.2	28.4	1.00003	0.666
2,0000	3,007,490	320000	3.60	20.0		0.200	33.2	20.7	1.00003	0.000
3000.0	0.005215	3720.0	3.61	50.0	0.000333	0.299	44.6	38.8	1.00002	0.666
-0000	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		0.00	,	0.000000	3.6.77	77.0	20.0	1,0000	0.000

^{*} TWO-PHASE BOUNDARY

100 PSIA ISOBAR

TEMPERATURE	VOLUME	ISOTHERM OERIVATIVE	ISOCHORE OERIVATIVE	INTERNAL ENERGY	ENTHALPY	ENTROPY	cv	CP	VELOCITY OF SOUND
OEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU /	LB -R	FT/SEC
4.0	0.1017	182.0	12.0	1-370	3 - 254	0.3772	0-4855	0.4916	923.5
			25.5	1.750	3.655		0.4089		
5 • ₫	0.1029	168.0				0.4703		0.4468	921.8
6.0	0.1049	146.0	33.0	2.188	4.130	0.5590	0.4649	0.5559	900.5
7 • 0	J-1J78	123.0	37.3	2.725	4.722	0.6513	0.5027	0.6740	873.0
8.0	J.1121	98.5	38.6	3.386	5.461	0.7499	0.5439	0.8253	832.2
9.0	J.1182	74.8	37.2	4.214	6.402	0.8590	0.5939	1.023	772.7
							0.5939		
16.0	J.1267	55.0	34.0	5.204	7.550	0.9785	0.6075	1.231	718.6
11.0	0.1391	37.1	29.7	6.361	8.936	1.111	0.6283	1.564	653.9
12.0	0.1596	23.8	24.4	7.809	10.76	1.270	0.6608	2.076	589.1
13.0	0.1931	18.3	19.0	9.568	13.14	1.460	0.6987	2.470	547.8
14.0	0.2356	19-6	14.9	11.32	15.68	1.649	0.7253	2.347	541.8
15.0	0.2773	22.6	12.1	12.78	17.91	1.803	0.7327	2.119	550.4
16.0	9.3177	26.2	10.3	14.05	19.94	1.933	0.7359	1.940	565.7
17.0	0.3565	30.0	8.96	15.21	21.81	2.047	0.7376	1.807	583.7
18.0	0.3936	33.9	7 • 98	16.27	23.56	2.147	0.7388	1.709	602.6
19.0	0.4292	37.7	7.23	17.26	25.21	2.237	0.7392	1.637	622.1
26.0	0.4638	41.5	6.63	18.20	26.79	2.318	0.7398	1.583	641.3
22.0	0.5306	48.8	5.71	20.01	29.83	2.463	0.7414	1.508	678.4
24 • 0	0.5952	56.0	5.05	21.74	32.76	2.591	0.7432	1.460	713.5
26.1	3.6582	62.9	4.53	23.43	35.61	2.705	0.7448	1.425	746.7
28.0	0.7200	69.7	4.11	25.09	38.42	2.809	0.7461	1.398	777.7
36.0	0.7807	76.3	3.76	26.74	41.20	2.905	0.7470	1.376	806.7
32.u	0.8404	82.7	3.47	28.37	43.93	2.993	0.7476	1.358	834.5
34.0	0.8993	89.1	3.23	29.98	46.63	3.075	0.7481	1.344	861.1
36.0	0.3576	95.3	3.02	31.58	49.31	3.152	0.7483	1.332	886.6
38.0	1.015	101.0	2 • 83	33-16	51.96	3.223	0.7485	1.322	911.3
40.0	1.073	108.0	2.67	34.73	54.60	3.291	0.7486	1.314	935.1
40.0	1.075	100.0	2.07	34.73	94.00	3.291	0.7400	1.314	939.1
45.0	1.215	122.0	2.34	38.63	61.13	3.445	0.7487	1.298	991.7
50.0	1.355	137.0	2.08	42.50	67.59	3.581	0.7486	1.287	1045.0
55.0	1.494	151.0	1.88	46.34	74.00	3.703	0.7484	1.279	1095.0
60.0	1.632	166.0	1.71	50.16	80.38	3.814	C.7482	1.272	1142.0
7U • D	1.906	194.0	1.46	57.76	93.06	4.010	0.7479	1.264	1231.0
80.0	2.179	221.0	1.27	65.32	105.7	4.178	0.7475	1.258	1314-0
90.0	2.450	249.0	1.12	72.85	118.2	4.326	0.7472	1.254	1391.0
100.0	2.721	276.0	1.01	80.37	130.8	4.458	0.7470	1.252	1464.0
120.0	3.261	330.0	0.838	95.37	155.7	4.686	0.7466	1.248	1600.0
140.0	3.799	384.0	0.717	110-3	180.7	4.878	0.7463	1.246	1724.0
160.0	4.337	438.0	0.626	125.3	205.6	5.044	0.7461	1.245	1841.0
180.0	4.874	492.0	0.556	140.2	230.5	5.191	0.7459	1.244	1950.0
200.0	5.411	546.0	0.500	155.2	255.4	5.322	0.7458	1.243	2053-0
250 - 0	6.752	68ú • D	0-400	192.5	317.5	5.599	0.7455	1.242	2291.0
300.0	8.093	814.0	0.333	229.7	379.6	5.826	0.7454	1.242	2507.0
350.0	9.433	948.0	0.286	267.0	441.7	6.017	0.7453	1.242	2705.0
400.0	10.77	1080.0	0.250	304.2	503.7	6-183	0.7452	1.241	2890.0
450.0	12.11	1220.0							
			0.222	341.5	565.8	6.329	0.7452	1.241	3064.0
5 û C • O	13.45	1350.0	0.200	378.7	627.9	6.460	0.7451	1.241	3228.0
600.0	16.13	1620.0	0.167	453.2	752.0	6.686	0.7451	1.241	3534.0
700.0	18.81	1890.0	0-143	527.7	876-1	6.878	0.7450	1.241	3815.0
800.0	21.49	2150.0	ű.125	602.2	1000.0	7.043	0.7450	1.241	4077.0
900.0	24.17	2420.0	0.111	676.7	1124.0	7.189	0.7450	1.241	4323.0
1006.0	26.85	2690.0	0.100	751.2	1248.0	7.320	0.7449	1.241	4556.0
1260.0	32.22	3230.0	0.0833	900-1	1497.0	7.547	0.7449	1.241	4990.0
1400.D	37.58	3760 • ⊍	0.0714	1049.0	1745.0	7.738	0.7449	1.241	5388.0
1600.0	42.94	4300.0	0.0625	1198.0	1993.0	7.904	0.7449	1.241	5759.0
							0 - 7 4 4 9		
1800.0	48.30	4830.0	0.0555	1347.0	2241.0	8.050	0.7449	1.241	6108.0
2000.0	53-66	5370.0	0.0500	1496-0	2490.0	8.181	0.7449	1.241	6438.0
2500.0	67.06	6710.0	0.0400	1868.0	3110.0	8.457	0.7448	1.241	7196.0
7000 6	22.46	2252.2				0.604			7000 0
3000.0	80.46	8050.0	0.0333	2241.0	3731.0	8.684	0.7448	1.241	7882.0

^{*} TWO-PHASE BOUNDARY

10J PSIA ISOBAR

TEMPERATURE	DENSITY	V(0H/DV) _p	V(0P/0U)	-V(0P/0V)	(DV/DT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
		-	,	-		CONDUCTIVITY		DIFFUSIVITY	CONSTANT	NUMBER
DEG. R	L8/CU FT	BTU/LB	PSIA-CU FT/B1	U PSIA	1/0EG. R	STU/FT-HR-R	X 10E+6	SQ FT/HR		
							X 10E+0			
4.0	9.830	73.0	2.52	1790.0	0.00673	0.00946	3.42	0.00196	1.02077	0.641
5.0	9.720	28.6	6.41	1630.0	0.0156	0.3112	3-44	0.00258	1-02073	0-495
6 • 0	9.535	23.5	7.45	1400.0	0.0237	0.0121	3.28	0.00229	1.02064	0.542
7.0 8.0	9.273	20.5 18.8	8.01 7.95	1140.0 879.0	0.0328 0.0439	0.0129 0.0136	3.07 2.85	0.00207 0.00185	1.02049 1.02025	0.576 0.622
9.0	8.463	17.4	7.39	633.0	0.0587	0.0140	2.62	0.00162	1.01988	0.690
10.0	7.894	15.7	7.08	434.1	0.0782	0.0141	2.42	0.00145	1.01932	0.759
11.0	7.193	14.1	6.57	267.0	0.111	0.0140	2.24	0.00125	1.01846	0.898
12.0	6.267	12.7	5.90	149.0	0.163	0.0137	2.06	0.00105	1.01708	1-13
13.0	5-178	12.3	5-26	94.9	0 - 20 0	0.0131	1.92	0.00102	1.01507	1.30
14-0	4-245	13.1	4.83	83-1	0.179	0.0124	1.84	0.00125	1.01303	1.25
15.0	3.606	14.3	4.59	81.5	0.149	0.0121	1.81	0.00159	1.01146	1.14
16.0	3.147	15.6	4.43	82.5	0.125	0.0120	1.82	0.00197	1.01024	1.05
17.0	2.805	17.0	4.33	54.2	0.106	0.0121	1.84	0.00238	1.00929	0.989
18.0	2 • 540	18 - 4	4.25	86.1	0.0927	0.0122	1.86	0.00281	1.00853	0.939
19.0	2.330	19.9	4.20	87.9	0.0822	0.0124	1.89	0.00325	1.00790	0.902
20.0	2.156	21.4	4.15 4.09	89.5 92.0	0.0741 0.0621	0.0126	1.93 2.00	0.00369 0.00459	1.00737 1.00653	0.873 0.834
24.0	1.885 1.680	27.2	4.04	94.0	0.0537	0.0136	2.08	0.00553	1.00588	0.808
26.0	1.519	30.1	4.00	95.6	0.0474	0.0141	2.16	0.00649	1.00536	0.790
28.0	1.389	32.9	3.97	96 . 8	0.0425	0.0146	2.25	0.00750	1.00493	0.776
30-0 32.0	1.281	35 • 7 38 • 5	3.93 3.91	97.7 98.5	0.0385 0.0353	0.0151 0.0156	2.33	0.00855 0.00962	1.00457 1.00426	0.765 0.756
34.0	1.112	41.2	3.88	99.1	0.0326	0.0156	2.49	0.0107	1.00428	0.750
36.0	1.044	44.0	3.86	100.0	C. 0303	0.0165	2.56	0.0119	1.00376	0.745
38. ₪	0-9848	46.6	3.84	100.0	0.1283	U.0170	2.64	0.0130	1.00356	0.740
40.0	0.9321	49.3	3.83	100.0	0.0266	0.0174	2.72	0.0142	1.00338	0.737
45.0	0.8233	55.9	3.80	131.0	0.0232	0.0186	2.90	0.0174	1.00300	0.731
50.0	0.7381	62.5	3.77	101.0	0.0206	0.0197	3.08	0.0174	1.00270	0.731
55.0	0.6694	69.0	3.75	101.6	0.0185	0.0207	3.26	0.0242	1.00245	0.723
60.0	0.6128	75.4	3.74	101.0	0.0169	0.0218	3.43	0.0279	1.00225	0.721
70.0	0.5246	88.2	3.71	102.0	C.0143	0.0238	3.75	0.0359	1.00194	0.717
80.0	0.4590	101.6	3.70	1 u2 . 0	0.0125	0.0257	4.06	0.0446	1.00170	0.714
96-0 106-0	0.4081 0.3675	113.0 126.0	3.68 3.67	102.0 101.0	0.0111	0.0276 0.0295	4.35	0.0540 0.0640	1.00151 1.00137	0.711 0.708
120.0	0.3067	151.0	3.66	101.0	0.00993 0.00826	0.0299	4.63 5.17	0.0862	1.00137	0.703
140.0	0.2632	176.0	3.65	101.0	0.00708	0.0364	5.67	0.111	1.00098	0.699
160.0	0.2306	201.0	3.64	101.0	0.00620	0.0397	6.16	0.138	1.00086	0.695
180.0	0.2052 0.1848	226.0 251.0	3.64 3.63	101.0 101.0	0.00551 0.00496	0.0429 0.0460	6 • 62 6 • 94	0.168 0.200	1.00077 1.00069	0.691 0.675
250.0	0.1546	313.0	3.62	101.0	0.00496	0.0535	8.03	0.291	1.00056	0.671
300.0	0.1236	375.0	3.62	101.0	C.00331	0.0605	9.04	0.394	1.00046	0.668
350.0	0.1060	437.0	3.62	101.0	0.00284	0.0672	10.0	0.510	1.00040	0.667
400.0	0.09282	499.0	3.61	100.0	£.00249	0.0735	10.9	0.638	1.00035	0.666
450-0	0.08255	561.0	3.61	100.0	0.00221	0.0795	11.8	0.776	1.00031	0.666
50(.ů 600.0	0.07433	623.0	3.61	100.0	0.00199	0.0852	12.7	0.924	1.00028	0.667
600.0	0.36198	747.0	3.61	100.0	0.00166	0.0964	14.4	1.25	1.00323	0.668
700.0	0.35315	871.0	3.61	100.0	C.00142	0.107	16.0	1.62	1.00020	0.668
800.0	0.04652	1000.0	3.61	100.0	0.00125	0.118	17.6	2.04	1.00018	0.667
900.0	0.04137	1120.0	3.60	100.0	0.00111	0.128	19.1	2.49	1.00016	0.667
1000.0	0.03724	1240.0 1490.0	3.60 3.60	100.0	0.00100 0.000832	0.137 0.156	20.5	2.97 4.06	1.00014 1.00012	0.667 0.667
1400.0	0.03104 0.J2661	1740.0	3.60	100.0	0.000832	0.174	25.0	5.27	1.00012	0.667
1600.0	0.02329	1990.0	3.60	100.0	0.000624	0.191	28.5	6.62	1.00009	0.666
1800 - 0	0.02373	2240.0	3.60	100.0	C.000555	0.208	31.C	8.10	1.00008	0.666
2000.0	0.31864	2480.C	3.60	136.0	0.000500	0.224	33.4	9.69	1.00007	0.666
2500.0	0.01491	3110.0	3.60	100.0	0.000400	0.263	39.2	14.2	1.00006	0.666
3000.0	u.31243	3730.0	3.60	100.0	0.000333	0.299	44-6	19-4	1.00005	0.666

^{*} TWO-PHASE BOUNDARY

15J PSIA ISOBAR

TEMPERATU	RE VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
TEMPERATO	KE VOLUME	DERIVATIVE	OERIVATIVE	ENERGY	CHIRACFI	CIVINOI	•	OF-	OF SOUNO
oEG. R	CU FIZER	CU FT-PSIA/LB	PSIA/R	BTU/LA	BTU/L3	BTU/LB-R	etu /	LB -R	FT/SEC
02.4- 11									
4.0	0.09912	212.û	11.3	1.394	4.147	0.3682	0.4196	0.4240	995.0
5.0	0.1000	200.0	24.8	1.728	4.506	0.4526	0.3934	0-4220	996.0
6 - 0	0.1015	179.0	33.6	2.125	4.945	0.5358	0.4567	0.5229	982.1
7.0	0.1038	157.0	39.2	2.609	5.493	0.6215	0.4879	0.6244	964.5
8.0	0.1378	134.0	41.5	3.196	6.166	0.7115	0.5287	0.7469	935.7
9.0	0.1112	111.6	41.2	3.916	7.004	G-8083	0.5777	0.8920	891.5
10.0	0.1165	91.9	39.3	4.743	7.978	0.9093	0.5882	1.009	854.8
11.0	ú.1231	73.6	36.5	5.640	9.358	1.712	0.6026	1.160	810.0
12.0	ü.1318	57.6	33. ũ	6.654	10.31	1.122	0.5230	1.355	761.6
13.0	0.1435	44.8	29.2	7.812	11.80	1.241	0.6465	1.592	714-6
2000									
14.0	0.1593	36.2	25.2	9.118	13.54	1.371	0.6712	1.831	675.9
15.0	0.1796	32.2	21.5	10.53	15.52	1.508	0.6941	1.978	652.3
16.0	0.2030	32.2	18.3	11.95	17.59	1.642	G.7123	1.986	644.8
17.0	0.2276	34.5	15.8	13.32	19.64	1.766	0.7250	1.909	648.4
18.0	0.2514	37.1	13.9	14.54	21.52	1.874	0.7306	1.826	655.3
19.0	0.2748	39.9	12.4	15.65	23.28	1.976	0.7328	1.752	665.0
20.0	0.2980	42.9	11.2	16.70	24.98	2.057	0.7346	1.692	677.0
22.0	0.3433	49.3	9.43	18.68	28.21	2.212	0.7376	1.604	764.7
24.0	0.3433	55.9	8.20	20.53	31.30	2.346	0.7404	1.543	734.7
26.0	0.4313	62.7	7.27	22.32	34.30	2.466	0.7430	1.499	765.2
26.0	0.4313	02.7	1.21	22.32	34.30	2.460	0.7430	1.499	100.2
28.0	0.4740	69.5	5.54	24.07	37.24	2.575	0.7453	1.463	794.8
30.0	0.5160	76.2	5.95	25.80	40.13	2.675	0.7470	1.433	823.0
32.0	0.5572	82.9	5.46	27.50	42.98	2.767	0.7481	1.409	850.3
34.0	0.5978	89.4	5. û4	29.17	45.77	2.852	0.7489	1.389	876.5
36.0		95.9	4-69	30.82	48.53	2.931	0.7495		901.9
38.0	0.6379 0.6775	102.0	4.39	32.45	51.27	3.105	0.7499	1.373	926.4
		109.0	4.13	34.06	53.97	3.074	0.7501		
40.0	u.7167	109.0	4.13	34.00	23.31	3.074	0.7501	1.347	950.2
45.0	0.8135	124.0	3.59	38.05	60.65	3.231	0.7503	1.324	1007-0
50.0	0.9087	139.0	3.18	41.99	67.23	3.376	0.7503	1.308	1059.0
55.0	1.003	154.0	2.86	45.88	73.74	3.494	0.7501	1.296	1109.0
60.0	1.096	168.0	2.60	49.75	80.19	3.606	0.7498	1.287	1157.0
70.0	1.281	197.0	2.20	57.42	93.00	3.864	0.7493	1.275	1245.0
80.0	1.464	225.0	1.91	65.04	105.7	3.973	0.7488	1.266	1327.0
90.0	1.646	253.0	1.69	72.62	118.3	4.122	0.7484	1.261	1404.0
100.0	1.827	280.0	1.52	80.17	130.9	4.255	0.7480	1.257	1477.0
120.0	2.188	335.0	1.26	95.22	156.0	4.483	0.7475	1.252	1611.0
146.0	2.548	389.0				4.463	0.7471	1.252	
140.0	2.540	309.0	1.08	110.2	181.0	4.076	0.7471	1.240	1736.0
160.0	2.907	443.0	0.941	125.2	205.9	4.843	0.7467	1.246	1851.0
185.0	3.265	497.0	0.835	140.2	230.9	4.989	0.7465	1.245	1960.0
206.0	3.623	551.0	0.751	155.1	255.8	5.120	0.7463	1.244	2063.0
250.0	4.518	685.0	0.751	192.4	317.9	5.398	0.7460	1.243	2300.0
301.0	5.412	819.5	0.500						
350.0	6.305	953.6	0.428	229•7 267•û	380.0 442.1	5.624 5.816	0.7457 0.7456	1.242	2514.0 2712.0
400.0	7.199	1090.6	0.375	304.3	504.2	5.982	0.7455	1.242	2896.0
450.0 500.0	8.192 8.985	1226.0	0.333	341.5	566.3	6.128	0 - 7454	1.241	3069.0
666.0		1360.0	0.360	378.8	628.4	6.259	0.7453	1.241	3233.0
000.0	10.77	1620.0	0.250	453.3	752.5	6.485	0.7452	1.241	3538.0
700.0	12.50	1890.0	0.214	527.8	876.6	6.676	0.7452	1-241	3819.0
800-0	14.34	2160.0	0.187	602.3	1001.0	6.842	0.7451	1.241	4081.0
906.0	16.13	2430.0	0.167	676.8	1125.C	6.988	0.7451	1.241	4327.0
1000.0	17.92	2690.0	0.150	751.2	1249.0	7.119	0.7451	1.241	4559.0
1200.0	21.49	3230.0	0.125	900.2		7.345		1.241	4992.0
1400.0	25.06	3770.0			1497.0		0.7450		
1600.0	28.64	4300.0	0.107 0.0937	1049.0	1745.0	7.537	0.7450	1.241	5391.0
1806.0	32.21		0.0833	1198.0	1994.0	7.702	0.7450		5761.0
2000.0		4840.0		1347.0	2242.0	7.849	0.7450	1.241	6110.0
2500.0	35.78	5370.0	0.3750	1496.0	2490.0	7-979	0-7449	1 - 241	6439.0
2500.0	44.72	6710.0	0.0600	1368.0	3111.3	8.256	0.7449	1.241	7198.0
3000.0	53.55	8050.0	0.0500	2241.0	3731.3	8.482	0.7449	1.241	7883.0
3000.0	20.00	0050.0	0.0500	2241.0	3/31.3	0.402	0.1449	1.241	1003.0

^{*} TWO-PHASE BOUNDARY

15) PSIA ISOBAR

TEMPERATU	RE DENSITY	V (OH/DV)	V(DP/DU) -V(DP/D)	(OV/OT)	V THERMAL	VISCOSITY	THERMAL	OIELECTRIC	PRANDTL
TE-III ERATO		Р	v	g T			DIFFUSIVITY		NUMBER
DEG. R	ta/CU FT	BTU/LB	PSIA-CU FT/8TU PSIA	1/DEG. F	R BTU/FT-HK-R		SQ FT/HR		
						X 10E+6			
4.0 5.0	10.09 10.00	80.1 33.9	2.67 2130.0 6.30 2000.0	0.00530 C.0124	0.00976 0.0116	3.91 3.90	0.00228	1.02087 1.02084	0.611 0.508
6.3	9.848	27.5	7.59 1770.4	0.0124	0.0116	3.70	0.00276	1.02078	0.550
7.0	9.632	24.1	8.33 1510.3	0.1259	0.0136	3.46	0.00226	1.02068	0.572
8-0	9.349	22.5	8.40 1250.0	0.0332	0.0144	3.21	0.00206	1.02053	0.600
9.6	8.995	21.6	7.92 1000.0	0.3412	0.0150	2.98	0.60187	1.02030	0.638
10.0	8.586	20.3	7.77 789.0	0.0497	0.0154	2.78	0.00178	1.01999	0.656
11.0	8.125	19.0	7.45 598.0	6.3613	0.0156	2.62	0.00166	1.01956	0.699
12. ú	7.589	17.9	6.99 437.0	C.3757	0.0156	2.47	0.00152	1.01897	0.773
13.0	6.909	17.6	6.49 312.0	0.0937	0.0154	2.34	0.00139	1.01816	0.870
			5 00 007 0	2 444			0.00171		
14.0 15.0	6.277 5.569	16.5 16.5	5.99 227.0 5.56 180.0	0.111 0.120	0.0151 0.0147	2.23	0.00131 0.00133	1.01710	0.975 1.04
16.0	4.327	17.2	5.22 159.0	[• 120	0.0147	2.13	0.00146	1.01455	1.05
17.ŭ	4.394	18.3	4.97 152.0	0.104	0.0141	2.08	0.00168	1.01338	1.02
18.0	3.978	19.4	4.78 147.0	0.0942	0.0140	2.08	0.00192	1.01239	0.980
19.0	3.639	20.6	4.64 145.0	C. J852	0.0140	2.10	0.00219	1.01154	0.946
20.0	3.356	21.8	4.54 144.0	0.3776	3.0140	2.11	0.00247	1.01080	0.918
22.0	2.913	24.4	4.39 144.0	0.3657	0.0143	2.17	0.00336	1.00959	0.876
24.0	2.573	27.2	4.29 144.0	0.0568	0.0146	2.23	0.00368	1.03864	0.845
26.0	2.313	29.9	4.22 145.0	0.0561	0.0150	2.23	0.60433	1.00787	0.823
28.0	2.11J	32.8	4.16 147.0	0.0447	0.0155	2.36	0.00501	1.00723	0.806
36.U 32.0	1.938	35 • 6 38 • 4	4.11 148.0 4.06 149.0	0.0403	0.0159	2.44	0.00572 0.00645	1.00670	0.791 0.780
34.0	1.795 1.673	41.2	4.05 149.0	0.0367 0.0337	0.0163 0.0168	2.58	0.00721	1.00625 1.00586	0.771
36.0	1.563	44.0	3.99 150.0	0.03312	0.0172	2.65	0.00721	1.00552	0.763
38.0	1.476	46.7	3.97 151.0	0.0291	0.0176	2.73	0.00879	1.00522	0.757
40.0	1.395	49.4	3.94 151.0	0.0273	0.0181	2.80	0.00961	1.00495	0.752
45.0	1.229	56.2	3.89 152.0	0.0236	0.0191	2.98	0.0118	1.00439	0.742
50.0	1.100	62.8	3.86 153.0	0.0208	0.0202	3.15	0-0140	1.00396	0.735
55.0	0.997	69.4	3.83 153.0	C.0187	0.0212	3.32	0.0164	1.00360	0.730
60.0	0.9123	75.9	3.80 153.0 3.77 154.0	0.3173	0.0222	3.48	0.0189	1.00331	0.726
70.0 86.0	0.78J7 0.6831	88.8 102.0	3.77 154.0 3.74 154.0	0.0144 0.0125	0.0242 0.0261	3.80 4.13	0.0243 0.0302	1.00285 1.00250	0.721 0.717
90.0	0.6576	114.0	3.72 153.0	0.0110	0.0280	4.39	0.0365	1.00223	0.713
160.0	0.5473	127.0	3.71 153.0	0.30990	0.0298	4.67	0.6433	1.00202	0.710
120.0	J.4570	152.0	3.69 153.0	0.00823	0.0333	5.20	0.0582	1.00169	0.704
140.0	0.3925	177.6	3.67 153.0	0.06705	0.0367	5.71	0.0749	1.00146	0.699
166.0	0.3440	202.0	3.66 152.0	0.00617	0.0400	6.19	0.0932	1.00128	0.695
180.0	0.3063	227.0	3.65 152.0	0.00549	0.0431	6.65	0.113	1.00114	0.691
200.0	0.276J 0.2213	252.0	3.65 152.0	6.00494 5.00706	0.0462	6.97	0.135	1-00103	0.675
250.0 300.0	0.2213	314.0 376.0	3.64 152.0 3.63 151.0	C.00396 C.00330	0.0537 0.0607	8.05 9.06	0.195 0.264	1.00083	0.671 0.668
350.0	0.1848	438.0	3.62 151.0	0.00283	0.0673	10.0	0.342	1.00059	0.666
400.0	0.1389	500.0	3.62 151.0	0.00248	0.0736	11.0	0.427	1.00052	0.666
456 · C	0.1236	562 · C	3.62 151.0	0.00221	0.0796	11.9	0.519	1.00046	0.666
500.0	0.1113	624.0	3.61 151.0	0.00199	0.0853	12.7	0.618	1.00042	0.667
600.0	0.09284	748.0	3.61 151.3	0.00166	0.0965	14.4	0.837	1.00035	0.668
706.6	0.07963	872.0	3.61 151.0	0-00142	0.107	16.0	1.09	1.00030	0.668
806.0	ù.06971	1500.5	3.61 150.0	0.00125	0.118	17.6	1.36	1.00026	0.667
900.0	0.06199	1120.0 1240.0	3.61 150.0 3.61 150.0	0.00111	0.128 0.138	19.1 20.5	1.66 1.99	1.00023	0.667 0.667
1200.0	0.04653	1490.0	3.60 150.0	0.00100		23.3	2.71	1.00021	0.667
1406.0	0.03990	1740.0	3.60 150.0	0.000713		26.0	3.52	1.00315	0.666
1600.0	0.03492	1990.0	3.60 150.0	0.000624		28.5	4.42	1.00013	0.666
1840.0	0.03105	2240.0	3.60 150.0	0.000555		31.0	5.40	1.00012	0.666
2608.0	0.02795	2490.0	3.60 150.0	C.000499		33.4	6.47	1.00011	0.666
2500.0	0.02236	3110.0	3.60 150.7	6.000400		39.2	9.47	1.00008	0.666
3000.0	0.31864	3730.0	3.60 150.0	0.000333	0.299	44.6	12.9	1.05307	0.666

^{*} TWO-PHASE BOUNDARY

200 PSIA ISOBAR

TEMPERATURE	VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	cv	СР	VELOCITY
OEG. R	CU FT/L8	OERIVATIVE CU FT-PSIA/LB	CERIVATIVE PSIA/R	ENERGY BTU/LB	BTU/LB	BTU/LB-R	вти /	' LB -R	OF SOUNO FT/SEC
, ,	0 00105	238.0	11.1	1.435	5.025	0.3608	0.3684	0.3720	1054.0
4.0	0.03695								
5 • 0	0.09765	228.0	24.2	1.734	5.350	0.4386	0.3787	0.4014	1058.0
6.0	0.09891	210.0	34.0	2.199	5.762	0.5173	0.4365	0.4965	1051.0
7.0	0.1348	188.0	40.5	2.543	6.275	0.5981	0.4739	0.5888	1040.0
8.3	0.1033	166.0	43.6	3.080	6.906	0.6824	0.5158	0.6976	1019.0
9 • 0	0.1066	144.0	44.1	3.737	7.684	0.7719	0.5655	0.8213	983.3
10.0	0.1105	125.0	42.9	4.480	8.572	0.8638	0.5760	0.9089	955.5
11.0	0.1151	106.0	40.8	5 • 265	9.529	0.9553	0.5895	1.012	920.2
				6.127	10.60	1.049	0.6077	1.136	881.3
12.0	0.1238	89.7	38.2						
13.0	J.1277	75.0	35.3	7.077	11.81	1.146	0.6277	1.279	841.5
14.0	0.1363	62.9	32.1	8.123	13.17	1.248	0.6480	1.436	803.7
15.0	0.1470	53.9	28.8	9.263	14.71	1.355	0.6676	1.591	771.2
16.0	0.1599	48-1	25.6	10 - 48	16.40	1.464	0.6857	1.717	747.0
17.0	0.1747	45.4	22.7	11.74	18.21	1.575	0.7014	1.789	732.7
18.0	0.1910	45.3	20.1	13.01	20.08	1.682	0.7142	1.801	727.7
		47.0	17.9	14.24	21.94	1.783	0.7227	1.763	728.6
19.0	0.2079								
20.0	0.2248	49.5	16.1	15.45	23.73	1.875	0.7282	1.712	733.9
22.0	0.2574	54.3	13.5	17.49	27.03	2.033	0.7331	1.634	748.8
24.0	0.2899	59.6	11.6	19.44	30.17	2.171	0.7369	1.580	769.5
26.0	0.3223	65.4	10.2	21.29	33.23	2.293	0.7403	1 - 540	793-5
28.G	0.3545	71.6	9.15	23.12	36.25	2.405	0.7436	1.505	819.3
	0.3864		8.28	24.91	39.22	2.508	0.7462	1.474	845.1
30.0		78.0							
32.0	0.4179	84.6	7.56	26.67	42.14	2.602	0.7480	1.448	870.7
34.0	0-4489	91-1	6 • 97	28.39	45.02	2.689	0.7493	1.425	895.8
36.0	0.4795	97.5	6.45	30.09	47.85	2.770	0.7502	1.406	920.2
38.0	0.5398	104.0	6.03	31.76	50.54	2.845	0.7508	1.390	944.1
40.0	0.5398	116.0	5.65	33.42	53.41	2.916	0.7512	1.375	967.3
45.0	0.6136	126.0	4.89	37.49	60.21	3.077	0.7517	1.348	1023.0
50.0	0.6861	141.0	4.32	41.49	66.90	3.218	0.7517	1.328	1075.0
55.0	0.7577	156.0	3.87	45.44	73.50	3.343	0.7516	1.312	1124.0
60.0	0.8284	171.0	3.51	49.35	80.03	3.457	0.7513	1.301	1171.0
70.0	0.9683	200.0	2.97	57.09	92.95	3.656	0.7507	1.285	1259.0
80.0	1.107	228.0	2.57	64.76	105.7	3.827	0.7501	1.274	1341.0
90.0	1.244	257.0	2.27	72.38	118.4	3.977	0.7496	1-267	1417.0
100.0	1.380	284.0	2.03	29.97	131.1	4.11C	0.7491	1.262	1489.0
126.û	1.652	339.0	1.68	95.07	156.2	4.339	0.7484	1.255	1623.0
146.0	1.922	394.0	1.44	110.1	181.3	4.532	0.7478	1.251	1747.0
160.0	2.192	448.0	1.26	125.1	236.3	4.699	0.7474	1.248	1861.0
180.0	2.461	502.0	1.11	140.1	231.2	4.846	0.7471	1.246	1969.0
200.0	2.730	556.0	1.06	155.1	256.2	4.977	0.7468	1.245	2072.0
250.0	3.401	690.0	0.800	192.4	318.4	5.255	0.7464	1.243	2308.0
300.0	4.071	824.0	0.667	229.7	380.5	5.482	C.7461	1.242	2522.0
350.0	4.741	958.0	0.571	267.3	442.6	5.673	0.7459	1.242	2719.0
436.0	5.411	1090.0	0.510	304.3	504.7	5.839	0.7457	1.242	2902.0
450.0	6.081	1230.0	0.444	341.6	566.8	5.985	C • 7456	1.241	3075.0
500.0	6.751	1360.0	5 • 400	378.8	628.9	6.116	0.7456	1.241	3238.0
690.0	8.090	1630.0	0.333	453.4	753.0	€.342	0.7454	1.241	3543.0
706.0	9.430	1900.0	0.286	527.9	877.1	6.534	0.7453	1.241	3823.0
	10.77	2160 • 0	0.250	602.3	1601.0	6.699	0.7453	1.241	4085.0
900.0	12.11	2430.0	0.222	676 • 8	1125.0	6.846	0.7452	1.241	4330.0
1000.0	13.45	2700.0	0.200	751.3	1249.0	6.976	0.7452	1.241	4563.0
	16.13	3230.0	0.167	900.3	1498.0	7.203	0.7451	1.241	4995.0
	18.81	3770.0	0.143	1049.0	1746.0	7.394	0.7451	1.241	5393.0
1600.0	21.49	4310.0	0.125	1198.0	1994.9	7.560	0.7451	1.241	5764.0
	24.17	4840.0	0.111	1347.0	2242.0	7.706	0.7451	1.241	6112.0
2000.0	26.85	5380.0	0.100	1496.0	2490.0	7 - 837	0 - 7450	1.241	6441.0
2500.0	33.55	6720.0	0.0860	1869.0	3111.3	8.113	0.7450	1.241	7199.0
3666.0	40.25	8060.0	0.0666	2241.0	3732.0	8.340	0.7450	1.241	7885.0

^{*} THO-PHASE BOUNDARY

200 PSIA ISDBAR

TEMPERATU	RE DENSITY	V (DH/DV)	V(DP/DII) -	(DP/DV)	(DV/DT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
Tem exalo	NE DENSITY	P	V(DP/DU) -	T		DNOUCTIVITY	113003111	DIFFUSIVITY	CONSTANT	NUMBER
DEG. R	LB/CU FT	BTU/LB	PSIA-CU FT/BTU	PSIA		BTU/FT-HR-R	LB/FT-SEC	SQ FT/HR		
							X 10E+6			
4 - 0	10.31	82.3		2450.0	0.00452	0.0100	4.40	0.00262	1.02093	0.587
5.0	10.24	38.8		2340.0	0.0104	0.0120	4.35	0.00293	1.02091	0.522
6.0	10.11	30.9		2120.0	0.0161	0.0131	4.11	0.00262	1.02087	0.559
7.0	9.922	27.1		1870.0	0.0217	0-0141	3.83	0.00242	1.02081	0.574
8.0	9.680	25.6		1600.0	0.0272	0.0150	3.55	0.00223	1.02071	0.593
9.0	9.383	25.1		1350.0	0.0327	0.0158	3.30	0.00205	1.02055	0.618
10.0 11.0	9.450	24.0	8.23 7.97	1130.0 925.0	G.0379 O.0442	0.0164 0.0168	3.09 2.92	0.00199 0.00191	1.02034	0.618 0.634
12.0	8.686 8.28J	22.9 22.1	7.60	743.0	0.0515	0.0170	2.77	0.00191	1.02007 1.01971	0.668
13.0	7.830	21.3	7.18	588.0	0.0600	0.0170	2.65	0.00170	1.01925	0.717
10.0	7 4000	21.3	7.10	,,,,,,	0.000	0.0110	2.07	0.001/0	1.01,00	0
14.0	7.334	20.7	6.75	462.0	0.0695	0.0169	2.54	0.00160	1.01865	0.777
15.0	6-803	20.3	6.34	366.0	0.0786	0.0167	2.45	0.00154	1.01792	0.842
16.0	6.255	20.2	5.97	361.0	C. 0851	0.0164	2.38	0.00153	1.01706	0.898
17.0	5.724	20.5	5.65	260.0	0.0872	0.0161	2.33	0.00157	1.01613	0.933
18.0	5.236	21.2	5.38	237.0	0.0848	0.0159	2.31	0.00168	1.01519	0.942
19.0	4.810	22 • 2	5.16	226.0	0.0794	0.0157	2.29	0.00185	1.01430	0.928
20.0	4.449	23 • 4	4.98	220.0	0.0733	0.0156	2.29	0.00205	1.01350	0.907
22.0	3.884	25.6	4.73	211.0	0.0638	0.0156	2.32	0.00246	1.01216	0.874
24.0	3.449	28.0	4.56	206.0	C.0564	0.0158	2.37	0.00290	1.01105	0.851
26.0	3.103	30.6	4.45	203.0	0.0504	0.0161	2.42	0.00337	1.01012	0.834
28.0	2.821	33.2	4.36	202.0	0.0453	0.0164	2.48	0.00387	1.00933	0.819
30.0	2.588	36.0	4.29	202.0	C+0410	0.0168	2.54	0-00440	1.00866	0.805
32.0	2.393	38 • 7	4.22	202.0	0.0374	0.6171	2.61	0.00495	1.00809	0.793
34.0 36.0	2.228	41.5	4.17	203.0	C.0343	0.0175 0.0179	2.68 2.74	0.00552 0.00611	1.00759	0.784 0.775
	1.961	44.3 47.0	4.13	204.0	0.0318	0.0179	2.81		1.00716	
38.0 40.0	1.852	49.8	4.09 4.06	204.0	0.0296 C.0276	0.0187	2.88	0.00672 0.00735	1.00677 1.00643	0.768 0.762
40.0	1.052	45.0	4.00	204.0	0.0270	0.0107	2.00	0.00739	1.00043	0.702
45.0	1.630	56.6	3.99	205.0	0.0238	0.0197	3.05	0.00898	1.00572	0.750
50.0	1.457	63.3	3.94	206.0	0.0210	0.0207	3.22	0.0107	1.00515	0.742
55.0	1.320	69.9	3.90	206.0	0.0188	0.0217	3.38	0.0125	1.00470	0.736
60.0	1.207	76.5	3.87	207.0	C.0170	0.0227	3.54	0.0144	1.00432	0.731
70.0	1.333	89.5	3.82	207.0	0.0144	0.0246	3.85	0.0185	1.00373	0.724
80.0	0.9037	102.0	3.79	206.0	0.0124	0.0265	4.15	0.0230	1.00328	0.719
96.0	0.8040	115.0	3.76	206.0	0.0110	0.0283	4.44	0.0278	1.00293	0.715
130.0	0.7245	128.0	3.74	206.3	0.00987	0.0301	4.71	0.0329	1.00265	0.711
120.0	0.6054	153.0	3.72	205.0	0.00820	0.0336	5.24	0.0442	1.00223	0.705
140.0	0.5202	178.0	3.70	205.0	0.00702	0 • 0 36 9	5-74	0.0568	1-00192	0.700
160.0	0.4563	203.0	3.68	204.0	0.00614	0.0402	6.22	0.0705	1.00169	0.695
180.0	0.4064	228.0	3.67	204.0	0.00546	0.0434	6.68	0.0856	1.00151	0.691
200.0	0.3664	253.0	3.66	204.0	0.00492	0.0465	7.00	0.102	1-00136	0.675
250.0 300.0	0-2941	315.0	3.65	203.0	0.00394	0.0539	8.07	0.147	1.00110	0.671
350.0	0.2456 0.2109	377.0 439.0	3.64 3.63	202.0	0.00329 0.00283	0.0608 0.0675	9.08 10.1	0.199 0.258	1.00092	0.668
400.0	0.2109	501.0	3.63	202.0	0.00248	0.0575	11.0	0.258	1.00069	0.665
450.0	0.1644	564.0	3.62	202.0	C.00220	0.0797	11.9	0.391	1.00062	0.665
500.0	0.1481	626.0	3.62	201.0	0.00198	0.0855	12.7	0.465	1.00056	0.666
600.0	0.1236	750.0	3.62	201.0	0.00166	0.0965	14.4	0.629	1.00046	0.667
00000	0.1200	1,70.0	0.02		0.00100	0.0,0,		0.023	1000040	••••
700.0	0.1060	874.0	3.61	201-3	0.00142	0-107	16.0	0.816	1.00040	0.667
800.0	0.09285	1000.0	3.61	201.0	0.00124	0.118	17.6	1.02	1.00035	0.667
900.0	0.08258	1120.0	3.61	201.0	0.00111	0.128	19.1	1.25	1.00031	0.667
1000.0	0.07436	1250.0	3.61	201.0	0.00100	0.138	20.5	1.49	1.00028	0.667
1200.0	0.06200	1490.0	3.61	201.0	0.000831	0.156	23.3	2.03	1.00023	0.667
1400.0	0.05317	1740.0	3.60	200.0	0.000712	0.174	26.0	2.64	1.00020	0.666
1600.u	0.04654	1990.0	3.60	200.0	0.000624	0.191	28.6	3.32	1.00018	0.666
1800.0	6.04138	2240.0	3.60	200.0	0.000554	0.208	31.0	4-05	1-00016	0.666
2000-0	0.03725	2490.0	3.60	200.0	0.000499	0.224	33.4	4.85	1.00014	0.666
2500.0	0.02981	3110.0	3.60	200.0	0.000399	0.263	39.2	7.10	1.00011	0.666
3000.0	0.02485	3730.0	3.60	200.0	0.000333	0.299	44.6	9.71	1.00009	0-666

^{*} TWO-PHASE BOUNDARY

300 PSIA ISOBAR

TEMPERATURE	E VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
OEG. R	CU FT/LB	OERIVATIVE CU FT-PSIA/LB	OERIVATIVE PSIA/R	ENERGY BTU/LB	8TU/L8	BTU/LB-R	8TU /	LB -R	OF SOUNO FT/SEC
						. 7/ 05	0.007/		
4.0	0.09341	281.0	12.7	1.548	6.738	0.3486	0.2974	0.3011	1149.0
5.0	0.09395	278.0	23.6	1.795	7.014	0.4169	0.3522	0.3685	1161.0
6.0	0.39488	263.0	34.7	2.111	7.382	0.4885	0.4092	0.4549	1164.0
7.0	0.09627	244.0	42.5	2.496	7.844	0.5620	0.4483	0.5375	1164.0
8.0	0.09811	223.0	46.8	2 • 966	8.416	0.6385	0.4938	0.6339	1152.0
9.0	0.1004	202.0	48.2	3.543	9.122	C.7192	0.5466	0.7398	1126.0
16.0	0.1031	184.0	47.9	4.192	9.917	0.8011	0.5592	0.8049	1107.0
11.0	0.1060	165.0	46.7	4.863	10.75	0.8812	0.5738	0.8762	1082.0
				5.585	11.66				1053.0
12.0	0.1094	148-0	45.0			0.9611	0.5921	0.9563	
13.0	0.1134	132.0	43.0	6.362	12.66	1.041	0.6111	1.043	1022.0
14.0	0.1179	118.0	40.6	7.198	13.75	1.123	0.6296	1.134	991.3
15.0	0.1230	105.0	38.1	8 • 0 92	14.93	1-205	0.6469	1.229	961.5
16.0	0.1290	94.2	35.6	9.044	16.21	1.289	0.6628	1.324	934.0
17.0	0.1358	85.5	33.0	10.05	17.59	1.373	0.6772	1.415	909.9
18.0	0.1434	78.9	30.5	11.10	19.07	1.458	0.6901	1.496	890.1
19.0	0.1521	74.3	27.9	12.22	20.67	1.546	0.7019	1.556	873.3
								1.550	
20.0	0.1613	71.7	25.6	13.35	22.31	1.631	0.7108	1.591	862.4
22.0	0.1811	71.2	21.6	15.55	25.61	1.789	0.7226	1.600	854.8
24.0	0.2012	74.0	18.6	17.64	28.82	1.930	0.7297	1.573	859.3
26.0	0.2214	77.7	16.3	19.60	31.90	2.054	0.7346	1.544	869.9
28.0	0.2418	82.0	14.6	21.49	34.93	2.166	0.7392	1.524	885.1
30.0	0.2626	87.2	13.2	23.36	37.95	2.271	0.7433	1.503	903.8
32.0	0.2834	92 • 7	12.0	25.19	40.94	2.367	0.7464	1.483	923.9
34.0	0.3041	98.5	11.0	26.99	43.89	2.456	0.7487	1.464	944.7
36.0	0.3247	104.0	19.2	28.76	46.80	2.539	0.7504	1.446	965.8
		111.0		30.50	49.67	2.617		1.430	987.0
38.0	0.3452		9.46				0.7516		
40.0	0.3655	117.0	8.84	32.21	52.52	2.690	0.7525	1.415	1008.0
45.0	J. 4156	132.0	7.60	36.42	59.51	2.855	0.7537	1.383	1060.0
50.0	0.4649	147.0	6.68	40.53	66.36	2.999	0.7541	1.359	1109.0
55.0	0.5135	163.0	5.96	44.58	73-10	3.128	0.7541	1.340	1157.0
60.0	0.5615	178.0	5.38	48.57	79.76	3.244	0.7539	1.325	1203.0
70.0	0.6561	207.0	4.52	56.45	92.90	3.446	0.7532	1.303	1289.0
86.0	J.7495	236.0	3.90	64.22	105.9	3.619	0.7525	1.289	1369-0
90.0	0.8418	265.0	3.44	71.92	118.7	3.770	0.7518	1.279	1444.0
166.0	0.9336	293.0	3.07	7-9 - 57	131.4	3.905	0.7511	1.271	1515.0
126.0	1.116	348.0	2.54	94.77	156.7	4.136	0.7501	1.261	1647.0
140.0	1.297	403.0	2.16	109.9	181.9	4.329	0.7493	1.255	1769-0
160.0	1.477	457.0	1.89	124.9	207.0	4.497	0.7487	1.252	1882.0
186.0	1.656	512.0	1.67	140.0	232.0	4.644	0.7483	1.249	1989.0
200.0	1.836	566.0	1.50	155.0	256.9	4.776	0.7479	1.247	2090.0
250.0	2.283	700.0	1.20	192.4	319.2	5.054	0.7472	1.245	2324.0
300.0	2.731	834.0	1.00	229.7	381.4	5.280	0.7468	1.243	2536.0
350.0	3.177	968.0	0.857	267.1	443.6	5.472	0.7465	1.242	2732.0
400.0	3.624	1100.0	0.749	304.4	505.7	5.638	0.7463	1.242	2914-0
450.0	4.070	1240-0	0.666	341.7	567.8	5.784	0.7461	1.242	3086.0
500.0	4.517	1370.0	0.599	378.9	629.8	5.915	0.7460	1.241	3249.0
600.0	5.409	1640.0	0.499	453.5	75 4 • 0	6.141	0.7458	1.241	3552.0
706.0	6.302	1900.0	0.428	528.0	878.1	6.333	0.7457	1.241	3832.0
800.0	7.195	2170.0	0.375	602.5	1002.0	6.498	0.7456	1.241	4092.0
0.036	8.388	2440.0	0.333	677.0	1126.0	6.644	0.7455	1.241	4337.0
1000.0	8.980	2710.0	0.300	751.5	1250.0	6.775	0.7455	1.241	4569-0
1200.0	10.77	3240.0	0.250	900.5	1499.0	7.001	0.7454	1.241	5001.0
1400.0	12.55	3786.0	0.214	1049.0	1747.0	7.193	0.7453	1.241	5398.0
1660.0	14.34	4310.0	0.187	1198.0	1995.0	7.358	0.7453	1.241	5768.0
1800.0	16.12	4850.0	0.167	1347.0	2243.0	7.505	0.7452	1.241	6116.0
2000.0	17.91	5380.0	0.150	1496.0	2491.0	7.635	0.7452	1.241	6445.0
2500.0	22.38	6720.0	0.120	1869.0	3112.0	7.912	0.7451	1.241	7202.0
3000.0	26.84	8060.0	0.100	2241.0	3732.0	8.139	0.7451	1.241	7887.0

^{*} THO-PHASE BOUNDARY

300 PSIA ISOBAR

TEMP	ERATURE	DENSITY	V (DH/OV)	V (DP/OU)	-V(DP/OV) _T	(0V/0T)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANOTL
			Р			Р (CONOUCTIVITY		DIFFUSIVITY	CONSTANT	NUMBER
0	EG. R	LB/CU FT	BTU/LB	PSIA-CU FT/81	TU PSIA	1/DEG. R	BTU/FT-HR-R	X 10E+6	SQ FT/HR		
								× 101.0			
	4.0	10.71	71.3	3.99	3010-0	0.00422	0.0105	5.44	0.00326	1.02100	0.561
	5.0	10.54	46.3	6.29	2960.0	0.00796	0.0128	5.29	0.00326	1.02099	0.549
	6 • G	10.54	36.4	8.04	2770.0	0.0125	0.0143	4.93	0.00291	1.02098	0.579
	7.0	10.39	32.0	9.13	2530.0 2270.0	0.0168	0.0151 0.0161	4 - 56	0.00270	1-02095	0.585
	8 • 0 9 • 0	9.96	30.8 30.9	9.30 8.86	2010.0	0.0206 0.0239	0.0161	4.21 3.90	0.00250 0.00231	1.02090	0.595
	0.0	9.703	30.0	8.83	1780.3	0.0269	0.0173	3.65	0.60231	1.02072	0.593
	1.0	9.431	29.3	8.64	1560.0	0.0300	0.0185	3.45	0.00224	1.02058	0.589
	2.0	9.137	28.7	8.32	1350.0	0.0333	0.0189	3.28	0.00217	1.02040	0.596
1	3.0	8.822	28.3	7.97	1170.0	0.0368	0.0193	3.14	0.00209	1.02018	0.612
				7.44	4000	0.04.07	0.040/	7 00		4 04000	0.675
	4.0 5.0	8.485	27.9 27.5	7.61 7.25	1030.0 854.0	0.0407 6.0447	0.0194 0.0195	3.02 2.92	0.00202 0.00195	1.01990 1.01956	0.635 0.665
	6.0	8-128 7-753	27.2	6.92	731.0	0.0447	0.0199	2.84	0.00199	1.01916	0.698
	7.0	7.366	27.6	6.61	630.0	0.0524	0.0193	2.77	0.00185	1.01869	0.733
	8 • G	6.972	27.0	6.33	550.0	0.0554	0.0191	2.72	0.00183	1.01816	0.767
11	9.0	6.577	27.2	6.05	488.0	0.0572	0.0189	2.68	0.00185	1.01758	0.794
	0.0	6.193	27.6	5.81	445.0	0.0575	0.0187	2.65	0.00190	1.01697	0.811
	2.0	5.523	29.1	5.42	393.0	0.0550	0.6184	2.63	0.00208	1.01575	0.822
	4.0	4.969	31.1	5.13	368.0	0 • 0506	0.0183	2.64	0.00235	1.01464	0.815
21	€.0	4.517	33.2	4.92	351.0	0.0465	0.0184	2.67	0.00264	1.01366	0.807
21	8.0	4.135	35.5	4.77	339.0	0.0429	0.0185	2.71	0.00294	1.01277	0.803
	6.0	3.807	38.0	4.65	332.0	0.0396	0.0187	2.75	0.00326	1.01197	0.798
3	2.0	3.528	40 - 5	4.55	327.0	0.0366	0.0189	2.81	0.00361	1.01126	0.792
	4.0	3.288	43.1	4.47	324.0	0.0340	0.0192	2.86	0.00398	1.01062	0.787
	6.0	3.080	45.8	4.43	322.0	0.0316	0.0195	2.92	0.00437	1.01006	0.781
	8.0	2.897	48-4	4.34	320.0	0.0295	0.0198	2 • 98	0.00477 0.00519	1.00955	0.775
4	0.0	2.736	51.1	4.29	319.0	0.0277	0.0201	3.04	0.00519	1.00909	0.770
4	5.6	2.436	57.8	4.19	318.û	0.0239	0.0209	3.19	0.00629	1.00813	0.759
	0.0	2.151	64.6	4.12	317.0	C.0210	0.0218	3.35	0.00747	1.00736	0.750
	5.0	1-947	71.3	4.05	317.0	0.0188	0.0227	3.50	0.60871	1.00673	0.743
	0.0	1.781	77.9	4.61	316.0	0.0170	0.0236	3.65	0.0100	1.00620	0.738
	0.0	1.524	91.1	3.94	316.0	6.0143	0.0254	3.95	0.0128	1.00537	0.729
	0.0	1.334	104.0 117.6	3.89 3.85	315.0 314.0	C.3124 C.0109	0.6272	4.24	0.0158 0.0191	1.00475 1.00425	0.723 0.718
	C • U	1.071	130.0	3.82	314.0	0.00980	0.6307	4.79	0.0226	1.00386	0.713
	0.0	0.8964	155.0	3.77	312.0	0.06813	0.0342	5.31	0.0302	1.00325	0.706
	0.0	G-7713	186-0	3.74	311.0	0.00696	0.0375	5.81	0.0387	1.00282	0.700
	0.0	ù.6772	205.0	3.72	310.0	0.00609	0.6407	6.28	3.0480	1.00248	0.695
	6.U 6.0	0.6037 0.5447	230.0 255.0	3.71 3.69	309.0 308.0	0.00542 0.00488	0.0438 0.0469	6.74 7.05	0.0581 0.0690	1.00222 1.00201	0.691 0.675
	6 - G	0-4379	318.0	3.67	307.0	0.00488	0.0542	8.12	0.0995	1.00162	0.671
	6.0	0.3662	380.0	3.66	305.0	0.00392	0.0612	9.12	0.134	1.00136	0.668
	0.0	0.3147	442.0	3.65	305.0	6.00281	0.0678	10.1	0.173	1.00117	0.666
	0.0	0.2760	504.0	3.64	304.0	L.00246	0-0740	11.0	0.216	1.00103	0.665
	C • O	0.2457	566.0	3.63	304.0	0.00219	0.0803	11.9	0.262	1.00092	0.665
	0.0	ū.2214	628.0	3.63	303.0	0.00198	0.0857	12.8	0.312	1.00083	0.666
60	0.0	6.1849	752.0	3.62	303.0	0.00165	0.0967	14.4	0.422	1.00069	0.667
7.0	0.0	0-1587	876.0	3.62	302.0	0.00142	0.108	16.0	0.546	1.03060	0.667
	£ • 0	0.1396	1000.0	3.61	302.0	0.30124	0.118	17.6	0.683	1.00052	0.667
	G • G	0.1236	1120.0	3.61	302.0	G.00110	0.128	19.1	0.834	1.00046	0.667
100		0.1114	1250.0	3.61	301.0	0.000994	0.138	20.5	1.00	1.00042	0.667
120		0.09288	1500.0	3.61	301.0	0.006829	0.156	23.3	1.36	1.00035	0.666
140		0.07967	1740.0	3.61	301.3	0.060711	0.174	26.0	1.76	1.00030	0.666
160 180		0.06974	1990.0	3.60 3.60	301.0 301.0	C.006623 G.000554	0.192	28.6 31.0	2.21 2.70	1.00026 1.00023	0.666
200		0.05202	2490.0	3.60	301.0	6.000554	0.208	33.4	3.24	1.00023	0.666
25 u		0.34469	3110.0	3.60	306.0	0.000399	0.263	39.2	4.74	1.00017	0.666
300	6.0	0.03726	3736.0	3.60	300.0	0.000333	0.299	44.6	6 • 47	1.00314	0-666

^{*} TWO-PHASE BOUNDARY

40J PSIA ISOBAR

TEMPERATUR	E VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
		OERIVATIVE	OERIVATIVE	ENERGY					OF SOUNO
OEG. R	CU FT/L8	CU FT-PSIA/LB	PSIA/R	BTU/LB	8TU/L3	8TU/LB-R	8TU /	' L8 -R	FT/SEC
0.01	00 , 1723	00 / 1 / 514/25		510,20				"	, ,, ,,,,
4.0	0.09055	316.0	17.9	1.687	8.394	0.3370	0.2596	0.2657	1224.0
5.0	0.09104	321.0	24.2	1.897	8.641	0.3999	0.3304	0.3444	1245.0
		310.0	35.6	2.174	8.975	0.4661	0.3841	0.4224	1257.0
6.0	0.09181				9.400	0.5341			
7 • 0	0.09294	294.0	44.3	2.516			0-4255	0.5003	1264.0
8.0	0.09441	274.0	49.2	2.938	9.931	0.6052	0.4750	0.5916	1258.0
9.0	0.39521	255.0	51.2	3.465	10.59	0.6804	0.5315	0.6906	1238.0
16.0	0.09324	237.0	51.5	4.057	11.33	0.7566	0.5469	0.7470	1224.0
11.0	0.1305	219.0	50.8	4 • 664	12.11	0.8306	0.5634	0.8064	1204.0
12.0	0.1029	201.0	49.6	5.313	12.94	0.9037	0.5828	0.8713	1180.0
13.û	0.1357	185.0	48.1	6.007	13.84	0.9764	0.6024	0.9393	1154.0
14.0	0.1088	169.0	46.3	6.746	14.80	1.049	0.6210	1.009	1128.0
15.0	0.1122	155.0	44.3	7.531	15.84	1.122	0.6382	1.080	1102.0
					16.96	1.194	0.6537		1078.0
16.0	0.1160	142.0	42.1	8.360				1.151	
17.0	0.1203	131.0	39.9	9.233	18.14	1.267	0.6677	1.221	1054.0
18.0	0-1249	121.0	37.7	10-14	19.40	1.340	0.6801	1.289	1033.0
19.0	0.1302	113.0	35.4	11.14	20.78	1.415	0.6923	1.353	1011.0
25.0	0.1359	106.0	33.1	12.16	22.23	1.490	0.7019	1.406	993.7
22.0	0.1484	98.2	28.9	14.25	25.24	1.636	0.7155	1.477	969.3
24.0	0.1620	95.5	25.3	16.32	28.31	1.771	0.7243	1.503	958.3
26.0	0.1760	96.2	22.3	18.32	31.36	1.893	0.7303	1.501	957.0
2000		,,,,							,,,,,,
28.0	0.1934	98.5	19.9	20.25	34.35	2.005	0.7357	1.495	962.9
30.0	0.2153	102.0	18.1	22.13	37.34	2.108	0.7406	1.489	974.0
				23.99	37.34	2.203	0.7400		
32.0	0.2203	106.0	16.5		40.31		0.7445	1.480	987.8
34.0	0.2354	111.0	15.1	25.82	43.26	2.293	0.7475	1.469	1003.0
36.0	0.2506	116.0	14. Ü	27.62	46.18	2.376	0.7498	1.456	1020.0
38.0	0-2657	121.0	13.0	29.40	49.08	2.455	0.7516	1.444	1038.0
40.0	0.2809	127.0	12.1	31.15	51.96	2.529	0.7529	1.432	1056.0
45.0	0.3185	141.0	10.4	35.46	59.04	2.695	0.7550	1.404	1102.0
50.0	0.3557	156.0	9.11	39.66	66.00	2.842	0.7559	1-380	1148.0
55.0	0.3925	171.G	8.11	43.78	72.85	2.973	0.7561	1.360	1193.0
60.0	0.4288	186.0	7.31	47.84	79.61	3.090	0.7560	1.344	1236.0
70.0	0.5006	215.0	6.11	55.83	92.91	3.295	0.7554	1.319	1319.0
80.0	0.5712	244.0	5.26	63.70	106.0	3.470	0.7546	1.301	1397.6
90.0	0.6410	273.0	4 • 62	71.47	119.0	3.623	0.7538	1.289	1471.0
1.0.0	0.7133	301.0	4.12	79.19	131.8	3.758	0.7531	1.280	1540.0
120.0	0.8475	357.0	3.40	94.48	157.3	3.990	0.7518	1.268	1670.0
140-0	0.9837	412.0	2.89	109.7	182.5	4.185	0.7508	1.260	1791.0
160.0	1.119	467.0	2.52	124.8	237.7	4.353	0.7531	1.255	1903.0
180.0	1.254	521.0	2.23	139.8	232.7	4.501	0.7495	1.252	2008.0
200.0	1.389	575.0	2.01	154.9	257.7	4.632	0.7490	1.249	2109.0
250.0	1.725	710.0	1.60	192.4	320.1	4.911	0.7481	1.246	2340.0
300.0	2.063	844.0	1.33	229.8	382.3	5.138	G.7475	1.244	2551.0
350.0	2.395	978.G	1.14	267.1	444.5	5.329	0.7471	1.243	2745.0
460.0	2.730	1110.0	1.00	304.4	596.6	5.495	0.7468	1.242	2927.0
450.0	3.065	1250.0	0.888	341.7	568.7	5.641	0.7466	1.242	3098.0
500.0	3.399	1380.0	3.799	379.0		5.772	0.7464	1.242	
					630.8				3260.0
600.0	4.069	1650.0	0.666	453.6	754.9	5.999	0.7462	1.241	3562.0
700 0	. 770	4040 0	0 574						70.00
700-0	4.738	1910.0	0.571	528.1	879.J	6.190	0.7460	1.241	3840.0
800.0	5.407	2180.0	û.499	602.6	1003.0	6.356	0.7459	1.241	4100.0
930.0	6.077	2450.0	0.444	677.1	1127.0	6.502	0.7458	1.241	4344.0
1660.0	6.746	2720.0	0.399	751.6	1251.0	6.632	0.7457	1.241	4575.0
1266.0	8.385	3250.G	0.333	900.7	1500.0	6.859	0.7456	1.241	5006.0
1400.0	9.424	3790.0	0.285	1050.0	1748.0	7.050	0.7455	1.241	5403.0
1600.0	16.76	4320.0	0.250	1199.0	1996.0	7.216	0.7455	1.241	5772.0
1800.0	12.13	4860.0	0.222	1348.û	2244.0	7.362	0.7454	1.241	6119.0
2000.0	13.44	5390.0	0.200	1497.0	2492.0	7.493	0.7454	1.241	6448.0
2560.0	16.79	6730.0	0.160	1869.0	3113.0	7.770	0.7453	1.241	7204.0
2,0000		0,000	0.100	2309+0	3113.0	10110	0.1490	1.541	. 204.0
3006.0	20.14	8070.0	0.133	221.2 0	2777 0	7.996	0.7/.53	1.241	7889.0
3000.0	C0.14	0470.0	4.133	2242.0	3733.0	7.990	0.7453	1.241	1003.0

^{*} TWO-PHASE BOUNDARY

40J PSIA ISOBAR

EH050+5:	OF OFWERT	W / DIV / DIV	W 4 0 0 4 0 W 1 1 4 1 1	20 40 43	(0)((0)	THEONA	VICCOCITY	THEONAL	DIEL COTOTO	0.04++0.74
	RE DENSITY	A (DH \ D \)	V(0P/0U) -V(0			CONDUCTIVITY	VISCOSITY	THERMAL OIFFUSIVITY	DIELECTRIC	PRANDTL NUMBER
OEG. R	L8/CU FT	BTU/LB	PSIA-CU FT/BTU P	PSIA	1/0EG. R	BTU/FT-HR-R	LB/FT-SEC X 10E+6	SQ FT/HR		
4.0	11.04	51.9		90.0	0.00512	0.0110	6.60	0.00373	1.02102	0.576
5.0	16.98	50.1		30.0	0.00687	0.0134	6.29	0.00355	1.02102	0.581
6.0	10.89	40.0		30.0	0.0105	0.0147	5.80	0.00319	1.02101	0.600
7 - 0	10.76	35.7		50.0	0-0140	0.0159	5.30	0.00295	1.02101	0.601
8.0	10.59	34.9		10.0	0.0169	0.0170	4.86	0.00272	1.02099	0.608
9.0	10.39	35.7		50.0	0.0194	0.0181	4.48	0.00252	1.02095	0.616
10.0	10.18	35.0		10.0	0.0214	0.0190	4-18	0.00250	1.02090	0.591
11.0	9.95	34.5		30.0	0.0234	0.0198	3.94	0.00247	1.02082	0.577
12.0	9.714	34.3		50.0	0.0254	0.0204	3.74	0.00242	1.02072	0.574
13.0	9.460	34.1	8.44 175	50.0	0.0275	0.0209	3.57	0.00236	1.02060	0.578
14.0	9.192	33 - 9		50 - 0	0-0298	0.0213	3.44	0.00229	1.02044	0.587
15.0	8.911	33.7		30.0	0.0320	0.0215	3.32	0.00223	1.02024	0.601
16.0	8.618	33.5		30.0	6.0343	0.0216	3.23	0.00218	1.02001	0.619
17.0	8.315	33.4		90.0	0.0366	0.0216	3.15	0.00213	1-01974	0 - 6 40
18.0	8 - 0 0 4	33.2	6.93 97	72 - 0	0.0388	0.0216	3.08	0.00209	1.01943	0.663
19.0	7.682	33.2		68.9	0.0407	0.0214	3.02	0.00206	1.01908	0.686
20.0	7.360	33.3	6.41 78	33.0	0.0423	0.0213	2.98	0.00206	1.01868	0.708
22.0	6.738	33.9	5.99 66	62.0	0.0436	0.0210	2.92	0.00211	1.01782	0.740
24.0	6 - 173	35.1	5.65 59	0.0	0.0428	0.0208	2.90	0.00224	1.01692	0.755
26.0	5.680	36.8	5.37 54	•6 • O	0.0408	0.0206	2.90	0.00242	1.01605	0.760
28.0	5.251	38.8	5.16 51	17.0	0.0386	0.0206	2.93	0.00263	1.01522	0.764
30.0	4 - 872	40.9		96.0	0.0364	0.0207	2.96	0.00285	1.01444	0.768
32.0	4.540	43.2		31.3	0.0342	0.0207	3.00	0.00309	1.01371	0.769
34.0	4.248	45.6		0.3	0.0322	0.0209	3.04	0.00335	1.01304	0.769
36.0	3.991	48.1		2.0	0.0303	0.0211	3.09	0.00363	1.01242	0.768
38.0	3.763	50.6		55.0	0.0285	0.0213	3.14	0.00392	1.01186	0.767
40.0	3.561	53.2		51.0	0.0269	0.0215	3.19	0.00422	1.01134	0.764
40.0	3.701	93.2	4.52 45	,1.0	0.3203	0.0219	3.19	0.00422	1.01134	0.704
45.0	3.143	59.7	4.39 44	•3 • 0	0.0235	0.0222	3.33	0.00504	1.01022	0.758
50.u	2.812	66-3	4.29 43	8 - 0	0.0208	0.0230	3 - 48	0.00592	1.00931	0.752
55.0	2.548	73.0	4.21 43	55.0	0.0186	0.0238	3.62	0.00686	1.00855	0.746
66.6	2.332	79.6	4.14 43	33.0	C.0169	0.0246	3.77	0.00785	1.00791	0.740
70.0	1.998	92.8	4.05 43	30.0	0.0142	0.0263	4.05	0.0100	1-00689	0.732
80 - 0	1.751	166-0	3.98 42	28.0	6-0123	0.0280	4.33	0.0123	1.00611	0.725
90.0	1.560	119.0	3.93 42	26.0	0.0108	0.0297	4.61	0.0148	1.00549	0.719
100.0	1.408	132.0		24.0	0.00971	0.0314	4.87	0.0174	1.00499	0.715
120.0	1.180	157.0		22.0	0.00806	0.0347	5.38	0.0232	1-00423	0.707
146-0	1.017	183.0		19.0	0.00690	0.0380	5.87	0.0297	1.00367	0.701
160.0	0.8935	208.0	3.76 41	17.0	0.00604	0.0412	6.34	0.0367	1.00324	0.696
186.0	0.7973	233.0		6.0	0.00538	0.0443	6.79	0.0444	1.00291	0.691
260.0	0.7230	258.0		14.3	0.00536	0.0473	7.11	0.0526	1.00263	0.675
250.0	0.5798	320.6		12.0	0.00389	0.0546	8.16	0.0756	1.00213	0.671
3-6-0	6.4854	382.6		10.0	0.00325	0.0546	9.16	0.102	1.00213	0.667
350.0	6.4175	444.0		18.0	0.00280	J. 0681	10.1	0.102	1.00179	0.665
406.0	0.3663	506.0		17.0			11.0	0.151		
450.0		568.0		16.3	C+00245	0.0743			1.00136	0.664
500.0	0.3263 0.2942				0.00218	0.0802	11.9	0.198	1.00122	0.664
		631.0		16 • J	6.00197	0.0859	12.8	0.235	1.00110	0.665
600.0	0.2458	755 • 0	3.63 40	15.0	0-00165	0.0969	14.5	0.318	1.00092	0.666
766.6	0.2111	879.0		14.0	0.00141	0.108	16 • 1	0.411	1.00079	0.666
866.0	0.1849	1000.0		03.0	0.00124	0.118	17.6	0.514	1.00069	0.666
900.0	0.1646	1130.0		3.0	G.00110	0.128	19.1	0.627	1.00062	0-666
1000-0	0.1482	1250.0		0.0	0.000992	0.138	20.5	0.749	1.00056	0.666
1200.0	0.1237	1500.0		12.0	0.000828	0.156	23.3	1.02	1.00046	0.666
1400.0	0.1061	1750.0		12.0	0.060710	0.174	26.0	1.32	1.00040	0.666
1600.0	0.09291	1990.0	3-61 40	11-0	0.000622	0.192	28 • 6	1.66	1.00035	0.666
1866.0	0.08263	2240.0	3.60 40	1.0	0.000553	0.208	31.0	2.03	1.00031	0.666
2666.0	0.07439	2490.0	3.60 40	11.3	0.000498	0.224	33.4	2.43	1.00028	0.666
2500.0	0.05956	3110.0		1.0	0.000399	0.263	39.2	3.56	1.00022	0-666
3000-0	0.04965	3730.0	3.60 40	01.0	0.000333	0.299	44.6	4.86	1.00019	0.665

^{*} TWO-PHASE BOUNDARY

50J PSIA ISOBAR

TEMPERATURE	VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	cv	CP	VELOCITY
TENFERATURE	VOLUME	DERIVATIVE	DERIVATIVE	ENERGY	CATHLETT	2111 (01 1	••	01	OF SOUND
DEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU /	LB -R	FT/SEC
4.0	0.38810	342.0	27.3	1.837	9.99	0.3238	0.2511	0.2636	1290.0
5.0	0.18863	358.0	26.5	2.024	10.23	0.3851	0.3144	0.3287	1317.0
6.0	0.38931	353.0	37.2	2.269	10.54	0.4473	0.3619	0.3967	1338-0
7 • 0	0.09328	339.0	46.1	2.575	10.93	0.5110	0.4053	0.4714	1351.0
8.0	0.09152	321.0	51.4	2.961	11.43	0.5781	0.4587	0.5605	1349.D
9.0	0.09301	303.0	53.7	3.45C	12.06	0.6493	0.5188	0.6561	1332.0
10.0	0.09467	286.0	54.3	4.002	12.77	0.7216	0.5369	0.7082	1321.0
11.0	0.39646	268.0	54.0	4.567	13.50	0.7916	0.5553	0.7616	1304.0
12.0	0.39843	250.0	53.1	5.168	14.28	0.8605	0.5759	0.8190	1283.0
13.0	0.1036	233.0	51.9	5.809	15.12	0.9286	0.5964	0.8779	1261.0
14.0	0.1029	217.0	50.4	6 • 489	16.02	0.996	0.6155	0.9373	1238.0
15.0	0.1055	202.0	48.8	7.209	16.98	1.063	0.6330	0.997	1215.0
16.0	0.1083	189.0	47.G	7.967	18.00	1.130	0.6487	1.056	1193.0
17.0	0.1114	176.0	45.1	8.761	19.08	1.196	0.6627	1.114	1172.0
18.0	0.1148	165.0	43.2	9.590	20.21	1.262	0.6751	1.171	1151.0
19.0	0.1184	155.0	41.0	10.51	21.47	1.331	0.6876	1.225	1129.0
20.0	0.1224	145.0	38.9	11.45	22.79	1.399	0.6975	1.276	1110.0
22.0	0.1311	132.0	34-9	13-41	25.55	1.533	0.7120	1.359	1079.0
24.0	0.1438	123.0	31.1	15.40	28.44	1.660	0.7216	1.413	1058.0
26.0	0.1512	120.0	27.8	17.38	31.38	1.778	0.7283	1.438	1047.0
26.0	0.1619	119.0	25.1	19.30	34.30	1.887	0.7339	1,450	1045.0
30.0	0.1519	119.0	22.8	21.17	37.20	1.987	0.7390	1.450	1049.0
				23.03			0.7431		
32.0 34.ú	0.1846 0.1962	123.0 126.0	20.9 19.2	24.86	40.12 43.03	2.081 2.169	0.7465	1.458	1057.0
36.0	0.1902	130.0	17.8	26.68	45.94	2 • 252	0.7492	1.449	1080.0
38.0	0.2199	134.0	16.5	28.47	48.83	2.331	0.7513	1.442	1093.0
40.0	0.2199	134.0	15.4	30.25	51.70	2.331	0.7530	1.442	1108.0
41.0	0.2310	139.0	15.4	30.25	21.10	2.404	0.7530	1.434	1100.0
45.0	0.2615	152.0	13.2	34.60	58.82	2.572	0.7557	1.412	1148-D
56.0	0.2912	166.0	11.6	38.87	65.83	2.720	0.7571	1.392	1189.0
55.0	0.3207	180.0	13.3	43.05	72.74	2.852	0.7577	1.373	1231.0
60.0	0.3499	195.0	9.27	47.17	79.56	2.970	0.7578	1.357	1272.0
76.0	0.4976	224.0	7.73	55.26	93.00	3.177	0.7574	1.331	1351.0
86.0	0.4645	253.0	6 • 64	63.20	106.2	3.354	0.7566	1.312	1427.0
90.0	0.5237	282.0	5.82	-71.04	119.3	3.508	0.7557	1.298	1498.0
100.0	0.5764	311.0	5.19	78.81	132.2	3.644	0.7549	1.288	1566. D
120.0	0.6867	367 • 0	4.26	94 - 20	157.8	3.877	0.7535	1.273	1694.0
140.0	0.7960	422.0	3.63	109.5	183.2	4.073	0.7523	1.264	1813.0
160.0	0.9046	477.0	3.16	124.6	208.4	4.241	0.7514	1.258	1923.0
180.0	1.313	531.0	2.80	139.7	233.5	4.389	0.7506	1.254	2028-0
206.0	1.121	585-0	2.51	154.8	258.5	4.521	0.7500	1.251	2127.0
250.0	1.390	720.0	2.00	192.3	321.0	4.800	0.7489	1.247	2356.0
366.0	1.658	854.0	1 • 67	229.8	393.3	5.027	0.7482	1.245	2565.0
350.0	1.926	988.0	1.43	267.1	445.4	5.219	0.7477	1.243	2758 · D
400-0	2.194	1120.0	1.25	304.5	507.6	5.384	0.7474	1.242	2939.0
450.0	2.461	1260.0	1.11	341.8	569 • 7	5.531	0.7471	1.242	3109.0
500.0	2.729	1390.0	1.00	379.1	631.8	5.662	0.7469	1.242	3270.0
600.0	3.264	1660.0	0.832	453.7	755.9	5.888	0.7465	1.241	3571.0
700.0	3.800	1920.0	0.713	528.2	990 7	6.079	0.7463	1.241	3849.0
866.0	4.335	2196.0	0.624	602.8	880.0 1004.0	6.245	0.7463	1.241	4107.0
900.0	4.870	2450.0	0.555	677.3	1123.3	6.245	0.7461	1.241	4351.0
1000.0	5.406	2720.0	0.555	751.8	1252.0	6.522	0.7461	1.241	4582.0
1260.0	6.475	3260.0	0.416	900.8	1500.3	6.748	0.7458	1.241	5012.0
1406.0	7.547	3790.0	0.357	1050.0	1749.0	6.939	0.7457	1.241	5408.0
1600.0	8.618	4336.0	0.312	1199.0	1997.0	7.105	0.7456	1.241	5776.0
1806.0	9.689	4860.0	0.277	1348.0	2245.0	7.251	0.7456	1.241	6123.0
	10.76	5400.0	0.250	1497.0	2493.0	7.382	0.7455	1.241	6452.0
	13.44	6740.0	0.200	1869.0	3114.0	7.659	0.7454	1.241	7207.0
		JJ.	3.200	1000+0	011 T 0	, , 0, 2, 3	00.1757		, 20, 10
3000.0	16.12	8070.0	0.167	2242.0	3734.0	7.885	0.7454	1.241	7891.0

^{*} TWO-PHASE BOUNDARY

500 PSIA ISOBAR

TEMPERATUR	RE DENSITY	V(DM/DV) _p	V (DP/DU) _V	-V(DP/DV)_	(DV/DT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANDIL
		р	v	1.		DNDUCTIVITY		DIFFUSIVITY	CONSTANT	NUMBER
DEG. R	LB/CJ FT	BTU/LB	PSIA-CU FT/BT	U PSIA	1/DEG. R	9TU/FT-MR-R		SQ FT/HR		
							X 10E+6			
4 • 0	11.35	37.5	9.59	3886.0	0.00704	0.0114	7.91	0.00380	1.02100	0.660
5.0 6.0	11.28	50.2 42.1	7.47 9.18	4040.0 3950.0	0.00655 0.00942	0.0140 0.0153	7.39 6.72	0.00378 0.00345	1.02100	0.624 0.625
7.0	11.08	38.4	10.3	3750.0	0.0123	0.0166	6.08	0.00345	1.02102	0.621
8.0	16.93	38.3	10.2	3510.0	0.0146	0.0179	5.53	0.00292	1.02102	0.625
9.0	10.75	39.8	9.63	3260.0	0.0165	0.0179	5.07	0.00270	1.02101	0.630
16.0	10.75	39.4	9.58	3020.0	0.0180	0.0201	4.71	0.00268	1.02098	0.598
11.0	10.37	39.1	9.38	2770.0	0.0195	0.0210	4.42	0.00266	1.02094	0.578
12.0	10.16	39.2	9.08	2540.0	0.0209	0.0217	4.18	0.00261	1.02089	0.568
13.0	9.942	39.2	8.76	2320.0	0.0224	0.0223	3.99	0.00256	1.02082	0.565
1010	34 342	0,,,	0010							
14.0	9.714	39.2	8 • 4 4	2110.0	0.0239	0.0228	3.83	0.00250	1.02072	0.567
15.0	9.476	39.2	8.14	1920.0	0.0254	0.0231	3.69	0.00245	1.02360	0.573
16.0	9.230	39.1	7.85	1740.0	E.0270	0.0234	3.58	0.00240	1.02046	0.582
17.0	8.975	39.1	7.58	1580.0	0.0285	0.0235	3 - 48	0.00235	1.02029	0.595
18.0	8.714	39.0	7.34	1440.0	0.0300	0.0235	3.40	0.00231	1.02009	0.609
19.0	8.444	39.0	7.67	1330.0	G.0315	0.0235	3.34	0.00227	1.01986	0.626
20.0	8.171	38.9	6.83	1190.0	0.0328	0.0235	3.28	0.00225	1.01960	0.642
22.0	7.625	39.1	6 - 42	1000.0	0.0347	0.0232	3.20	0.00224	1.01901	0.674
24.0	7.100	39.8	6.07	877.0	0.0355	0.0230	3.15	0.00229	1.01834	0.697
26.0	6.615	41.0	5.77	793.0	G.0351	0.0228	3.13	0.00240	1.01764	0.712
28.0	6.175	42.6	5.53	737.0	0.0340	0.0227	3.14	0.00253	1.01693	0.723
36.0	5.77b	44.5	5.34	696.0	0.0328	0.0226	3.15	0.00268	1.01623	0.732
32.0	5.417	46.5	5.18	666.0	C.0313	0.0226	3.18	0.00286	1.01555	0.739
34.0	5.096	48.7	5.05	643.0	0.0299	0.0225	3.21	0.00305	1.01491	0 - 744
36.0	4.807	51.0	4.93	625-0	C-0284	0.0227	3.25	0.00326	1.01430	0.747
38.0	4.543	53.4	4.84	612.0	0.3270	0.0228	3.30	0.00348	1.01373	0.749
40.0	4.315	55.8	4.75	601.0	0.0257	0.0230	3.34	0.00372	1.01319	0.750
45.0	3.823	62.1	4.58	582.0	0.0228	0.0235	3 - 47	0.00435	1.01201	0.750
56-0	3 - 434	68.5	4.46	570.0	G.0203	0.0241	3.60	0.00505	1.01101	0 • 7 47
55.0	3.118	75.0	4.36	562.0	0.0183	0.0248	3.74	0.00580	1.01016	0.744
60.0	2.858	81.6	4.28	557.3	€.0166	0.0255	3.87	0.00660	1.00944	0.740
76.0	2.453	94.7	4.16	550.0	C-0141	0.0272	4-15	0.00832	1-00827	0.732
80.0	2.153	108.0	4.07	545.0	0.0122	0.0288	4.42	0.0102	1.00736	0.726
90.0	1.92J	121.0	4.01	542.u	6.0107	0.0304	4.69	0.0122	1.00664	0.721
160.0	1.735	134.0	3.96	539.0	£.00963	0.0321	4.95	0.0144	1.00606	0.716
120.0	1.456	159.0	3.89	534.J	0.00799	0.0353	5.45	0.0190	1.00515	0.708
146.0	1.256	185.0	3.84	530.0	0.00684	0.0385	5.94	0.0243	1.00448	0.701
								7.11		
160.0	1.105	210.6	3.80	527.0	0.00599	0.0417	6.40	0.0300	1.00397	0.696
186.0	0.9874	235.0	3.77	525.0	0.00533	0.6447	6 • 85	0.0361	1.00357	0.691
200.6	0.8923	260.0	3.75	522.0	0.00481	0.0477	7.16	0.0428	1.00324	0.675
250.0	0.7196	323.0	3.72	518.0	C.00386	0.0550	8.21	0.0613	1.00263	0.670
300.0	0.6032	385.0	3.69	515.0	0.00323	0.0618	9.20	0.0824	1.00222	0.667
350.0	0.5193	447.0	3.68	513.0	G-00278	0.0684	10.2	0.106	1.00192	0.665
466.0	0.4559	5ú9.0	3.66	511.0	0.00244	0.0746	11.1	0.132	1.00169	0.664
450.0	0.4063	571.0	3.65	510.0	C.00218	0.0805	11.9	0.159	1.00151	0.664
500.0	0.3664	633.0	3.65	509.0	0.00196	0.0861	12.8	0.189	1.00136	0.664
600.0	0.3063	757 • 0	3.64	507.0	C - 00 16 4	0.0971	14.5	0.255	1.00114	0.666
700.0	0.2632	881.0	3.63	506.0	6.00141	0.108	16.1	0.330	1.00098	0.666
866.6	0.2337	1000.0	3.62	505.0	0.00123	0.118	17.6	0.413	1.00086	0.666
966.0	J.2053	1130.0	3.62	505.0	0.00110	0.128	19.1	0.503	1.00077	0.666
1600.0	0.1850	1250.0	3.62	504.0	0.000990	0.138	20.6	0.601	1.00069	0.666
1200.0	0.1544	1500.0	3.61	503.0	0.000827	0.157	23.3	0.817	1.00058	0.666
1400.0	0.1325	1750.0	3.61	503.0	C.000710	0.174	26.0	1.06	1.00050	0.666
1600.0	0.1160	2000-0	3.61	502.0	0.000621	0.192	28.6	1.33	1.00044	0.666
1806.0	0.1032	2240.0	3.61	502.0	0.300553	0.208	31.0	1.63	1.00039	0.666
2000.0	0.09293	2490.0	3.60	502.0	0.000498	0.224	33.4	1.95	1.00035	0.666
2500.0	0.07441	3110.0	3.60	501.0	0.000399	0.263	39.2	2.85	1.00028	0.656
7000			2.40							
3000-0	0.06264	3730.0	3.60	501.0	0.000332	0.299	44.6	3.89	1.00023	0.665

^{*} TWD-PHASE BOUNDARY

600 PSIA ISOBAR

TEMPERATUR	E VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
TETT CKATON		DERIVATIVE	DERIVATIVE	ENERGY	CHILIPETT	21111(011	• • • • • • • • • • • • • • • • • • • •	Ů.	OF SOUND
DEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU /	LB -R	FT/SEC
4.0	0.08593	361.0	42.0	1.992	11.54	0.3072	0.2719	0.2987	1355.0
5.0	0.08655	391.0	30.6	2.165	11.78	0.3712	0.3050	0.3216	1381.0
6.0	0.08720	391.0	39.5	2 • 384	12.07	0.4307	0.3432	0.3769	1410.0
7.0	0.08807	381.0	48.1	2.660	12.44	0.4910	0.3877	0.4487	1428.0
8.0	0.08915	365.0	53.4	3.016	12.92	0.5549	0.4447	0.5366	1429.0
9.0	0.09044	348.0	55.8	3.476	13.52	0.6232	0.5080	0-6303	1414-0
16.0	0.09185	331.0	56+6	3.998	14.20	0.6926	0.5286	0.6799	1405.0
11.0	0.09336	314.0	56.5	4.531	14.90	0.7597	0.5487	0.7296	1390.0
12.0	0.09499	296.0	55.9	5.098	15.65	0.8256	0.5705	0.7824	1371.0
13.0	0.09677	279.0	55.0	5.701	16.45	0-8905	0.5917	0.8359	1351-0
14.0	0.09870	263.0	53.8	6.340	17.31	0.9546	0.6113	0.8892	1331.0
15.0	0.1008	248.0	52.4	7.015	18.21	1.018	0.6292	0.9420	1310.0
16.0	0.1030	233.0	50.9	7.724	19.17	1.081	0.6451	0.9939	1290.0
17.0	0.1054	220.0	49-2	8 - 466	20.18	1.143	0.6594	1.045	1270.0
18.0	0.1380	208.0	47.5	9.239	21.24	1.205	0.6720	1.094	1252.0
19.0	0.1108	196.0	45.6	10.10	22.42	1.269	0.6847	1.143	1231.0
20.0	0.1139	185.0	43-6	10.99	23-64	1.333	0.6949	1.188	1212.0
22.0	0.1205	168.0	39.8	12.85	26.23	1.458	0.7101	1.268	1178.0
24.0	0.1278	155.0	36.1	14.76	28.96	1.578	0.7204	1.331	1153.0
26.0	0.1357	148.0	32.7	16.70	31.78	1.692	0.7275	1.372	1135.0
28.0	0-1441	144.0	29.8	18.58	34.59	1.797	0.7333	1.398	1127.0
36.0	0.1529	142.0	27 • 3	20.42	37.41	1.894	0.7383	1.417	1125.0
32.0	0.1620	143.0	25.1	22.26	40.26	1.986	0.7426	1.427	1127.0
34.0	0.1713	144.0	23.2	24-08	43.12	2-072	0.7460	1.432	1133.0
36.0	0.1808	147.0	21.5	25.89	45.98	2.154	0.7488	1.432	1141.0
38.G	0.1904	150.0	20.0	27.69	48.84	2.232	0.7512	1.430	1152.0
40.0	0.2001	154.0	18.7	29.47	51.70	2.305	0.7530	1.427	1163-0
45+0	0 - 2245	165.0	16.1	33.86	58.80	2.472	0.7563	1.413	1196.0
50.0	0.2490	178.0	14.1	38.16	65.82	2.620	0.7580	1.397	1233.0
55.0	0.2735	192.0	12.5	42.38	72.77	2.753	0.7589	1.381	1270.0
60.0	0.2978	206.0	11.2	46.54	79.63	2.872	0.7593	1.366	1309.0
76-0	0.3460	234.0	9.36	54.71	93.16	3.081	0.7591	1.341	1384.0
86.0	0.3937	263.0	8.03	62.73	106.5	3.258	0.7584	1.321	1457.0
90.0	0.4437	292.0	7.03	70.63	119.6	3.413	0.7575	1.306	1526.0
100.0	0.4873	320.0	6 • 26	78.45	132.6	3-550	0.7566	1.295	1593.0
120.0	0.5796	376.0	5.14	93.92	158.3	3.784	0.7550	1.279	1718.0
140.0	0.6739	432.0	4.36	109.2	183.8	3.981	0.7537	1.268	1835.0
160.0	0.7616	487.0	3.80	124.5	209.1	4.150	0.7527	1.261	1944.0
180-0	0-8519	541.0	3.36	139.6	234.2	4.298	0.7518	1.257	2047.0
200.0	0.9419	595.0	3.02	154.7	259.3	4.430	0.7511	1.253	2145.0
250.0	1.166	730.0	2.4ú	192.3	321.9	4.709	0.7498	1.248	2372.0
300.0	1.390	864.0	2.00	229 - 8	384-2	4 - 936	0.7489	1.245	2580.0
350.0	1.613	1000.0	1.71	267.2	446.4	5.128	0.7483	1.244	2772.0
400.0	1.836	1130.0	1.50	304.5	508.5	5.294	0.7479	1.243	2951.0
450.0	2.059	1260.0	1.33	341.9	570.7	5.440	0.7476	1.242	3120.0
500.0	2.282	1400-0	1.20	379.2	632-7	5.571	0.7473	1.242	3281.0
600.0	2.728	1670.0	1.00	453.8	756.9	5.798 -	0.7469	1.241	3580.0
700.0	3.174	1936.0	0.855	528.4	881.0	5.989	0.7467	1.241	3857.0
860.0	3.620	2200.0	0.748	602.9	1005-0	6 • 155	0.7465	1.241	4115.0
900.0	4.066	2470.0	0.665	677.4	1129.0	6.301	0.7463	1.241	4358.0
1000.0	4.512	2730.0	0.599	752.0	1253.0	6.431	0.7462	1.241	4588.0
1200.0	5 • 40 4	3270.0	0.499	901.0	1501.0	6.658	0.7460	1.241	5017.0
1400.0	6.296	3800.0	0.428	1050.0	1750.0	6.849	0.7459	1.241	5412.0
1600.0	7.188	4340.0	0.374	1199.0	1998.0	7.015	0.7458	1.241	5781.0
1800.0	8.081	4870.0	0.333	1348.0	2246.0	7.161	0.7458	1.241	6127.0
2000.0	8.973	5410.0	0.300	1497.0	2494.0	7.292	0.7457	1.241	6455+0
2500 • 0	11.20	6740.0	0.246	1870.0	3114-0	7.568	0.7456	1.241	7210.0
7000	47.44	0000							7007 0
3000.0	13.44	8080.0	0.200	2242.0	3735.0	7.795	0.7455	1.241	7893.0

^{*} THO-PHASE BOUNDARY

600 PSIA ISDBAR

TEMPERATUR	DE DENSITY	V(DH/OV) _p	V (DP / DII)	=V(DP/DV)	(0)((0))	THERMAI	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
			·	-V(DP/DV) _T				DIFFUSIVITY		NUMBER
DEG. R	LB/CU FT	BTU/LB	PSIA-CU FT/B	TU PSIA	1/0EG. R E	ITU/FT-HR-R	X 10E+6	SQ FT/HR		
4.0	11.64	29.8	13.3	4200.0	0.0100	0.0118	9.42	0.00338	1.02095	0.861
5.0	11.55	47.5	8.67	4510.0	0.00677	0.0146	8.60	0.00393	1.02097	0.683
6.0	11.47	42.8	10.0	4480.0	0.00881	0.0160	7.71	0.00369	1.02098	0.655
7.0	11.35	40.3	10.9	4320.0	0.0111	0.0173	6.90	0.00339	1.02100	0.645
8.0	11.22	41.2	10.7	4100.0	0.0130	0.0186	6.23	0.00309	1.02101	0.647
9.0	11.06	43.4	9.94	3840.0	0.0145	0.0199	5.68	0.00285	1.02102	0.649
10.0	10.89	43.3	9.84	3610.0	0.0157	0.0210	5.25	0.00284	1.02101	0.612
11.0	10.71	43.3	9.62	3360.0	0.0168	0.0220	4.90	0.00281	1.02100	0.585
12.0	10.53	43.6	9.31	3120.0	0.0179	0.0228	4.63	0.00277	1.02098	0.570
13.0	10.33	43.8	8.99	2880.0	0.0191	0.0236	4.40	0.00273	1.02094	0.562
14.0	10.13	44.0	8.68	2660.0	0.0202	0.0241	4.21	0.00268	1.02088	0.559
15.0	9.923	44.2	8.39	2460.0	0.0213	0.0245	4.05	0.00263	1.02081	0.560
16.0	9.707	44.2	8-12	2260.0	0.0225	0.0249	3.92	0.00258	1.02072	0.564
17.0	9.485	44.3	7.87	2090.0	0.0236	0.0251	3.81	0.00253	1.02061	0.571
18.0	9.257	44.3	7.63	1920.0	0.0247	0.0252	3.71	0.00249	1.02048	0.580
19.0	9.022	44.3	7.38	1770.0	0.0258	0.0253	3.63	0.00245	1.02032	0.591
20.0	8.783	44.3	7 - 15	1630.0	0.0268	0.0253	3.56	0.00242	1.02015	0.603
22.0	8.301	44.4	6.75	1390.0	0.0286	0.0252	3.46	0.00239	1.01973	0.628
24.0	7.825	44.8	6.41	1220.0	0.0297	0.0250	3.39	0.00240	1.01924	0.651
26.0	7.368	45.6	6.11	1090.0	0.0301	0.0248	3.36	0.00245	1.01869	0.670
28.0	6.939	46.8	5.85	1000.0	0.0299	0.0246	3.34	0.00253	1.01812	0.685
30.0	6.540	48.4	5.65	931.0	0.0293	0.0244	3.34	0.00264	1.01752	0.698
32.0	6.173	50.2	5.47	881.0	0.0285	0.0243	3.36	0.00276	1.01692	0.709
34.0	5.837	52.1	5 • 32	843.0	0.0275	0.0243	3.38	0.00291	1.01634	0.717
36.0	5.531	54.2	5.19	813.0	0.0264	0.0243	3.41	0.00307	1.01577	0.724
38.0	5.252	56.5	5.07	790.0	0.0253	0.0244	3.45	0.00324	1.01522	0.729
40.0	4.998	58.7	4.97	771.0	0.0243	0.0245	3.49	0.00343	1-01470	0.732
45.0	4.454	64.7	4.77	737.0	0.0218	0.0248	3.60	0.00395	1.01351	0.737
50.0	4.016	71.0	4.62	715.0	0.0197	0.0253	3.72	0.00452	1.01248	0.739
55.0	3.656	77.3	4.51	700.0	0.0179	0.0259	3.85	0.00514	1.01159	0.738
60.0	3.358	83.8	4.41	690.0	0.0163	0.0266	3.98	0.00580	1.01081	0.736
70.0	2.890	96.8	4.27	677.0	0.0138	0.0283	4.25	0.00723	1.00953	0.731
80.0	2.540	110.0	4.17	668.0	0.0120	0.0296	4.51	0.00881	1.00853	0.726
90.0	2.269	123.0	4.09	662.0	0.0106	0.0311	4.77	0.0105	1.00772	0.721
100.0	2.052	136.0	4.03	657.0	0.00953	0.0327	5.03	0.0123	1.00705	0.716
120.0	1.725	162.0	3.94	649.0	0.00791	0.0359	5.52	0.0163	1.00603	0.708
140.0	1.491	187.0	3.88	644.0	0.00678	0.0391	6.00	0.0207	1.00526	0.701
160.0	1.313	212.0	3.84	639.0	0.00594	0.6422	6-46	0.0255	1.00468	0.696
180.0	1.174	238.0	3.81	635.0	0.00529	0.0452	6.90	0.0306	1.00421	0.691
200.0	1.062	263.0	3.78	632.0	0.30477	0.0482	7.21	0.0362	1.00382	0.675
250.0	0.8576	325.0	3.74	626.0	0.00384	0.0554	8.25	0.0517	1.00312	0.670
300.0	0.7196	387.0	3.71	622.0	0.00322	0.0622	9.24	0.0694	1.00263	0.666
350.0	0.6230	449.0	3.69	619.0	0.00277	0.0687	10.2	0.0891	1.00228	0.664
400.0	0.5446	511.0	3.68	616.0	0.00243	0.0748	11.1	0.111	1.00201	0.663
450.0	0.4856	573.0	3.66	614.0	0.00217	0.0807	12.0	0.134	1.00180	0.663
500-0	0.4382	635.0	3+66	613.0	0.00195	0.0863	12.8	0.159	1.00162	0.664
600.0	0.3666	759.0	3.64	610.0	0.00163	0.0973	14.5	0.214	1.00136	0.665
700.0	0.3151	883.0	3.64	609.0	0.00140	0.108	16.1	0.276	1.00117	0.665
800.0	0.2763	1010.0	3.63	608.0	0.00123	0.118	17.6	0.345	1.00103	0.666
900.0	0.2460	1130.0	3.62	607.0	0.00110	0.128	19.1	0.420	1.00092	0.666
1000.0	0.2216	1260.0	3.62	606.0	0.000989	0.138	20 • 6	0.502	1.00083	0.666
1200.0	0.1851	1500.0	3.62	605.0	0.000825	0.157	23.3	0.682	1.00069	0.666
1400.0	0.1588	1750.0	3.61	604-0	0.000709	0.175	26.0	0.886	1.00060	0.666
1600.0	0.1391	2000.0	3.61	603.0	0.000621	0.192	28.6	1.11	1.00052	0.666
1800.0	0.1238	2250.0	3.61	603.0	0.000552	0.208	31.0	1.36	1.00046	0.666
2000.0	0.1114	2500.0	3.61	602.0	0.000497	0.224	33.4	1.62	1.00042	0.666
2500.0	0.08925	3120.0	3.60	602.0	0.000398	0.263	39.2	2.37	1.00034	0.665
3000.0	0.07443	3740.0	3.60	601.0	0.000332	0.299	44.6	3.24	1.00028	0.665

^{*} TWO-PHASE BOUNDARY

700 PSIA ISOBAR

TEMPERATUR	RE VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
		DERIVATIVE	DERIVATIVE	ENERGY					DF SOUND
DEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB+R	BTU /	LB -R	FT/SEC
5.0	0.08472	419.0	36 - 7	2.316	13.30	0.3571	0.3031	0.3244	1441.0
6.0	0.08537	426.0	42.7	2.512	13.58	0.4154	0.3282	0.3628	1477.0
7.0	0.08617	419.0	50.4	2.762	13.93	0.4731	0.3728	0.4311	1499.0
8.0	0.08715	406.0	55.4	3.094	14.39	0.5346	0.4327	0.5178	1500.0
9.0	0.08828	390.0	57.8	3.531 4.029	14.97 15.63	0.6005	0.4989	0.6103	1487.0
10.0	0.08952	374.0	58.7		16.31	0.6676	0.5215	0.6581	1479.0
11.0	0.09082	357.0	58.7	4.536	17.03	0.7326 0.7962	0.5431	0.7053	1466.0
12.0	0.09223	340.0	58.3 57.5	5.076 5.651	17.80	0.7982	0.5859	0.7549 0.8048	1449.0
13.0	0.09375	323.0	21.0	9.001	11.00	6.0001	0.5011	0.0040	1431.0
14.0	0.09537	306.0	56.5	6.259	18.62	0.9203	0.6078	0.8541	1412.0
15.0	0.09712	291.0	55.4	6.900	19.49	0.9812	0.6260	0.9025	1393.0
16.0	0.09898	276.0	54.1	7.573	20-40	1.041	0.6422	0.9498	1375.0
17.0	0.1010	262.0	52.6	8.277	21.37	1.101	0.6567	0.996	1357.0
18.0	0.1031	249.0	51.1	9.009	22.37	1.159	0.6696	1.041	1339.0
19.0	0.1054	237.0	49.3	9.834	23.49	1.221	0.6824	1.084	1319.0
20.0	0.1078	225.0	47.5	10.69	24.66	1.282	0.6929	1.125	1301.0
22.0	0.1131	205.0	44.0	12.46	27.12	1.400	0.7088	1.200	1268.0
24.0	0.1189	189.0	40.5	14.30	29.71	1.515	0.7197	1.263	1240.0
26.0	0.1252	178.0	37.1	16.19	32.42	1.624	0.7274	1.311	1219.0
20.0	0.1292	1/0.0	37.1	10.19	32.42	1.024	0.1214	1.311	1217.0
28.0	0.1320	171.0	34.1	18.03	35.14	1.725	0.7333	1.347	1206.0
36.0	0.1391	167.0	31.4	19.83	37.86	1.819	0.7384	1.375	1200.0
32.0	0.1465	165.0	29.0	21.64	40.63	1.908	0.7426	1.393	1198.0
34.0	0 - 15 42	165.0	26.9	23.44	43.43	1.993	0.7460	1.405	1199.0
36.0	0.1620	166.0	25.1	25 • 24	46.25	2.074	0.7489	1.411	1204.0
38.0	0.1700	168.0	23.4	27.03	49.07	2.150	0.7512	1.414	1211.0
40.0	0.1781	171.0	21.9	28.81	51.90	2.223	0.7532	1.414	1219.0
4000	001/01		,	20001	72.70	27224	0.1702		11170
45.0	0.1987	180.0	18.9	33.21	58.96	2.389	0.7567	1.408	1246.0
56.0	0.2194	191.0	16.6	37.53	65.97	2.537	0.7588	1.397	1278.0
55.0	0.2402	204.0	14.7	41.78	72.92	2.669	0.7600	1.384	1312.0
60.0	0.2610	217.0	13.2	45.97	79.81	2.789	0.7605	1.371	1347.0
70.0	0.3023	245.0	11.0	54.20	93.39	2.998	0.7606	1.347	1418.0
80.0	0.3432	273.0	9.43	62.28	106.8	3.177	0.7600	1.328	1487.0
90.0	0.3837	302.0	8.25	70.24	120.0	3.333	0.7592	1.313	1555.0
100.0	0.4238	330.0	7.34	78.11	133.0	3.470	0.7583	1.301	1619.0
120.0	0.5031	386.0	6.02	93.65	158.9	3.706	0.7566	1.283	1742.0
140.0	0.5816	442.0	5.10	109.0	184.4	3.903	0.7551	1.272	1857.0
160.0	0.6595	497.0	4.44	124.3	209.8	4.072	0.7539	1.264	1964.0
180.0	0.7370	551.0	3.93	139.5	235.0	4.221	0.7529	1.259	2066.0
200.0	0.8142	606.0	3.52	154.6	260.1	4.353	0.7521	1.255	2163.0
250.0	1.006	740.0	2.80	192.3	322.7	4.632	0.7506	1.249	2389.0
300.0	1.198	874.0	2.33	229.8	385.1	4.860	0.7497	1.246	2594.0
350.0	1.389	1010.0	2.00	267.2	447.3	5.052	0.7490	1.244	2785.0
460.0	1.581	1140.0	1.75	304.6	509.5	5.218	0.7484	1.243	2963.0
450-0	1.772	1270.0	1.55	342.0	571.6	5.364	0.7481	1.242	3131.0
500.0	1.963	1410.0	1.40	379.3	633.7	5.495	0.7477	1.242	3291.0
600.0	2.345	1670.0	1.16	453.9	757.9	5.721 -	0.7473	1.241	3589.0
700.0	2.727	1940-0	1.00	528.5	882.0	5.913	0.7470	1.241	3865.0
800.0	3.109	2210.0	0.873	603.1	1006.0	6.078	0.7468	1.241	4122.0
900.0	3.491	2470.0	0.776	677.6	1130.0	6.224	0.7466	1.241	4365.0
1000.0	3.873	2740.0	0.698	752.1	1254.0	6.355	0.7465	1.241	4594.0
1200.0	4-638	3280-0	0.582	901.2	1502.0	6.581	0.7463	1.241	5023.0
1460.0	5.402	3810.0	0.499	1050.0	1750.0	6.773	0.7461	1.241	5417.0
1600.0	6.167	4340.0	0.437	1199.0	1999.0	6.938	0.7460	1.241	5785.0
1800.0	6.932	4880.0	0.388	1348.0	2247.0	7.084	0.7459	1.241	6131.0
2006.0	7.696	5410.0	0.349	1497.0	2495.0	7.215	0.7459	1.241	6458.0
2500.0	9.609	6750.0	0.280	1870.0	3115.0	7.492	0.7457	1.241	7213.0
7000		0000							
3000.0	11.52	8090.6	0.233	2242.0	3736.0	7.718	0.7457	1.241	7895.0

^{*} TWO-PHASE BOUNDARY

700 PSIA ISOBAR

TEMPERAT	URE DENSITY	A COH COA	VIDEADID	- V(DP/DV)	(DV/DT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
TERFERAL	OKE DEMOTIT	A (DH\DA)	V(0F/00)	-V(0P/DV) _T		NOUCTIVITY		DIFFUSIVITY	CONSTANT	NUMBER
OEG.	R LB/CU FT	RTU/LB	PSIA-CU FT/E	BTU PSIA			LB/FT-SEC	SQ FT/HR		
							X 10E+6			
5.0	11.80	43.7	10.3	4940.0	0.00742	0.6151	10.0	0.00395	1.02091	0.768
6.0	11.71	42.4	11.1	4990.0	0.00855	0.0166	8.78	0.00390	1.02093	0.693
7.0	11.60	41.6	11.7	4870.0	0.0104	0.0179	7.78	0.00358	1.02096	0-674
8-0	11.48	43.5	11.2	4660-0	0.0119	0.0193	6.97	0.00325	1.02098	0.672
9.0	11.33	46.6	10.2	4420.0	0.0131	0.0206	6.31	0.00299	1.02100	0.672
10.0	11.17	46 • 9	10.1	4180.0	0.0140	0.0219	5.80	0.00297	1.02101	0.628
11.0	11.01	47.2	9.82	3930.0	0.0149	0.0229	5.40	0.00295	1.02102	0.597
12.0	10-84	47.7	9.50	3680.0	0.0158	0.0239	5.07	0.00292	1.02101	0.577
13.0	10.67	48.1	9.18	3440.0	0.0167	0.0247	4.81	0.00287	1.02100	0.564
14.0	10.49	48.5	8.87	3210.0	0.0176	0.0253	4.59	0.00283	1.02097	0.557
15.0	10.30	48.8	8.59	2990 • 0	0.0185	0.0258	4.40	0.00278	1.02093	0.554
16.0	10.10	49.0	8.33	2790.0	0.0194	0.0262	4.25	0.00273	1.02087	0.554
17.0	9.903	49.1	8.09	2590.0	0.0203	0.0265	4.12	0.00269	1.02080	0.557
18.0	9 • 699	49.2	7.87	2410.0	0.0212	0.0267	4.01	0.00265	1.02072	0.563
19.0	9-488	49-3	7.61	2240.0	0.0220	0.0268	3.92	0.00261	1.02061	0.569
20.0	9.275	49.4	7.39	2090.0	0.0228	0.0269	3.84	0.00258	1.02049	0.578
22.0	8.843	49.5	7.01	1810.0	0.0243	0.0269	3.71	0.00253	1.02019	0.597
24.0	8 • 41 0 7 • 985	49.7 50.2	6.68 6.39	1590.0 1420.0	0.0254 0.0261	0.0267	3.63 3.58	0.00252 0.00254	1.01983 1.01941	0.617 0.636
20.0	7.905	90.2	0.39	1420.0	0.0261	0.0200	3.70	0.00294	1.01941	0.030
28.0	7.577	51.2	6.13	1300.0	0.0263	0.0264	3.55	0.00258	1.01895	0.652
30.0	7.189	52.5	5.92	1200.0	0.0262	0.0262	3.53	0.00265	1.01846	0.668
32.0	6.825	54.0	5.73	1130.0	0.0258	0.0260	3.54	0.00274	1.01795	0.681
34.0	6.485	55.8	5.57	1070.0	0.0252	0.0259	3.55	0.00285	1.01744	0.692
36.0	6.171	57.7	5.42	1020.0	0.0245	0.0259	3.57	0.00297	1.01692	0.700
38.0	5.881	59.7	5.30	989.0	0.0237	0.0259	3.60	0.00311	1.01642	0.708
40-0	5-614	61.9	5-18	960.0	0.0228	0.0259	3.63	0.00326	1.01593	0.713
45.0	5.034	67.6	4.96	907.0	0.0208	0.0261	3.73	0.00369	1.01478	0.723
50.0	4.557	73.6	4.79	873.0	0.0190	0.0265	3.84	0.00417	1.01375	0.728
55.0	4.163	79.9	4.65	849.0	0.0173	0.0270	3.96	0.00469	1.01283	0.731
60.0	3.831	86.2	4.54	832.0	0.0159	0.0276	4.09	0.00525	1.01203	0.731
70.0	3.307	99.1	4.38	810.0	0.0136	0.0289	4.34	0.00648	1.01067	0.729
80.0	2.913	112.0	4.26	796.0	0.0118	0.0303	4.60	0.00784	1.00960	0.725
90.0	2.606	125.0	4-17	786.0	0.0105	0.0318	4.85	0.00931	1.00872	0.720
100.0	2.360	138.0	4.10	779.0	0.00942	0.0334	5.10	0.0109	1.00799	0.716
120.0	1.988	164.0	4.00	768.0	0.00783	0.0365	5.59	0.0143	1.00685	0.708
140.0	1.719	189.0	3,93	760.0	0.00672	0.0396	6.06	0.0181	1.00601	0.701
166.0	1.516	215.0	3.88	753.0	0.00589	0.0426	6.52	0.0222	1.00535	0.696
180.0	1.357	240.0	3.84	748.0	0.00525	0.0456	6.96	0.0267	1.00482	0.691
200.0	1.228	265.0	3.81	744.0	0.00474	0.0486	7.26	0.0315	1.00439	0.675
250.0	0.9936	328.0	3.76	7 35 • 0	0.00381	0.0557	8.30	0.0449	1.00359	0.670
300.0	0.8346	390.0	3.73	730.0	0.00320	0.0625	9.28	0.0601	1.00304	0.656
350.0	0.7197	452.0	3.70	725.0	0.00275	0.0690	10.2	0.0770	1.00263	0.664
400.0	0.6326	514.0	3.69	722.0	0.00242	0.0751	11.1	0.0955	1.00232	0.663
450.0 500.0	0.5644	576.0 638.0	3.68 3.67	719.0 717.0	0.00216	0.0810	12.0 12.8	0.115 0.137	1.00208	0.662 0.663
600.0	0.4265	762.0	3.65	714.0	0.00163	0.0974	14.5	0.137	1.00188	0.665
000.0	0.4207	, 52.0	0.00	, 2440	0.00103	000014	14.7	0.104	1.00170	0.007
706.0	0.3667	886-0	3.64	712.0	0.00140	0.108	16.1	0.238	1.00136	0.665
806.0	0.3216	1010.0	3.63	710.0	0.00123	0.118	17.6	0.297	1.00120	0.665
900.0	0.2864	1130.0	3.63	709.0	0.00109	0.128	19.1	0.361	1.00107	0.665
1000.0	0.2582	1260.0	3.62	708.0	0.000987	0.138	20.6	0.431	1.00096	0.665
1260.0	0.2156	1510-0	3.62	706-0	0.000824	0.157	23.4	0.586	1.00081	0.665
1400.0	0.1851 0.1622	1750.0 2000.0	3.61 3.61	7 05 • 0 7 04 • 0	0.000708 0.000620	0.175 0.192	26.0 28.6	0.760 0.953	1.00069	0.665
1800.0	0.1622	2250.0	3.61	704.0	0.000552	0.192	31.1	1.16	1.00054	0.665
2000-0	0.1299	2500.0	3.61	703.0	0.000497	0.225	33.5	1.39	1.00049	0.665
2500.0	0.1041	3120.0	3.60	702.0	0.000398	0.263	39.2	2.04	1.00039	0.665
3000.0	0.08680	3740.0	3.60	702.0	0.000332	0.299	44.6	2.78	1.00033	0.665

^{*} TWO-PHASE BOUNDARY

800 PSIA ISOBAR

TEMPERATU	RE VOLUME	ISOTHERM OERIVATIVE	ISOCHORE DERIVATIVE	INTERNAL ENERGY	ENTHALPY	ENTROPY	CV	CP	VELOCITY OF SOUND
OEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU /	LB -R	FT/SEC
5.0	0.08306	443.0	45.1	2.471	14.78	0.3423	0.3094	0.3388	1498.0
6.0	0.08374	458.0	46.8	2.650	15.05	0.4006	0.3172	0.3544	1540.0
7.0	0.38450	456.0	53.1	2.878	15.40	0.4566	0.3605	0.4178	1564.0
8.0	0.08540	445.0	57 • 6	3.189	15.84	0.5162	0.4227	0.5032	1566.0
9.0	0.08643	430.0	59.8	3.606	16.41	0.5803	0.4912	0.5945	1553.0
16.0	0.08753	415.0	60.6	4.084	17.05	0.6457	0.5156	0.6409	1547.0
11.0	0.08869	398.0	60.6	4.572	17.71	0.7089	0.5384	0.6862	1534.0
12.0	0.08993	381.0	60.3	5.090	18.41	0.7707	0.5619	0.7334	1518.0
13.0	0.09125	364.0	59.7	5.642	19.16	0.8314	0.5843	0.7805	1501.0
14.0	0.09266	348.0	58.9	6.225	19.95	0.8911	0.6048	0.8268	1484.0
15.0	0.09417	332.0	57.9	6 • 840	20.79	0.9499	0.6232	0.8721	1467.0
16.0	0.09577	317.0	56 • 8	7.484	21.67	1.008	0.6397	0.9162	1450.0
17.0	0.39747	303.0	55.5	8.158	22.60	1.065	0.6544	0.9592	1433.0
18.0	0.09927	289.0	54.2	8.858	23.56	1.121	0.6675	1.001	1417.0
19.0	0.1012	276.0	52.5	9 • 653	24.65	1.181	0.6805	1.040	1398.0
20.0	0.1032	264.0	50.9	10.47	25.77	1.239	0.6912	1.078	1381.0
22.0	0.1076	242.0	47.5	12.19	28.13	1.353	0.7077	1.148	1349.0
24.0	0.1124	224.0	44.2	13.97	30.62	1.463	0.7193	1.209	1321.0
26.0	0.1176	210.0	41.0	15.81	33.23	1.569	0.7275	1.260	1298.0
28.0	0.1232	200.0	38.0	17.61	35.86	1.667	0.7337	1.300	1282.0
30.0	0.1291	194.0	35.3	19.37	38.49	1.757	0.7388	1.334	1272.0
32.0	0.1353	189.0	32.8	21-14	41-19	1 - 844	0.7430	1.358	1266.0
34.0	0.1418	187.0	30.5	22.92	43.92	1.927	0.7464	1.375	1265.0
36.0	0.1484	187.0	28.5	24.70	46.68	2.006	0.7492	1.387	1266.0
38.0	0.1552	188.0	26.7	26.48	49.47	2.081	0.7516	1.394	1270.0
40.0	0.1621	189.0	25.0	28 • 25	52.26	2.153	0.7535	1.398	1275.0
45.0	0.1797	196.0	21.6	32.64	59.26	2.318	0.7572	1.399	1296.0
50. 0	0.1976	206.0	19.0	36.97	66.24	2.465	0.7595	1.393	1323.0
55.0	0.2156	218.0	16.9	41 - 24	73.18	2.597	0.7608	1.384	1354.0
60.0	0.2337	230.0	15.2	45.45	80.07	2.717	0.7616	1.373	1386.0
76.0	0.2698	256.0	12.7	53.73	93.70	2.927	0.7619	1.352	1452.0
80.0	0.3056	284.0	10.8	61.86	107.1	3.107	0.7615	1.334	1518.0
90.0	0.3411	312.0	9.48	.59 - 86	120.4	3.263	0.7607	1.319	1583.0
100.0	0.3762	340.0	8.42	77.77	133.5	3.401	0.7598	1.306	1646.0
120.0	0.4458	396.0	6.90	93.39	159.4	3.637	0.7581	1.288	1766.0
140.0	0.5146	452.0	5.85	108.8	185.1	3.835	0.7565	1.276	1879-0
160.0	0.5829	507.0	5.08	124.1	210.5	4.005	0.7552	1.267	1985.0
180.0	0.6508	561.0	4.49	139.4	235.8	4.154	0.7541	1.261	2086.0
200.0	0.7184	616.0	4.03	154.5	260.9	4.286	0.7532	1.257	2182.0
250.0	0.8867	750.0	3.21	192.2	323.6	4.566	0.7515	1.250	2405.0
300.0	1.054	884.0	2.67	229.8	386.0	4.793	0.7504	1.246	2609.0
350.0	1.222	1020.0	2.28	267.3	448.3	4.985	0.7496	1.244	2798.0
460.0	1.389	1150.0	2.00	304.7	510.4	5.152	0.7490	1.243	2975.0
450.0	1.556	1280.0	1.77	342.0	572.6	5.298	0.7485	1.242	3142.0
500.0	1.723	1420.0	1.60	379.4	634.7	5.429	0.7482	1.242	3301.0
600.0	2.058	1680.0	1.33	454.0	758.8	5.655	0.7477	1.241	3599.0
700.0	2.392	1950.0	1.14	528.6	882.9	5.846	0.7473	1.241	3873.0
800-0	2.726	2220.0	1.00	603.2	1007.0	6.012	0.7471	1.241	4130.0
900.0	3.060	2480.0	0.886	677.8	1131.0	6.158	0.7469	1.241	4372.0
1000.0	3.395	2750.0	0.798	752.3	1255.0	6.289	0.7467	1.241	4601.0
1200.0	4.063	3280.0	0.665	901.4	1503.0	6.515	0.7465	1.241	5028.0
1400.0	4.732	3820.0	0.570	1050.0	1751.0	6.706	0.7463	1.241	5422.0
1600.0	5.401	4350.0	0.499	1199.0	2000.0	6.872	0.7462	1.241	5789.0
1800.0	6.070	4890.0	0.444	1348.0	2248.0	7.018	0.7461	1.241	6135.0
2000.0	6.739	5420.0	0.399	1498.0	2496.0	7.149	0.7460	1.241	6462.0
2500.0	8.412	6760.0	0.319	1870.0	3116.0	7.426	0.7459	1.241	7215.0
3000.0	10.08	8090.0	0.266	2243.0	3737.0	7.652	0.7458	1 • 241	7897-0

^{*} THO-PHASE BOUNDARY

800 PSIA ISOBAR

TEMPEDAT	TURE DENSITY	V (DU (DV)	V (OP (OU)	~V (DP (DV)	(DV/DT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
TEMPERAT	OKE DENSTIA	A (DH\DA)	V (0P700)	+V(DP/DV) _T	P CI	DNDUCTIVITY	VISCUSTIV	DIFFUSIVITY		NUMBER
DEG.	R LB/CU FT	BTU/LB	PSIA-CU FT/B	TU PSIA	1/DEG. R			SQ FT/MR	OUNSTRING	HOHOLK
5200	K 257 55 11	0.0,20					X 10E+6			
5.0	12.04	40.1	12.1	5330.0	0.00846	0.0157	11.5	0.00385	1.02083	0.893
6.0	11.94	41.5	12.4	5470.0	0.00855	0.0171	10.0	0.00405	1.02087	0.742
7.0	11.83	42.4	12.5	5390-0	0.00985	0-0185	8.72	0.00375	1.02090	0.708
8.0	11.71	45.5	11.6	5210.0	0.0111	0.0200	7.74 6.97	0.00339	1.02093	0.702
9.0	11.57	49.5	10.5 10.3	4980.0 4750.0	0.0120 0.0128	0.0214 0.0227	6.37	0.00311 0.00310	1.02096 1.02099	0.698 0.648
10.0	11.42 11.28	50 • 2 50 • 8	10.0	4490.0	0.0128	0.0238	5.90	0.00310	1.02101	0.612
12.0	11.12	51.6	9.65	4240.0	0.0142	0.0248	5.53	0.00305	1.02102	0.587
13.0	10.96	52.2	9.32	3990.0	0.0150	0.0257	5.22	0.00300	1.02102	0.571
10.0	20.70	72.02	7,02	0 7 70 0 0	000250	00025.	7.22	0.0000	1.02102	00311
14.0	10.79	52.7	9.02	3750.0	0.0157	0.0264	4.97	0.00296	1.02101	0.560
15.0	10.62	53.1	8.75	3520.0	0.0164	0.0270	4.76	0.00291	1.02099	0.553
16.0	10.44	53.4	8.50	3310.0	0.0172	0.0275	4.58	0.00287	1.02096	0.550
17.0	10.26	53.6	8.27	3100.0	0.0179	0.0278	4.43	0.00283	1.02092	0.550
18.0	10.07	53.8	8 - 0 5	2910 • 0	0.0186	0.0281	4.30	0.00278	1.02086	0.552
19.0	9.881	54.1	7.81	2730.0	0.0192	0.0282	4.19	0.00275	1.02079	0.556
20.0	9.687	54.2	7.59	256 0. 0	0.0199	0.0284	4.10	0.00272	1.02071	0.562
22.0	9.293	54.3	7.23	2250.0	0.0211	0.0284	3.96	0.00266	1.02050	0.575
24-0	8 • 896	54 • 5	6.91	1990.0	0.0222	0.0284	3.86	0.00264	1.02023	0.592
26.0	8.503	54.9	6.62	1790.0	0.0229	0.0282	3.79	0.00263	1.01992	0.609
28.0	8.118	55.6	6.37	1620.0	0.0234	0.0283	3.74	0.00265	1.01955	0.626
30.0	7.746	56 • 7	6.16	1500-0	0.0235	0.0278	3.72	0.00269	1.01915	0.642
32.0	7.390	58.0	5.97	1400.0	0.0234	0.0277	3.71	0.00276	1.01872	0.656
34.0	7.054	59.6	5.80	1320.0	0.0231	0.0275	3.71	0.00284	1.01828	0.668
36.0	6.739	61.3	5.64	1260.0	0.0226	0.0274	3.73	0.00293	1.01782	0.678
38.0	6.445	63.2	5.51	1210.0	0.0221	0.0274	3.75	0.00304	1.01737	0.687
40.0	6.170	65.2	5.39	1170.0	0.0214	0.0273	3.77	0.00317	1.01692	0.695
45.0	5.565	70.6	5.14	1090.0	0.0198	0.0274	3.86	0.00352	1.01584	0.708
50.0	5.061	76.5	4.95	1040.0	0.0182	0.0277	3 • 96	0.00393	1.01483	0.717
55.0	4.637	82.5	4.79	1010.0	0.0168	0.0281	4.07	0.00438	1.01393	0.722
60.0	4.279	88.8	4.67	984.0	0.0155	0.0286	4.19	0.00487	1.01311	0.724
70.0	3.707	101.0	4.49	951.0	0.0133	0.0298	4.43	0.00594	1.01171	0.725
80 - 0	3.272	114.0	4 - 35	930 - 0	0.0117	0.0311	4.68	0.00713	1.01058	0.722
90.0	2.932	127.0	4.25	916.0	0.0104	0.0326	4.93	0.00842	1.00965	0.719
100.0	2.658	140.0	4.17	905.0	0.00931	0.0340	5.18	0.00980	1.00887	0.715
120.0 140.0	2.243 1.943	166.0 192.0	4.06 3.98	889.0 878.0	0.00775 0. 00666	0.0371	5.66 6.12	0.0128 0.0162	1.00764 1.00672	0.708 0.701
140.0	1.743	192.0	3.90	0/0.U	0.0000	0.0401	0.12	0.0102	1.000/2	0.701
160.0	1.716	217.0	3.92	870.0	0.00584	0.0431	6.57	0.0198	1.00599	0.695
180.0	1.537	242.0	3.88	863.0	0.00521	0.0461	7.01	0.0238	1.00541	0.691
200.0	1.392	267.0	3.84	857 - 0	0.00470	0.0493	7.31	0.0280	1.00494	0.675
250.0	1.128	330.0	3.78	846.0	0.00379	0.0561	8.34	0.0398	1.00405	0.669
300.0	0.9484	392.0	3.74	839.0	0.00318	0.0628	9.32	0.0532	1.00343	0.665
350.Ū	0.8184	454.0	3.72	833.0	0.00274	0.0693	10.3	0.0680	1.00298	0.663
400-0	0.7199	516.0	3.70	829.0	0.00241	0.0754	11.1	0.0842	1.00263	0.662
450.0	0.6426	578.0	3.69	825.3	0.00215	0.0812	12.0	0.102	1.00236	0.662
500.0	0.5802	640.0	3.67	823.0	0.00194	0.0868	12.9	0.120	1.00214	0.663
600.0	0.4860	764.0	3.66	818.0	0.00162	0.0976	14.5	0.162	1-00180	0-664
700 -	0.1404	220.0	2.65	045 0	0.0041-		46.4			0.661
700.0	0.4181	888.0	3.65	815.3	0.00140	0.108	16.1	0.209	1.00155	0.664
900.0	0.3668 0.3268	1010.0 1140.0	3.64	813.0	0.00123	0.119 0.129	17.6	0.260	1.00136	0.665
1000.0	0.2946	1260.0	3.63 3.63	812.0 810.0	0.00109 0.000985	0.129	19.1 20.6	0.317 0.378	1.00122 1.00110	0.665 0.665
1200.0	0.2461	1510.0	3.62	808.0	0.000823	0.157	23.4	0.514	1.00110	0.665
1400.0	0.2113	1760.0	3.62	807.0	0.000707	0.175	26.0	0.666	1.00079	0.665
1600.0	0.1852	2000.0	3.61	806.0	0.000619	0.192	28.6	0.835	1.00069	0.665
1800-0	0.1647	2250.0	3.61	805.0	0.000551	0.208	31.1	1.02	1.00062	0.665
2000.0	0.1484	2500.0	3.61	804.0	0.000496	0.225	33.5	1.22	1.00056	0.665
2500.0	0.1189	3120.0	3.60	803.0	0.000398	0.263	39.2	1.78	1.00045	0.665
3000.0	0.09916	3740.0	3.60	802.0	0.000332	0-299	44 - 6	2 • 43	1.00037	0.665

^{*} TWO-PHASE BOUNDARY

900 PSIA ISOBAR

TEMPERATURE	VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	cv	CP	VELOCITY
		OERIVATIVE	OERIVATIVE	ENERGY					OF SOUNO
OEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU /	LB -R	FT/SEC
5.0	0.08155	463.0	56.0	2.627	16.22	0.3260	0.3251	0.3668	1556.0
6.0	0.38227	488.0	51.9	2.793	16.50	0.3861	0.3104	0.3520	1601.0
7.0	0.08302	490.0	56.3	3.003	16.84	0.4411	0.3510	0.4087	1626.0
8.0	0.08386	482.0	59.9	3.296	17.27	0.4993	0.4145	0.4921	1627.0
9.0	0.08481	468.0	61.7	3.697	17.83	0.5620	0.4848	0.5822	1614.0
10.0	0.38580	455.0	62.3	4.159	18.46	0.6260	0.5107	0.6272	1608.0
11.0	0.08685	438 - 0	62.4	4.630	19.10	0.6878	0.5344	0.6708	1596.0
12.0	0.38795	421.0	62.1	5.130	19.79	0.7482	0.5585	0.7159	1581.0
13.0	0.08913	404.0	61.6	5.663	20.52	0.8074	0.5813	0.7608	1566.0
14.0	0.09038	388.0	60.9	6.226	21.29	0.8655	0-6020	0.8048	1550.0
15.0	0.09170	372.0	60.1	6.819	22.10	0.9227	0.6206	0.8477	1534.0
16.0	0.39311	356.0	59.1	7.440	22.96	0.9789	0.6373	0.8894	1518.0
17.0	0.09459	342.0	58.0	8.089	23.85	1.034	0.6522	0.9299	1502.0
18.0	0.09616	328.0	56.8	8.763	24.79	1.089	0.6656	0.9691	1487.0
19.0	0.09783	315.0	55.3	9.535	25.84	1.147	0.6786	1.006	1470.0
20.0	0.3996	302.0	53.8	10.33	26.93	1.203	0.6896	1.041	1453.0
22.0	0.1033	279.0	50.6	11.99	29.21	1.314	0.7066	1.107	1422.0
24.0	0.1074	259.0	47.5	13.73	31.63	1.420	0.7188	1.165	1395.0
26.0	0.1118	243.0	44.4	15.52	34.15	1.523	0.7275	1.216	1371.0
28.3	û.1165	231.0	41.5	17.29	36.70	1.618	0.7340	1.259	1353.0
30.0	0.1215	222.0	38.8	19.00	39.26	1.706	0.7394	1.295	1341.0
32.0	0.1268	215.0	36.2	20.74	41.88	1.790	0.7436	1.324	1333.0
34.0	0.1323	211.0	33.9	22.49	44.55	1.871	0.7470	1.346	1328.0
36.0	6.1380	209.0	31.8	24.25	47.26	1.949	0.7498	1.362	1327.0
38.0	0-1439	209.0	29 - 8	26.01	49.99	2.022	0.7521	1.373	1328.0
46.0	0.1499	209.0	28.1	27.77	52.74	2.093	0.7540	1.380	1331.0
45.0	0.1652	214.0	24.3	32.14	59.67	2.256	0.7577	1.388	1347.0
50.0	0.1809	222.0	21.4	36 - 47	66-61	2-403	0.7601	1.387	1369.0
55.0	0.1968	232.0	19.1	40.75	73.54	2.534	0.7616	1.381	1396.0
60.0	0.2127	244.0	17.2	44.97	80.42	2.654	0.7625	1.373	1425.0
70.0	C . 2447	269.0	14.3	53.29	94.06	2.865	0.7632	1.355	1487.0
80.0	0-2764	296.0	12.3	61.46	107.5	3.044	0.7629	1.338	1550.0
90.0	0.3080	323.0	10.7	69.50	120.8	3.201	0.7622	1.323	1612.0
100.0	0.3393	351.0	9.51	77.45	134.0	3.340	0.7613	1.311	1673.0
120.0	0.4012	407.0	7.78	93.14	160.0	3.577	0.7595	1.292	1791.0
140.0	0-4625	462-0	6-59	108.6	185.7	3.775	0.7578	1.279	1901.0
160.0	0.5233	517.G	5.72	124.0	211.2	3.945	0.7564	1.270	2005.0
180.0	0.5837	572.0	5.06	139.2	236.5	4.095	0.7552	1.263	2105.0
200.0	0.6439	626.0	4.53	154.4	261.7	4.227	0.7542	1.259	2200.0
250.0	0.7936	761.0	3.61	192.2	324.5	4.507	0.7524	1.251	2420.0
300.0	0.9427	894.0	3.00	229.8	386.9	4.735	0.7511	1.247	2623.0
350.0	1.091	1030.0	2.57	267.3	449.2	4.927	0.7502	1.245	2811.0
400.0	1.240	1160.0	2.24	304.7	511.4	5.093	0.7495	1.243	2987.0
450.0	1.389	1290.0	1.99	342.1	573.5	5.240	0.7490	1.243	3154.0
500.0	1.537	1430.0	1.79	379.5	635.7	5.370	0.7486	1.242	3312.0
600.0	1.834	1690.0	1.49	454.1	759.8	5.597	0.7481	1-241	3608.0
700.0	2.131	1960.0	4 20	528.8	007.0	E 700	0.7477	4 2/4	3881.0
800.0	2.428	2230.0	1.28	603.3	883.9 1008.0	5.788 5.954	0.7477 0.7474	1.241	4137.0
900.0	2.725	2490.0	1.12 1.00	677.9	1132.0	6.100	0.7471	1.241	4378.0
1000.0	3.022	2760.0	0.897	752.5	1256.0	6-231	0.7471	1.241	4607.0
1200.0	3.616	3290.0	0.748	901.5	1504.0	6.457	0.7467	1.241	5033.0
1400.0	4.211	3830.0	0.641	1051.0	1752.0	6.648	0.7465	1.241	5427.0
1600.0	4.805	4360.0	0.561	1200.0	2000.0	6.814	0.7464	1.241	5793.0
1800.0	5.400	4890.0	0.499	1349.0	2249.0	6.960	0.7463	1.241	6138.0
2000.0	5.994	5430.0	0.449	1498.0	2497.0	7.091	0.7462	1.241	6465.0
2500.0	7.481	6760.0	0.359	1870.0	3117.0	7.367	0.7460	1.241	7218.0
3000.0	8.963	8100.0	0.299	2243.0	3737.0	7.594	0.7459	1.241	7899.0

^{*} TWO-PHASE BOUNDARY

900 PSIA ISOBAR

*****	TURE DENSITY	W (DH (DW)	W 4 0 D 4 0 U 1	- 1/ (00 (01)	(DV/OT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
IEMPERA	TORE DENSITY	V (DH/DV)	V (0-700)	-V(OP/DV) _T		NOUCTIVITY		DIFFUSIVITY		NUMBER
									CUNSTANT	NUMBER
DEG.	R LB/CU FT	BTU/LB	PSIA-CU FT/E	BTU PSIA	1/DEG. R	TU/FT-HR-R		SQ FT/HR		
							X 10E+6			
5.0	12.26	37.2	14.1	5680.0	0.00987	0.0162	13.2	0.00361	1.02074	1.07
6.0		40.2	13.8	5930.0	0.00876	0.0177	11.2	0-00413	1.02079	0.806
7 - 0		42.8	13.3	5900.0	0.02954	0.0191	9.73	0.00388	1.02083	0.749
8.0		47.2	12.1	5740.0	0.0104	0.0206	8.57	0.00351	1.02087	0.736
9.0		52 • 1	10.8	5520.0	0.0112	0.0221	7.66	0.00322	1.02091	0.727
10.0		53.3	10.5	5300-0	0.0118	0.6234	6.96	0.00321	1.02095	0.671
11.0		54.3	10.1	5040.0	0.0124	0.0247	6.42	0.00319	1.02097	0.629
12.0	11.37	55.2	9.78	4790.0	0.0130	0.0257	5.99	0.00316	1.02099	0.600
13.0	11.22	56.0	9.45	4540.0	0.0136	0.0267	5.64	0.00312	1.02101	0.579
		,,,,								
14.0	11.06	56.7	9.15	4290.0	0.0142	0.0274	5.35	0.00308	1.02102	0.565
15.0		57 • 2	8.88	4050.0	0.0148	0.0281	5.11	0.00304	1.02102	0.555
16.0		57.6	8.64	3830.0	0.0155	0.0286	4.91	0.00299	1.02100	0.550
17.0	10.57	57.9	8 • 42	3610.0	0.0161	0-0290	4.74	0.00295	1-02098	0.547
18.0	10.40	58.2	8.21	3410.0	0.0167	0.0293	4.63	0.00291	1.02095	0.547
19.0		58.5	7.97	3220.0	0.0172	0.0295	4.47	0.00287	1.02091	0.548
20.0	10.04	58.7	7.76	3030.0	0.0177	0.0297	4.37	0.00284	1.02085	0.551
22.0		59.0	7.40	2700.0	0.0183	0.0299	4.20	0.00279	1.02071	0.561
24.0		59.2	7.10	2410.0	0.0197	0.0298	4.08	0.00275	1.02051	0.574
26.0	8.946	59.5	6.82	2170.0	0.0204	0.0297	4.00	0.00273	1.02027	0.588
28.0	8.583	60.1	6.58	1980.0	0.0210	0.0296	3 • 94	0.00274	1.01998	0 - 604
30.0	8 • 228	61.0	6.37	1820.0	0.0212	0.0294	3.90	0.00276	1.01966	0.619
32.0		62.1	6.18	1706.3	0.0213	0.0292	3.88	0.00280	1.01931	0.634
34.0		63.5	6.00	1600.0	0.0212	0.0290	3.87	0.00285	1.01893	0.647
36.0		65.0	5 • 84	1520.0	0.0209	0.0289	3 - 88	0.00293	1.01853	0.658
38.0		66.8	5.70	1450.0	0.0206	0.0288	3.89	0.00302	1.01813	0.668
40.0	6.673	68.6	5.58	1390.0	0.0201	0.0287	3.91	0.00312	1.01773	0.677
45.0	6.054	73.8	5.31	1290.0	0.0188	0.0287	3.98	0.00341	1.01672	0.694
50.0		79.4	5.10	1230.0	0.0175	0.0289	4.07	0.00376	1.01577	0.705
55.0		85.3						0.00416		
			4.93	1180.0	0.0162	0.0292	4.18		1.01488	0.712
60.0		91.4	4.80	1140.0	0.0150	0.0296	4.29	0.00458	1.01407	0.717
70.0		104.0	4.59	1100-0	0.0130	0-0307	4.53	0.00553	1.01265	0.720
80.0	3.617	117.0	4.44	1070.0	0.0115	0.0319	4.77	0.00659	1.01149	0.719
98.0	3.247	130.0	4.33	1050.0	0.0102	0.0333	5.01	0.06775	1.01051	0.717
100.0		143.0	4.24	1030.0	0.00919	0.0347	5.25	0.00898	1.00969	0.714
120.0		168.0	4-11	1010.0	0.00767	0.0376	5.72	0.0117	1.00838	0.707
140.0	2.162	194.0	4.02	1000.0	0.00659	0.0406	6.18	0.0147	1.00739	0.701
160.0		219.0	3 • 96	988.0	0.00579	0.0436	6.63	0.0180	1.00661	0.695
180.0		245.0	3.91	979.0	0.00516	0 • 0 4 6 6	7.06	0.0215	1.00599	0.690
200-0	1.553	270.0	3.87	972.0	0.00466	0.0495	7.36	0.0253	1.00547	0.674
250.0	1.263	332.0	3.80	958.0	0.00376	0.0565	8.39	0.0358	1.00450	0.669
300.0		395.0	3.76	949.0	0.00316	0.0632	9.36	0.0478	1.00382	0.665
351.0		457.0	3.73	942 - 0	0.00272	0.0696	10.3	0.0610	1.00332	0.663
406.0		519.0	3.71	936.0	0.00240	0.0756	11.2	0.0754	1.00294	0.661
450.0		581.0	3.70	932.0	0.00214	0.0814	12.0	0.0910	1.00263	0.661
500.0		643.0	3.68	929.0	0.00193	0.0870	12.9	0.108	1.00239	0.662
600-0	0.5452	767-0	3 - 67	923.0	0.00162	0.0978	14.5	0.145	1.00201	0.663
706.0	0.4692	891.0	3.65	920.0	0.00139	0.108	16.1	0.186	1.00174	0.664
800.0		1010.0	3.64	917.0	0.00122	0.119	17.7	0.232	1.00153	0.664
900.0		1140.0	3.64	915.0	0.00109	0.129	19-1	0.283	1.00136	0.665
1000.0		1260.0			0.000983	0.138		0.337		0.665
			3.63	913.0			20.6		1.00123	
1200.0		1510.0	3.62	910.0	0.000822	0.157	23.4	0.457	1.00103	0.665
1400.0		1760.0	3.62	909.0	0.000706	0.175	26.0	0.593	1.00089	0.665
1600.0	0.2081	2010.0	3.61	907.0	0.000619	0.192	28.6	0.743	1.00078	0.665
1800.0	0.1852	2250.0	3.61	906.0	0.000551	0.209	31.1	0.908	1.00069	0.665
2006.0		2500.0	3.61	905.0	0.000496	0.225	33.5	1.09	1.00063	0.665
2506.0		3120.0	3.60	904.0	0.000398	0.263	39.2	1.59	1.00050	0.665
	0.1301	011010	3.03	70700	0.0000000	3.203	33.6	1.99	1.00070	0.000
3000-0	6 1115	3740.0	7 60	0.37 0	0.000773	0.700	1.1. 6	2 16	4 0004.3	0 665
3000-0	0.1115	3740.0	3.60	903.0	0.000332	0.300	44.6	2.16	1.00042	0.665

^{*} TWO-PHASE SOUNDARY

THERMOOYNAMIC PROPERTIES OF HELIUM 4

1000 PSIA ISOBAR

TEMPERATURI		ISOTHERM OERIVATIVE	ISOCHORE OERIVATIVE	INTERNAL ENERGY	ENTHALPY	ENTROPY	cv	СР	VELOCITY OF SOUND
OEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU /	LB -R	FT/SEC
6.0	0.08094	515.0	58.2	2.940	17.93	0.3715	0.3082	0.3560	1660.0
7.0	0.38168	522.0	59.9	3.134 3.413	18.26 18.69	0.4263 0.4836	0.3441	0.4037	1684.0
8.0 9.0	0.08248	516.0 505.0	62.4 63.6	3.800	19.24	0.5452	0.4798	0.4842	1684.0 1671.0
10.0	0.08428	492.0	64.0	4.249	19.85	0.6081	0.5067	0.6162	1665.0
11.0	0.08523	476.0	64.0	4.705	20.49	0.6688	0.5311	0.6582	1653.0
12.0	0.08623	460.0	63.7	5.191	21.16	0.7280	0.5556	0.7015	1639.0
13.0	0.08729	443.0	63.3	5.707	21.87	0.7859	0.5786	0.7445	1625.0
13.0	0.00123	440.0	00.0		21101		0.5100	001773	1027.0
14.0	0.08841	426.0	62.7	6.253	22.62	0.8428	0.5994	0.7865	1610.0
15.0	0.08960	410.0	62.1	6.828	23.42	0.8986	0-6182	0.8275	1595.0
16.0	0.09085	395.0	61.2	7.430	24.25	0.9535	0.6350	0.8673	1580.0
17.0	0.09216	380.0	60.3	8.058	25.12	1.007	0.6501	0.9059	1566.0
18.0	0.39355	366.0	59.2	8.711	26.03	1.061	0.6636	0.9432	1552.0
19.0	0.09503	352.0	57 • 8	9.463	27.06	1.117	0.6768	0-9780	1535.0
20.0	0.09656	339.0	56.3	10.24	28.12	1.172	0.6879	1.011	1520.0
22.0	0.0998	315.0	53.4	11.86	30.35	1.280	0.7054	1.073	1490.0
24.0	0.1034	294.0	50.4	13.56	32.69	1.384	0.7182	1.129	1463.0
26.0	0.1072	276.0	47.5	15.31	35-15	1-483	0.7274	1.179	1439.0
28.0	0.1112	262.0	44.6	17.04	37.63	1.576	0.7343	1.222	1421.0
30.0	0.1156	251.0	42.0	18.71	40.12	1.661	0.7399	1.261	1407.0
32.0	0.1202	243.0	39.4	20.42	42.67	1.744	0.7443	1.292	1397-0
34.0	0.1249	237.0	37.0	22.14	45.28	1.823	0.7477	1.317	1390.0
36.0	0.1299		34.8	23.88	47.93	1.899			
38.0	0.1350	233.0 231.0	32.8	25.62	50.62	1.971	0.7505	1.336 1.351	1386.0 1385.0
40.0	0.1403	230.0	30.9	27.36	53.34	2.041	0.7528 0.7547	1.362	1386.0
40.0	0.1403	230.0	30.9	21.36	93.34	2.041	0 - 1 5 - 1	1.362	1300.0
45.0	0.1538	232.0	27.0	31.71	60.19	2.202	0.7583	1.376	1397.0
50.0	0.1677	238.0	23.8	36.03	67.08	2.347	0.7607	1.380	1415.0
55.N	0.1818	247.0	21.3	40.31	73.97	2.479	0.7624	1.377	1439.0
60.0	0.1961	258.0	19.2	44.54	80.85	2.598	0.7634	1.372	1465.0
70.0	0.2247	282.0	16.0	52.88	94.49	2.809	0.7643	1.357	1522.0
80.0	0.2532	308.0	13.7	61.08	108.0	2.989	0.7642	1.341	1582.0
90.0	0.2816	335.0	11.9	69.17	121.3	3.146	0.7636	1.327	1642.0
100.0	0.3098	362.0	10.6	77.15	134.5	3.285	0.7628	1.315	1701.0
120.0	0.3657	418.0	8 • 67	92.90	160.6	3.523	0.7609	1.295	1815.0
140.0	0.4209	473.0	7.34	108.4	186.4	3.722	0.7592	1.282	1923.0
160.0	0-4756	528. U	6.37	123.8	211.9	3.892	0.7577	1.272	2026.0
186.0	0.5301	582.0	5.62	139.1	237.3	4.042	0.7564	1.265	2124.0
200.0	0.5843	636.0	5.04	154.3	262.5	4.175	0.7553	1.260	2218.0
250.0	0.7190	771.0	4.01	192.2	325.3	4.455	0.7532	1.252	2436.0
300.0	0.8532	905.0	3.33	229.8	387.8	4.683	0.7518	1.248	2637.0
350.0	0.9872	1040.0	2.85	267.3	450.1	4.875	0.7508	1.245	2824.0
400.0	1.121	1170.0	2.49	304.8	512.4	5.041	0.7501	1.244	2999.0
450.0	1.255	1300.0	2.21	342.2	574.5	5.187	0.7495	1.243	3165.0
500.0	1.388	1440-0	1.99	379.6	636.6	5.318	0.7491	1.242	3322.0
600.0	1.655	1700.0	1.66	454.3	760.8	5.545	0.7484	1.241	3617.0
700.0 800.0	1.923 2.19J	1970.0 2230.0	1.42	528.9	884.9	5.736 5.902	0.7480	1.241	3890-0
900.0	2.457	2500.0	1.25	603.5	1009.0		0.7477	1.241	4145.0
			1.11	678.1	1133.0	6.048	0.7474	1.241	4385.0
1006.0 1200.0	2.724 3.259	2770.0	1.00	752.6	1257.0	6.179	0.7472	1.241	4613.0
	3.793	3300.0	0.831	901.7	1505.0	6.405	0.7469	1.240	5039.0
1400-0 1600-0	4.328	3830-0	0.712	1051.0	1753.0	6.596 6.762	0.7467	1.241	5431.0
1800.0		4370.0	0.623	1200.0	2001.0		0.7466	1.241	5798.0
2000.0	4.863 5.398	4900.0 5430.0	0.554	1349.0	2249.0	6.908	0.7465	1.241	6142.0
2500-0	6.736	6770.0	0.499 0.399	1498.0	2498.0	7.038 7.315	0-7464	1-241	6468-0
2900-0	0.730	0110.0	0.377	1871.0	3118.0	7.315	0.7462	1.241	7220.0
3000.0	8.074	8100.0	0.333	2243.0	3738.0	7.541	0.7461	1.241	7901.0

^{*} THO-PHASE BOUNDARY

1000 PSIA ISOBAR

TEMPERATU	RE DENSITY	V (OH/OV)	V (OP/OU)	-V(0P/0V) _T	(OV/OT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANOTL
					_b c	ONOUCTIVITY		DIFFUSIVITY		NUMBER
DEG. R	LB/CU FT	BTU/LB	PSIA-CU FT/BT	U PSIA	1/0EG. R	BTU/FT-HR-R		SQ FT/HR		
							X 10E+6			
6.0	12.36	38.9	15.3	6360.0	0.00914	0.0182	12.7	0.00415	1.02070	0.890
7.0	12.24	43.0	14.2	6390.0	0.00938	0.0197	10.8	0.00399	1.02075	0.798
8 - 0	12-12	48-6	12.6	6260.0	0.0100	0.0212	9.44	0.00362	1.02080	0.775
9.0	12.00	54.5	11.1	6060.0	0.0105	0.0228	8.39	0.00331	1.02085	0.760
10.0	11.87 11.73	56.2 57.5	10.6 10.3	5840.0 5590.0	0.0110 0.0114	0.0242 0.0255	7.58 6.97	0.00331	1.02089 1.02093	0.696 0.648
12.0	11.60	58.7	9.89	5330.0	0.0120	0.0266	6.47	0.00327	1.02095	0.614
13.0	11.46	59.7	9.55	5070.0	0.0125	0.0276	6.07	0.00324	1.02098	0.590
10.0	11.40	,,,,	,,,,	20.000	0.012	0.0210	0.01	0000024	1.02070	0.770
14.0	11.31	60.4	9.25	4820.0	0.0130	0.0284	5.75	0.00320	1.02100	0.572
15.0	11.16	61.0	8.99	4580.0	0.0136	0.0291	5.47	0.00315	1.02101	0.560
16.0	11.01	61.5	8.76	4340.0	0.0141	0.0297	5.25	0.00311	1.02102	0.552
17.0	10.85	61.9	8.55	4120.0	0.0146	0.0301	5.05	0.00307	1.02101	0.547
18.0	10.69	62.3	8.35	3910.0	0.0151	0.0305	4-89	0.00303	1.02100	0.544
19.0	10.52	62.7	8.11	3710.0	0.0156	0.0308	4.75	0.00299	1.02098	0.543
20.0	10.36	63.0	7.91	3510.0	0.0160	0.0310	4.63	0.00296	1.02094	0.544
22.0 24.0	10.J2 9.675	63.4	7.56 7.26	3160.0 2840.0	0.0169 0.0177	0.0312 0.0312	4.44	0.00290 0.00286	1.02084 1.02070	0.550 0.560
26.0	9.332	64.0	6.99	2580.0	0.0184	0.0312	4.20	0.00283	1.02052	0.572
2000	,,,,,,	04.0	0.,,	2,0000	0.0104	0.0012	4.20	0.00200	1.02072	0.772
28.0	8.990	64.5	6.76	2350.0	0.0190	0.0310	4.13	0.00282	1.02030	0.586
30.0	8.652	65.2	6.55	2170.0	0.0193	0.0308	4.08	0.00283	1.02004	0.601
32.0	8 • 322	66-2	6.36	2020.0	0.0195	0.0306	4.05	0.00285	1.01975	0.615
34.0	8.003	67.4	6.19	1900.0	0.0195	0.0305	4.03	0.00289	1.01943	0.628
36.0	7.698	68.8	6.03	1790.0	0.0194	0.0363	4.03	0.00294	1.01910	0.640
38.0	7.406	70.4	5.88	1710.0	0.0192	0.0302	4-04	0.00301	1-01874	0.651
40.0	7.129	72.1	5.75	1640.0	0.0189	0.0301	4.05	0.00310	1.01838	0.660
45.0	6.503	77.0	5.47	1510.0	0.0179	0.0299	4.11	0.00335	1.01746	0.680
50.0	5.964	82.4	5.25	1420.0	0.0167	0.0300	4.19	0.00365	1.01656	0.693
55.0	5.500	88 - 2	5.07	1360.0	0.0156	0.0302	4.28	0.00399	1.01571	0.702
66.0	5.100	94.1	4.92	1320.0	0.0146	0.0306	4.39	0.00437	1.01492	0.709
70.0	4.451	167.0	4.70	1250.0	0.0127	0.0315	4.62	0.00522	1.01351	0.715
80.0	3.949	119.0	4.53	1220.0	0.0112	0.0327	4 • 85	0.00617	1.01232	0.716
96.0	3.551	132.0	4-41	1190.0	0.0100	0.0340	5.09	0.00721	1.01131	0.715
100.0	3.228	145.0	4.31	1170.0	0.00907	0.0354	5.32	0.00833	1.01046	0.712
120.0	2.735	171.0	4.17	1140.0	0.00759	0.0382	5.79	0.0108	1.00909	0.706
146.0	2.376	196.0	4.07	1120.0	0.00653	0-0412	6.24	0.0135	1-00804	0.700
160.0	2.102	222.0	4.00	1110.0	0.00574	0.0441	6.69	0.0165	1.00721	0.695
180.0	1.887	247.0	3.94	1130.0	0.00512	0.0471	7.12	0.0197	1.00654	0.690
200.0	1.712	272.0	3.90	1090.0	0.00463	0.0499	7.41	0.0231	1.00598	0.674
250.0	1.391	335.0	3.83	1070.0	0.00374	0.0568	8.43	0.0326	1.00493	0.668
360.0	1.172	397.0	3.78	1060.0	0.00314	0.0635	9.39	0.0434	1.00420	0.664
350.0	1.013	459.0	3.75	1050.0	0.00271	0.0699	10.3	0.0554	1.00366	0.662
400.0	0.8921	521.0	3.72	1040.0	0.00239	0.0759	11.2	0.0684	1.00324	0.661
450.0	0.7971	583.0	3.71	1040.0	0.00213	0.0817	12.1	0.0825	1.00291	0.661
500.0	0.7204	645.0	3.69	1040.0	0.00192	0.0872	12.9	0.0975	1.00264	0.661
600.0	0.6041	769.0	3.67	1030.0	0.00161	0.0980	14.5	0.131	1.00222	0.663
706-0	0.5202	893.0	3.66	1026.0	0.00139	0.109	16.1	0.168	1.00192	0.664
800.0	0.4567	1020.0	3.65	1020.0	0.00122	0.119	17.7	0.210	1.00169	0.664
900.0	0.4070	1140.0	3.64	1020.0	0.00109	0.129	19.2	0.255	1.00151	0.664
1000.0	0.3671	1260.6	3.63	1020.0	0.000981	0.138	20.6	0.304	1.00136	0.665
1200-0	0.3469	1510.0	3.62	1010.0	0.000820	0.157	23.4	0.413	1.00114	0.665
1400.ū	0.2636	1760.0	3.62	1010.0	0.000705	0.175	26.0	0.535	1.00398	0.665
1600.0	0.2310	2010.6	3.61	1010.0	0.000618	0.192	28.6	0.670	1.00086	0.665
1800.0	0.2056	2260.0	3.61	1010.0	0.030550	0.209	31 • 1	0.818	1.00077	0.665
2000-0	0.1852	2500.0	3.61	1010.0	0.000496	0.225	33.5	0.978	1.00069	0.665
2500.0	0.1485	3120.0	3.60	1030.0	0.000397	0.263	39.2	1.43	1.00056	0.665
3006.0	0.1239	3740.0	3.60	1000.0	0.000331	0.300	44.6	1.95	1.00047	0.665
300000	*****	3, 4000	3.00		0.000331	0.500	77.0	20 99	1.00047	0.007

^{*} TWO-PHASE BOUNDARY

THERMODYNAMIC PROPERTIES OF HELIUM 4

1203 PSIA ISOBAR

TEMPERATURE	VOLUME	ISOTHERM	ISOCHDRE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
		DERIVATIVE	DERIVATIVE	ENERGY					OF SOUND
DEG. R	CJ FT/L8	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	3TU/LB-R	BTU /	LB -R	FT/SEC
	0.07457	567.0	74.2	7 270	20 70	0.7600	0 7101	0 7053	1777 0
6-0	0-07857	563.0 581.0	68.8	3-238 3-411	20.70 21.64	0.3408 0.3976	0.3181	0.3852 0.4053	1777.0 1795.0
7.0	0.07933		68.1		21.46	0.4544	0.4012	0.4769	1790.0
8.0	U. ú8008	582.0		3.667					
9.0	0.08387	574.0	67.7	4.033	22.00	0.5149	0.4736	0.5607	1774.0
10-0	0.08166	563-0	67.3	4.461	22.61	0.5763	0.5014	0.6008	1768.0
11.0	0.08248	549.0	66.9	4.895	23.22	0.6354	0.5263	0.6394	1757.0
12.0	0.08333	533.0	66.6	5.358	23.87	0.6928	0.5510	0.6794	1744.0
13.0	0.08422	516.0	66.2	5 . 849	24.56	0.7488	0-5740	0.7190	1731.0
14.0	0.08515	500.0	65.8	6.367	25.29	0.8036	0.5948	0.7578	1717.0
15.0	0.38613	484.0	65.4	6.912	26.05	0.8573	0.6136	0.7955	1704.0
16.0	0.08716	468.0	64.8	7.482	26.85	0.9100	0.6305	0.8323	1692.0
17 - 0	0.08824	453.0	64-1	8.077	27.68	0.9617	0.6458	0.8681	1679.0
18.0	0.08937	438.0	63.3	8.695	28.55	1.013	0.6597	0.9028	1667.0
19.0	0.09057	424.0	62.0	9.417	29.54	1.067	0.6729	0.9346	1652.0
20.0	0.09181	411.6	60.8	10.16	30.56	1-120	0.6843	0.9648	1638.0
22.0	0-09442	386.0	58.2	11.72	32.70	1.224	0.7028	1.022	1612.0
24.0	0.09721	363.3	55.5	13.35	34.95	1.323	0.7167	1.073	1586.0
26.0	0.1002	342.0	52.8	15.64	37.3J	1.418	0.7268	1.120	1563.0
28.0	0.1034	325.0	50.2	16.70	39.67	1.507	0.7345	1.163	1545.0
30.0	0.1068	311.0	47.6	18.31	42.03	1.588	0.7407	1.202	1530.0
32.0	0.1103	300.0	45.1	19.96	44.47	1.667	0.7454	1.236	1517.0
34.0	0.1141	291.0	42.8	21.62	46.97	1.743	0.7491	1.265	1507.0
36.0	0-1180	284.0	40.5	23.31	49.53	1.816	0.7519	1.288	1500.0
38.0	0.1223	278.0	38.4	25.01	52.13	1.886	0.7542	1.308	1496.0
40.0	0.1252	275.0	36.4	26.72	54.76	1.953	0.7561	1.323	1493.0
45.0	0.1370	272.0	32.0	31.00	61.45	2.111	0.7596	1.349	1495.0
56.0	0.1482	274.0	28.4	35.29	68.23	2.254	0.7621	1.362	1506.0
55.0	0.1597	280.0	25.5	39.55	75.05	2.384	0.7638	1.366	1523.0
60.0	0.1714	288.0	23.0	43.79	81.88	2.503	0.7650	1.365	1544-0
70-0	0.1950	309.0	19.2	52.16	95.49	2.712	0.7653	1.357	1593.0
86.0	0.2187	333.0	16.5	60.41	109.0	2.893	0.7665	1.344	1646.0
90.0	0.2423	359.0	14.4	68.54	122.4	3.050	0.7661	1.332	1701.0
100.0	0.2658	386.0	12.8	7-5 - 58	135.6	3.190	0.7654	1.321	1756-0
120.0	0.3124	440-0	10.4	92.44	161.8	3.429	0.7636	1.302	1864.0
140.0	0.3585	495.0	8.83	108.1	187.7	3.629	0.7618	1.287	1968.0
160.0	0.4042	549.0	7 • 66	123.6	213.4	3.800	0.7601	1.277	2067.0
180.0	0.4496	603-0	6 • 76	138.9	238.8	3.950	0.7586	1.269	2162.0
200.0	6.4949	657.0	6.06	154.2	264.2	4.083	G.7574	1.263	2254.0
250.0	0.6072	792.0	4.81	192.1	327.1	4.364	0.7550	1.254	2468.0
300.0	0.7191	925.0	4.00	229.8	389.6	4.592	0.7533	1.249	2665.0
350.0	0.8337	1060-0	3.42	267.4	452.0	4.785	0.7521	1.246	2849.0
400.0	0.9421	1190.0	2.99	304.9	514.2	4.951	0.7512	1.244	3023.0
450.0	1.053	1320.0	2 • 65	342.4	576 • 4	5.097	0.7505	1.243	3186.0
500.0	1.165	1460.0	2.39	379.8	638.6	5.228	0.7500	1.242	3342.0
600-0	1.387	1720.0	1.99	454.5	762.7	5.455	0.7492	1.241	3635.0
730.0	1.610	1990.0	1.71	529.1	886.8	5.646	0.7487	1.241	3906.0
800.0	1.832	2250.0	1.49	603.8	1011.0	5.812	0.7483	1.241	4159.0
900.0	2.055	2520 • 0	1.33	678.4	1135.0	5,958	0.7480	1.240	4399.0
1000.0	2.277	2780.0	1.20	753.0	1259.0	6.088	0.7477	1.240	4626.0
1200.0	2.722	3320.5	1.00	902.1	1507.0	6.314	0.7474	1.240	5049.0
1460.0	3.168	3850.0	0.854	1051.0	1755.0	6.506	0.7471	1.240	5441-0
1600.0	3.613	4380.0	0.748	1200.0	2003.0	6.671	0.7470	1.240	5806.0
1800.0	4.059	4920.0	0.665	1349.0	2251.0	6.817	0.7468	1.240	6150.0
2000.0	4.504	5450.0	0.598	1498.0	2499.0	6.948	0.7467	1.240	6475.0
2500.0	5.619	6780.0	0.479	1871.0	3120.0	7.225	0.7465	1.241	7226.0
3000.0	6.733	8120.0	0.399	2244.0	3740.0	7.451	0.7464	1.241	7906.0

^{*} THO-PHASE BOUNDARY

120J PSIA ISDBAR

TEMPERATU	RE DENSITY	V(DH/DV)	V (DP/DU) _V	-V(DP/DV) _T	(DV/DT)/V P CD	THERMAL	VISCOSITY	THERMAL DIFFUSIVITY	DIELECTRIC CONSTANT	PRANDTL NUMBER
DEG. R	L8/CU FT	8TU/L3	PSIA-CU FT/8	TU PSIA		TU/FT-HR-R	LB/FT-SEC	SQ FT/HR		
							X 10E+6			
6.0	12.73	37.2	18.3	7160.0	0.0104	0.0193	15.9	0.00394	1.02050	1.15
7.0	12.61	43.1	16.1	7330.0	0.00939	0.0208	13.3	0.00407	1.02057	0.931
8.0	12.49	50.9	13.6	7260.0	0.00937	0.0224	11-4	0.00377	1.02064	0.871
9.0	12.37	58.7	11.6	7100.0	0.00955	0.0240	10.0	0.00347	1.02070	0.837
10.0	12.25	61.5	11.0	6900.0	0.00976	0.0256	8.91	0.00348	1.02075	0.754
11.0	12.12	63.5	10.5	6650.0	0.0101	0.0270	8.11	0.00348	1.02080	0.692
12.0	12.30	65.2	10.1	6390.0	0.0104	0.0282	7.48	0.00346	1.02085	0-648
13.0	11-87	66.6	9.72	6130.0	0.0108	0.0293	6.98	0.00344	1.02089	0.616 0.592
14.0	11.74	67.6	9.42	5870.0	0.0112	0.0303	6.56	0.00340	1.02092	0.794
15.0	11.61	68.4	9.17	5620.0	0.0116	0.0311	6.22	0.00336	1.02095	0.574
16.0	11.47	69.0	8 • 95	5370.0	0.0121	0.0317	5.93	0.00332	1.02098	0.561
17.0	11.33	69.5	8.76	5130.0	0.0125	0.0323	5.69	0.00328	1.02100	0.551
18.0	11.19	70.0	8.57	4900.0	0.0129	0.0327	5.49	0.00324	1.02101	0.545
19.0	11.04	70.6	8.35	4690.0	0.0132	0.0339	5.31	0.00320	1.02102	0.541
20.0	10.89	71.1	8.15	4480.0	0.0136	0.0333	5.16	0.00317	1.02101	0.538
22.0	10.59	71.7	7.82	4090.0	0.0142	0.0336	4.92	0.00311	1.02099	0.538
24.0	10.29	72.2	7.53	3730.0	0.0149	0.0338	4.74	0.00306	1.02093	0.542
26.0 28.0	9.98 9.674	72.5 73.0	7.28 7.06	3420.0 3150.0	0.0154 0.0159	0.0338	4.61 4.51	0.00302	1.02083 1.02370	0.550 0.560
20.0	9.014	73.0	7.00	3190.0	0.0199	0.0331	4.91	0.00255	1.02370	0.500
36.0	9.367	73.6	6.86	2910.0	0.0163	0.0335	4.43	0.00298	1.02054	0.573
32.0	9.063	74.4	6.68	2720.0	0.0166	0.0333	4.38	0.00298	1.02035	0.585
34.0	8.765	75.3	6.51	2550.0	0.0168	0.0331	4.35	0.00299	1.02013	0.598
36.0	8.475	76.5	6.35	2400.0	0.0168	0.0329	4.33	0.00302	1.01989	0.609
38.0	8.194	77.8	6.21	2280.0	0.0168	0.0328	4-32	0-00306	1.01963	0-621
46.0	7 - 924	79.3	6.07	2180.0	0.0167	0.0326	4.32	0.00311	1.01935	0.631
45.0	7.299	83.6	5.77	1980.0	0.0161	0.0323	4.35	0.00328	1.01861	0.653
56.0	6.746	88.6	5.53	1850.0	0.0154	0.0323	4.41	0.00351	1.01784	0.670
55 • 0	6.260	94 • 0	5.33	1750.0	0.0145	0.0323	4.49	0.00378	1.01707	0.683
60.0	5.834	100.0	5.16	1680.0	0.0137	0.0326	4.59	0.00409	1.01633	0.692
76.0	5.128	112.0	4.90	1590.0	0.0121	0.0333	4.79	0.00478	1.01497	0.703
86.0	4.573	124.0	4.70 4.56	1520.0	0.0108	0.0343	5.01	0.00557	1-01378	0-708
90.0	4.128 3.763	137.0 150.0	4.56	1480.0 1450.0	0.00972	0.0354 0.0367	5.24 5.46	0.00644 0.00738	1.01275 1.01186	0.709 0.708
120.0	3.201	175.0	4.27	1410.0	0.00742	0.0394	5.92	0.00738	1.01039	0.704
140.0	2.790	201.0	4.16	1380.0	0.00640	0.0422	6.36	0-0118	1-00925	0-698
160.0	2.474	227.0	4.07	1360.0	0.00564	0.0451	6.80	0.0143	1.00833	0.693
180.0	2.224	252.0	4.01	1340.0	0.00504	0.0479	7.22	0.0170	1.00758	0.689
200.0	2.021	277.0	3.96	1330.0	0.00456	0.0507	7.51	0.0199	1-00696	0.673
250.0	1.647	340-0	3.87	1300 - 0	0.00369	0.0576	8.51	0.0279	1.00577	0.667
300.0 350.0	1.391 1.204	402.0 464.0	3.81 3.78	1290.0 1270.0	0.00311	0.0642	9.47	0.0369 0.0470	1.00493 1.30431	0.663 0.661
400.0	1.062	526.0	3.75	1260.0	0.00236	0.0764	11.3	0.0470 C.0579	1.00382	0.660
450.0	0.9493	588.0	3.73	1260.0	0.00211	0.0822	12.1	0.0696	1.00344	0.659
500.0	0.8586	650.0	3.71	1250.0	0.00191	0.0876	12.9	0.0822	1.00312	0.660
600.0	ù.7239	774.0	3.69	1240.0	0.00160	0.0983	14.6	0.110	1.00264	0.662
700.0 800.0	0.6213	898.0 1020.0	3-67 3-66	1230.0 1230.0	0.00138 0.00121	0.109	16.2 17.7	0.141 0.176	1.00228	0.663 0.663
906.0	0.4867	1150.0	3.65	1230.0	0.00121	0.129	19.2	0.214	1.00180	0.664
1000.0	0.4391	1270.0	3.64	1220.0	0.000977	0.139	20.6	0.255	1.00163	0.664
1200.0	0.3673	1520.0	3.63	1220.0	0.000818	0.157	23.4	0.345	1.00137	0.664
1400.0	0.3157	1760.0	3.62	1220.0	0.000703	0.175	26.0	0.447	1.00118	0.665
1600.0	0.2768	2010.0	3.62	1210.0	0.000616	0.192	28.6	0.560	1.00103	0.665
1800.0	0.2464	2260.0	3.61	1210.0	0.000549	0.209	31-1	0-683	1.00092	0.665
2000.0	0.2220	2510.0	3.61	1210.0	0.000495	0.225	33.5	0.816	1.00083	0.665
2500.0	0.1780	3130.0	3.60	1210.0	0.000397	0.263	39.2	1.19	1.00067	0.665
3000.0	0.1485	3750.0	3.60	1210.0	0.000331	0.300	44.6	1.63	1.00056	0.665

^{*} TWO-PHASE BOUNDARY

THERMOOYNAMIC PROPERTIES OF HELIUM 4

1400 PSIA ISOBAR

***********			*******	INTERNAL	ENTHALPY	ENTROPY	cv	CP	VELOCITY
TEMPERATURE	VOLUME	ISOTHERM	ISOCHORE		ENIHALPT	ENTRUPT	CV	LP.	
		OERIVATIVE	DERIVATIVE	ENERGY					OF SOUNO
OEG. R	CU FT/LB	CU FT-PSIA/LB	PSI A/R	BTU/LB	BTU/LB	BTU/LB-R	8TU /	LB -R	FT/SEC
			12.2						
7.0	0.07731	635.0	80.0	3.698	23.74	0.3693	0.3449	0.4230	1899.0
8.0	0.07804	642.0	74.9	3.940	24.17	0.4274	0.4013	0.4801	1886.0
9.0	0.07877	638.0	72.3	4.292	24.71	0.4877	0.4721	0.5568	1867.0
10.0	0.07949	630.0	70.7	4.706	25.31	0.5484	0.4994	0.5923	1860.0
11.0	0.08020	616.0	69.7	5.124	25.92	0.6065	0.5238	0.6271	1849.0
12.0	0.08094	601.0	69.1	5.569	26.55	0.6627	0.5480	0.6636	1837.0
						0.7173	0.5704		
13.0	0.08171	586.0	68.7	6.040	27.22			0.7001	1825.0
14.0	0.08252	569.0	68.4	6.537	27.93	0.7706	0.5908	0.7359	1813.0
15.0	0.08335	553.0	68.1	7.059	28.67	0.8227	0.6093	0.7711	1801.0
16.0	0.08423	538.0	67 .7	7.605	29.44	0.8737	0.6261	0.8055	1790.0
17.0	0.08514	522.0	67.3	8.173	30.25	0.9237	0.6415	0.8392	1779.0
18.0	0.08610	507.0	66.7	8.763	31.98	0.9727	0.6556	0.8720	1768.0
19.0	0.08711	493.0	65.6	9.462	32.05	1.026	0.6688	0.9017	1755.0
20.0	0.08816	480.0	64.5	10.18	33.04	1.077	0.6804	0.9301	1743.0
22.0	0.09034	454.0	62.2	11.69	35.11	1.178	0.6998	0.9833	1719.0
24.0	0.09265	430.0	59-8	13-27	37-29	1-274	0.7147	1.032	1696.0
26.0	0.09509	408.0	57.3	14.91	39.56	1.366	0.7257	1.076	1674.0
28.0	0.09769	389.0	54.9	16.52	41.84	1.452	0.7341	1.117	1656.0
30.0	0.1005	372.0	52.5	18.07	44.12	1.530	0.7410	1.156	1640-0
32.0	0-1034	358.0	50.1	19.66	46.46	1.606	0.7462	1.190	1627.0
34.0	0.1064	346.0	47.8	21.28	48.87	1.679	0.7502	1.220	1616.0
	0.1096	337.0	45.5	22.92	51.34	1.749	0.7532	1.246	1607.0
36.0									
38.0	0.1129	329.0	43.4	24.58	53.86	1-817	0.7556	1.268	1600.0
40.0	0.1163	323.0	41.3	26.25	56.41	1.883	0.7575	1.287	1595.0
45.0	0.1253	314.0	36.7	30.47	62.94	2.036	0.7610	1.321	1590.0
50.0	0.1346	313.0	32.8	34.70	69.60	2.177	0.7635	1.341	1595.0
55.0	0.1442	315.0	29.5	38.94	76.33	2.305	0.7653	1.351	1606.0
60.0	0.1541	321.0	26.8	43.16	83.10	2.423	0.7666	1.355	1622.0
70.0	0.1740	339.0	22.5	51.54	96.65	2.632	0.7681	1.353	1663.0
80.0	0.1942	361.0	19.3	59.81	110.1	2.812	0.7686	1.345	1710.0
90.0	0.2143	385.0	16-9	67 - 99	123.5	2.970	0.7685	1.335	1760.0
100.0	0.2344	410.0	15.0	76.07	136.8	3.110	0.7679	1.325	1811.0
120.0	0.2744	463.0	12.2	92.02	163.1	3.350	0.7662	1.306	1913.0
140.0	0.3140	517.0	10.3	107.7	189.1	3.550	0.7642	1.292	2012.0
160.0	0.3532	571.0	8.95	123.3	214.9	3.722	0.7624	1.281	2108.0
180.0	0.3922	625.0	7.90	138.7	240.4	3.872	0.7608	1.273	2201.0
200.0	0.4310	679.0	7.07	154.0	265.8	4.006	0.7594	1.266	2290.0
250.0	0.5274	812.0	5.61	192.1	328.8	4-287	0.7567	1.256	2499.0
300.0	0.6233	946.0	4.66	229.9	391.4	4.516	0.7548	1.250	2694.0
350.0	0.7188	1080.0	3.99	267.5	453.9	4.708	0.7534	1.247	2875.0
400.0	0.8143	1210.0	3.48	305.0	516.1	4.875	0.7524	1.245	3046.0
450.0	0.9096	1340-0	3-09	342.5	578.3	5.021	0.7516	1.243	3208.0
500.0	1.005	1480.0	2.78	380.0	640.5	5.152	0.7509	1.242	3363.0
600.0	1.196	1740.0	2.32	454.7	764.7	5.378	0.7500	1.241	3653.0
• • • • • • • • • • • • • • • • • • • •						300.0	•••		
700.0	1.386	2010.0	1.99	529.4	888.7	5.570	0.7494	1.241	3922.0
800-0	1.577	2270.0	1.74	604.1	1013.0	5.735	0.7489	1.240	4174.0
900.0	1.767	2540.0	1.55	678.7	1137.0	5.881	0.7485	1.240	4412.0
1000.0	1.958	2800.0	1.39	753.3	1261.0	6.012	0.7483	1.240	4638.0
1200.0	2.339	3330.0	1.16	902.5	1509.0	F.238	0.7478	1.240	5060.0
1400.0	2.721	3860.0	1.00	1052.0	1757.0	6.429	0.7476	1.240	5450.0
1600.0	3.103	4400.0	0.872	1201.0	2005.0	6.595	0.7473	1.240	5814.0
1800.0	3.484	4930.0	0.775	1350.0	2253.0	6.741	0.7472	1.240	6157.0
2000.0	3.866	5460.0	0.698	1499.0	2501.0	6.872	0.7470	1.240	6482.0
2500.0	4.821	6800.0	0.558	1872.0	3121.0	7.149	0.7468	1.240	7231.0
3000.0	5.776	8130.0	0.465	2244.0	3742.0	7.375	0.7466	1.241	7910.0

^{*} THO-PHASE BOUNDARY

1400 PSIA ISDBAR

TEMPEDATII	RE DENSITY	V (DHZDV)	V (DP/DU)	-V(DP/DV)	(DV/DT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
TEIN EINATO	KE 02.13211	P	v	-V(DP/DV) _T		NDUCTIVITY	123003211	DIFFUSIVITY		NUMBER
DEG. R	LB/CU FT	BTU/LB	PSIA-CU FT/8	TU PSIA		TU/FT-HR-R	LB/FT-SEC	SQ FT/HR	00113111111	NO. IS EIN
0200 11	20,00						X 10E+6			
7 • 0	12.93	43.4	17.9	8210.0	0.00974	0.0219	16.1	0.00400	1.02037	1.12
8.0	12.81	52.7	14.6	8230.0	0.00910	0.0236	13.6	0.00383	1.02045	1.00
9.0	12.70	62.4	12.1	8100.0	0.00893	0.0253	11.7	0.00357	1.02052	0.931
10.0	12.58	66.3	11.3	7920.0	0.00893	0.0269	10.4	0.00361	1.02059	0.823
11.0	12.47	69.1	10.7	7690.0	0.00907	0.0284	9.37	0.00363	1.02065	0.744
12.0	12-35	71.3	10.2	7430.0	0.00930	0.0298	8.57	0.00363	1.02070	0.688
13.0	12.24	73.0	9.84	7170.0	0.00959	0.0310	7.94	0.00361	1.02075	0.647
14.0	12.12	74.2	9.55	6900.0	0.00991	0.0320	7.43	0.00359	1.02080	0.615
15.0	12.00	75.2	9.32	6640.0	0.0103	0.0329	7.00	0.00355	1-02085	0.592
16.0	11.87	75.9	9.11	6380.0	0.0106	0.0336	6.65	0.00351	1.02089	0.574
17.0	11.74	76.5	8.93	6130.0	0.0110	0.0342	6.35	0.00347	1.02092	0.561
18.0	11.61	77.1	8.76	5890.0	0.0113	0.0347	6.10	0.00343	1.02095	0.552
19.0	11.48	77 - 8	8 • 5 4	5660.0	0.0116	0.0351	5.88	0.00339	1.02098	0.544
20.0	11.34	78.4	8.36	5440.0	0.0119	0.0354	5.69	0.00336	1.02100	0.538
22.0	11.07	79.4	8.03	5020.0	0.0124	0.0358	5.39	0.00329	1.02102	0.533
24.0	10.79	80.1	7.75	4640.0	0.0129	0.0361	5.17	0.00324	1.02101	0.533
26.0	10.52	80.6	7.51	4290-0	0.0133	0-0361	5.01	0.00319	1.02097	0.537
28.0	10.24	81.0	7.30	3980.0	0.0138	0.0361	4.88	0.00316	1.02091	0.544
30.0	9.95	81.6	7.12	3710.0	0.0142	0.0360	4.78	0.00313	1.02082	0.553
32.0	9.673	82.3	6.94	3470.0	0.0145	0.0358	4.71	0.00311	1.02070	0.564
34-0	9.395	83.1	6.78	3260.0	0.0147	0.0356	4.66	0.00311	1.02056	0.575
36.0	9.122	84.1	6.63	3070.0	0.0148	0.0354	4.62	0.00311	1.02039	0.586
38.0	8.855	85.2	6.48	2910.0	0.0149	0.0352	4.60	0.00313	1.02020	0.596
40.0	8.595	86.5	6.34	2780.0	0.0149	0.0350	4.59	0.00317	1.01999	0.607
45.0	7 • 98 3	90.4	6.04	2510.0	0.0146	0.0346	4.59	0.00328	1.01941	0.630
50.0	7.429	94.9	5.78	2320.0	0.0141	0.0344	4.63	0.00346	1.91877	0.649
55.0	6.933	100.0	5.57	2190.0	0.0135	0.0344	4.70	0.00367	1-01811	0.665
60.0	6-491	106 - 0	5.38	2090.0	0.0128	0.0345	4.78	0.00392	1.01744	0.676
70.0	5.746	117.0	5.09	1950.0	0.0115	0.0359	4.96	0.00450	1.01617	0.691
80.0	5.150	129.0	4.87	1860.0	0.0104	0.0359	5.17	0.00517	1.01502	0.699
90.0	4.666	142.0	4.71	1800.0	0.00940	0.0368	5.39	0.00591	1-01399	0-703
100.0	4.266	155.0	4.57	1750.0	0.00856	0.0380	5.60	0.00672	1.01308	0.703
120.0	3.645	180.0	4.38	1690.0	0.00724	0.0405	6.04	0.00852	1.01156	0.791
140.0	3.185	206.0	4.24	1650.0	0.00627	0.0433	6.48	0.0105	1.01035	0.696
160-0	2.831	231.0	4.15	1620.0	0.00554	0.0469	6.90	0.0127	1.00936	0.692
180.0	2.550	257.0	4.07	1590.0	0.00496	0.0488	7.32	0.0150	1.00855	0.687
200.0	2.320	282.0	4.01	1570.0	0.00449	0.0515	7.60	0.0175	1.00787	0.672
250.0	1.896	345.0	3.91	1540.0	0.00364	0.0583	8.59	0.0245	1.00657	0.666
300-0	1.604	407.0	3.85	1520.0	0.00307	0.0648	9.54	0.0323	1.00564	0.662
350.0	1.391	469.0	3.80	1500.3	0.00266	0.0710	10.4	0.0410	1.00494	0.660
400.0	1.228	531.0	3.77	1490.0	0.00234	0.0773	11.3	0.0504	1.00439	0.658
450.0	1.099	593.0	3.75	1480.0	0.00210	0.0826	12.2	0.0605	1-00395	0.658
500.0	0.995	6 55 • 0	3.73	1470.0	0.00190	0.0881	13.0	0.0712	1.00360	0.659
600.0	0.8365	779.0	3.70	1460.0	0.00159	0.0987	14.6	0.0950	1.00304	0.660
700.0	0.7215	902.0	3.68	1450.0	0.00137	0.109	16.2	0.122	1.00264	0.662
800.0	0-6342	1030.0	3.67	1440.0	0.00121	0.119	17.7	0.152	1.00233	0.662
900.0	0.5658	1150.0	3.65	1430.0	0.00138	0.129	19.2	0.184	1.00208	0.663
1000.0	0.5107	1270.0	3.65	1430.0	0.000974	0.139	20.6	0.219	1.00189	0.663
1200.0	0.4275	1520.0	3.63	1420.0	0.000815	0.157	23.4	0.297	1.00158	0-664
1400-0	0.3675	1770.0	3.63	1420-0	0.000701	0.175	26 • 1	0.384	1.00137	0.664
1600.0	0.3223	2020.0	3.62	1420.0	0.000615	0.192	28.6	0.481	1.00120	0.664
1800.0	0.2870	2260.0	3.61	1410.0	0.000548	0.209	31.1	0.587	1.00107	0.665
2000.0	0.2537	2510.0	3.61	1410.0	0.000494	0.225	33.5	0.701	1.00097	0.665
2500.0	0.2074	3130.0	3.60	1410.0	0.000396	0.263	39.2	1.02	1.00078	0.665
7000 6	0 4774	7750 0	7.66	4440 0		. 700		4 10	4 00065	
3000.0	0.1731	3750.0	3.60	1410.0	0.000331	0.300	44.6	1.40	1.00065	0.665

^{*} TWD-PHASE BOUNDARY

THERMOOYNAMIC PROPERTIES OF HELIUM 4

1600 PSIA ISOBAR

TEMPERATURE	VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
		DERIVATIVE	OERIVATIVE	ENERGY					OF SOUNO
OEG. R	CU FT/LB		PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	PTU /	LB -R	FT/SEC
7.0	0.07554	683.0	93.6	3.987	26.37	0.3403	0.3627	0.4576	1998.0
8.0	0.07627	698.0	82.8	4.224	26.82	0.4014	0.4085	0.4932	1976.0
9.0	0.07696	698.0	77.4	4.569	27.37	0.4626	0.4754	0.5600	1952-0
10.0	0-07762	693.0	74.3	4.973	27.97	0.5233	0.5005	0.5894	1944.0
11.0	0.07827	681.0	72.5	5.379	28.57	0.5809	0.5234	0.6197	1932.0
12.0	0.07893	667.0	71.5	5.811	29.20	0.6363	0.5464	0.6525	1921.0
13.0	0.07961	651.0	71.0	6.268	29.85	0.6899	0.5678	0-6857	1909-0
14.0	0.08031	636.0	70.7	6.748	30.54	0.7420	0.5874	0.7188	1898.0
15.0	0.08104	620.0	70.5	7.251	31.26	0.7928	0.6053	0.7515	1888.0
.,,,		52000							200000
16.0	0.08181	604.0	70.3	7.776	32.01	0.8424	0.6218	0.7839	1878.0
17.0	0.08260	589.0	70.0	8 - 323	32-80	0.8911	0.6371	0.8158	1869.0
18.0	0.08343	574.0	69.6	8.890	33.61	0.9387	0.6513	0.8471	1859.0
19.0	0.08431	559.0	68.7	9.570	34.55	0.9905	0.6644	0.8753	1848.0
20.0	0.08522	546.0	67.7	10.27	35.52	1.041	0.6762	0.9024	1836.0
22.0	0.08709	519.0	65.7	11.74	37.54	1.139	0.6964	0.9533	1815.0
24.0	0.08907	495.0	63.5	13.27	39.66	1.233	0.7124	1.000	1794.0
26.0	0.09115	472.0	61.2	14.88	41.88	1.323	0.7241	1.041	1773.0
						1.406			
28.0	0.09335	452.0	59.0	16.44	44.10		0.7332	1.081	1756-0
30.0	0.09568	433.0	56.7	17.95	46.30	1.482	0.7409	1.119	1741.0
32.0	0.09814	417.0	54.5	19.49	48.57	1.555	0.7466	1.153	1728.0
						1.626			
34.0	0.1007	403.0	52•2 50•0	21.07	50.90		0.7509	1.183	1716.0
36.0	0.1034	392.0		22 - 67	53-30	1.694	0.7543	1.210	1706.0
38.0	0.1062	382.0	47.9	24.28	55.74	1.760	0.7568	1.233	1697.0
40.0	0.1090	373.0	45.8	25.92	58.23	1.824	0.7588	1.254	1691.0
45.0	0.1166	360.0	41.1	30.06	64.60	1.974	0.7624	4 204	1681.0
50.0			37.0		64.60		0.7624	1.294	
	0.1245	354-0		34.25	71.14	2.112	0.7649	1.319	1681.0
55.0	0.1328	353.0	33.4	38.45	77.78	2.238	0.7667	1.335	1687.0
60.0	0.1412	356.0	30.4	42.65	84.48	2.355	0.7681	1.344	1699.0
70.0	0.1584	370.0	25.6	51.01	97.95	2.563	0.7698	1.348	1732.0
80.0	0-1759	389.0	22.1	59.29	111.4	2.742	0.7706	1.344	1773.0
90.0	0.1935	412.0	19.3	67 • 49	124.8	2.900	0.7706	1.336	1818.0
100.0	0.2110	436.0	17.2	75.61	138.1	3.041	0.7702	1.327	1865.0
120.0	0.2460	487.0	14-0	91 - 63	164-5	3.281	0.7686	1.310	1961.0
140.0	0.2806	540.0	11.8	107.4	190.6	3.482	0.7667	1.296	2056.0
160.0	0.3150	594.0	10.2	123.0	216.4	3.654	0.7648	1.285	2149.0
180.0	0.3491	647.0	9.04	138.5	242.0	3.805	0.7630	1.276	2239.0
200.0	0.3831	700.0	8.09	153.9	267.4	3.939	0.7615	1.269	2325.0
250.0	0.4675	834.0	6.41	192.0	330.5	4.221	0.7585	1.258	2531.0
300.0	0.5514	966.0	5.32	229.9	393.3	4.449	0.7563	1.251	2721.0
350.0	0.6350	1100.0	4.55	267.6	455.7	4.642	0.7547	1-248	2900.0
400.0	0.7184	1230.0	3.98	305.2	518.0	4.808	0.7535	1.245	3069.0
450.0	0.8018	1360.0	3.53	342.7	580.3	4.955	0.7526	1.244	3230.0
500.0	0.8852	1490.0	3.18	380.1	642.4	5.086	0.7519	1.243	3383.0
600.0	1.052	1760.0	2 • 65	455.0	766.6	5.312	0.7508	1.241	3671.0
						_			
700.0	1.218	2020.0	2.27	529.7	890.7	5.504	0.7501	1.241	3938.0
800.0	1.385	2290.0	1.99	604.4	1015.0	5.669	0.7495	1.240	4188.0
900.0	1.552	2550.0	1.77	679.0	1139.0	5.815	0.7491	1.240	4425.0
1000-0	1.718	2820.0	1.59	753.6	1263.9	5.946	0.7488	1.240	4650.0
1200.0	2.052	3350.0	1.33	902.8	1511.0	6.172	0.7483	1.240	5071.0
1400.0	2.386	3880.0	1.14	1052.0	1759.0	6.363	0.7480	1.240	5459.0
1600.0	2.719	4410.0	1.00	1201.0	2007.0	6.529	0.7477	1.240	5822.0
1800-0	3.053	4940.0	0.885	1350.0	2255.0	6.675	0.7475	1.240	6164.0
2000.0	3.387	5480.0	0.797	1499.0	2503.0	6.806	0.7474	1.240	6488.0
2500.0	4.222	6810.0	0.638	1872.0	3123.0	7.082	0.7471	1.240	7236.0
3000.0	5.058	8140.0	0.532	2245.0	3743.0	7.309	0.7469	1.240	7914.0

^{*} TWO-PHASE BOUNDARY

1600 PSIA ISOBAR

TEMPERATUR	E DENSITY	V (DH/DV) _p	V(DP/OU)	-V(OP/DV)_	(DV/OT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANOTL
					P Co	DNOUCTIVITY		OIFFUSIVITY	CONSTANT	NUMBER
OEG. R	LB/CU FT	8TU/L8	PSIA-CU FT/BT	U PSIA	1/0EG. R 8	STU/FT-HR-R		SQ FT/HR		
							X 10E+6			
7.0	13.24	44.2	19.5	9040.0	0.0104	0.0229	19.5	0.00378	1.02015	1.40
8.0	13.11	54.5	15.5	9150.0	0.00905	0.0247	16.1	0.00381	1.02025	1.16
9.0	12.99	65.7	12.5	9070.0	0.00853	0.0264	13.7	0.00363	1.02033	1.05
10.0	12.88	70.8	11.5	8920.0	0.00833	0.0282	12.0	0.00371	1.02040	0.904
11.0	12.78	74.4	10.8	8700.0	0.00833	0.0298	10.7	0.00376	1.02047	0.804
12.0	12.67	77.1	10.3	8450.0	0.00846	0.0312	9.75	0.00378	1.02954	0.734
13.0	12.56	79.1	9.95	8180.0	0.00867	0.0325	8.98	0.00377	1.02060	0.682
14-0	12-45	80.5	9.66	7910 • 0	0.00893	0.0336	8.35	0.00376	1.02065	0.643
15.0	12.34	81.5	9.43	7650.0	0.00922	0.0346	7.83	0.00373	1.02071	0.613
46.0	40.00	00 6	0.24	7700 0	0 00053	0.0754	7.40	0.00760	4 00076	0 504
16.0	12.22	82.4 83.1	9.24 9.07	7380.0 7130.0	0.00952 0.00982	0.0354 0.0361	7.40 7.04	0.00369 0.00365	1.02076	0.591 0.574
17.0 18.0	12.11	83.7	8.92	6880.0	0.01962	0.0366	6.74	0.00361	1.02085	0.561
19.0	11.86	84.6	8.71	6630.0	0.0104	0.0371	6.47	0.00357	1.02089	0.550
20.0	11.74	85.3	8.54	6400.0	0.0104	0.0374	6.24	0.00353	1.02093	0.542
22.0	11.48	86.5	8.22	5960-0	0.0110	0.0379	5.88	0.00346	1.02098	0.532
24.0	11.23	87.5	7.94	5560.0	0.0114	0.0382	5.61	0.00340	1.02101	0.529
26.0	10.97	88.2	7.70	5180.0	0.0118	0.0383	5.41	0.00336	1.02102	0.529
28.0	10.71	88.7	7.51	4840.0	0.0122	0.0383	5.25	0.00331	1.02100	0.533
30.0	10.45	89.3	7.33	4530.0	0.0125	0.0382	5.13	0.00327	1.02096	0.540
32.0	10.19	90.0	7.16	4250.0	0.0128	0.0381	5.04	0.00324	1.02090	0.549
34.0	9.929	90.7	7.01	4010.0	0.0130	0.0379	4.96	0.00323	1.02081	0.558
36.0	9.672	91.6	6.86	3790.0	0.0132	0.0377	4.91	0.00322	1.02070	0.567
38.0	9.419	92.6	6.72	3590.0	0.0133	0.0375	4.87	0.00323	1.02057	0.577
40.0	9.171	93.7	6.58	3420.0	0.0134	0.0373	4.85	0.00324	1.02042	0.587
45.0	8.578	97.2	6.28	3090-0	0.0133	0.0368	4.83	0.00332	1.01998	0.611
50.0	8.031	101.0	6.02	2840.0	0.0130	0.0365	4.85	0.00345	1.01946	0.631
55.0	7.533	106.0	5.79	2660.0	0.0136	0.0364	4.90	0.00361	1.01890	0.647
60.0	7.082	111.0	5.59	2520.0	0.0121	0.0363	4.96	0.00382	1.01832	0.661
70.0	6.311	123.0	5.28	2330 • 0	0.0110	0.0367	5.13	0.00431	1.01716	0.679
80.0	5.684	135.0	5.04	2210.0	0.0100	0.0373	5.32	0.00489	1.01606	0.690
90.0	5.168	147.0	4.85	2130.0	0.00908	0.0382	5.53	0.00554	1.01505	0.696
100.0	4.738	160.0	4.70	2070.0	0.00831	0.0393	5.74	0.00625	1.01415	0.698
120.0	4.066	185.0	4.48	1980-0	0.00707	0.0417	6.17	0.00783	1.01260	0.697
140.0	3.564	211.0	4.33	1920.0	0.00615	0.0443	6.59	0.00959	1.01135	0.694
160.0	3.175	236.0	4.22	1880.0	0.00544	0.0470	7.01	0.0115	1.01032	0.690
180.0	2.864	262.0	4.13	1850.0	0.00488	0.0497	7.42	0.0136	1.00946	0.686
200-0	2-610	287 - 0	4.07	1830.0	0.00442	0.0524	7.69	0.0158	1.00873	0.671
250.0 300.0	2.139 1.814	350.0 412.0	3.95 3.88	1780.0 1750.0	0.00360 0.00304	0.0591 0.0655	8.67 9.61	0.0220 0.0289	1.00732 1.00631	0.665 0.661
350.0	1.575	474.0	3.83	1730.0	0.00304	0.055	10.5	0.0365	1.00554	0.658
400.0	1.392	536.0	3.79	1710.0	0.00232	0.0775	11.4	0.0447	1.00494	0.657
450.0	1.247	598.0	3.77	1700.0	0.00232	0.0831	12.2	0.0536	1.00445	0.657
500.0	1.130	660.0	3.74	1690.0	0.00188	0.0885	13.0	0.0630	1.00406	0.657
600.0	0.9508	784-0	3.71	1670-0	0.00158	0.0990	14.6	0.0839	1.00344	0.659
700.0	0.8207	907.0	3.69	1660.0	0.00137	0.109	16.2	0.108	1.00299	0.661
800.0	0.7220	1030.0	3.67	1650.0	0.00120	0.120	17.7	0.134	1.00264	0.662
900.0	0.6444	1150.0	3.66	1650.0	0.00107	0.129	19.2	0.162	1.00237	0.662
1000-0	0.5819	1280.0	3.65	1640.0	0.000970	0.139	20.6	0.193	1.00214	0.663
1200.0	0.4873 0.4192	1530.0 1770.0	3.64	1630.0	0.000813 0.000699	0.158	23.4	0.261	1.00180	0.664
1600.0	0.4192	2020.0	3.63 3.62	1630.0 1620.0		0.175 0.192	26.1 28.6	0.337 0.422	1.00155	0.664 0.664
1800.0	0.3275	2270.0	3.62	1620.0	0.000614 0.000547	0.209	31.1	0.514	1.00137 1.00122	0.664
2000.0	0.2952	2520.0	3.61	1620.0	0.000493	0.225	33.5	0.615	1.00122	0.664
2500.0	0.2368	3140.0	3.61	1610.0	0.000396	0.263	39.2	0.897	1.00089	0.665
	,,,,,,,		0.00		0000000		37.2	0,000	2,0000	0.000
3000.0	0.1977	3750.0	3.60	1610.0	0.000330	0.300	44.6	1.22	1.00074	0.665

^{*} TWO-PHASE BOUNDARY

1800 PSIA ISOBAR

TEMPERATURE	VOL UME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
		DERIVATIVE	DERIVATIVE	ENERGY					OF SOUNO
DEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	RTU/LR	BTU/LB-R	BTU /	LB -R	FT/SEC
7.0	0.07395	727.0	110.0	4.274	28.92	0.3100	0.3928	0-5102	2091.0
8 - 0	0-07470	750.0	91.9	4.514	29.41	0.3759	0.4229	0.5160	2059.0
9.0	0.07537	755.0	83.1	4.856	29.98	0.4390	0.4831	0.5696	2031.0
10.0	0.07599	752.0	78.1	5.255	30.58	0.5003	0.5046	0.5914	2021.0
11.0	0.07658	742.0	75.3	5.655	31.18	0.5578	0.5251	0.6164	2009.0
12.0	0-07718	729.0	73.8	6.077	31.80	0.6127	0.5461	0.6450	1997.0
13.0	0.07779	715.0	73.0	6.522	32.45	0.6655	0.5661	0.6748	1986.0
14.0	0.07842	699.0	72.7	6.988	33.13	0.7167	0.5845	0.7051	1976.0
			72.6	7.476	33.83	0.7665	0.6017	0.7355	1967.0
15.0	0.07907	683.0	12.0	1.410	33.03	0.7005	0.0017	4.1399	1907.0
16.0	0.07975	668.0	72.5	7.983	34.57	0.8150	0.6177	0.7659	1959.0
17.0	0.08046	652.0	72.4	8.512	35.33	0.8625	0.6327	0.7963	1950.0
18.0	0.08119	637.0	72.2	9.060	36.12	0.9089	0.6468	0.8263	1942.0
				9.723					
19.0	0-08197	623.0	71-4		37.04	0.9597	0.6599	0.8533	1932.0
20.0	0.08276	609.0	70.6	10.41	37.99	1.009	0.6718	0.8794	1922.0
22.0	0.08442	583.0	68.8	11.84	39.97	1.106	0.6927	0.9287	1902.0
24.0	0.08615	558.0	66.8	13.34	42.06	1.198	0.7097	0.9735	1883.0
26.0	0.08796	535.0	64.7	14.91	44.23	1.286	0.7222	1.013	1864.0
28.0	0.08986	513.0	62.6	16.44	46.79	1.367	0.7320	1.052	1848.0
30.0	0.09188	494.0	60.5	17.90	48.53	1.440	0.7403	1.089	1834.0
32.0	0.09400	476.0	58.4	19.41	50.74	1.512	0.7466	1.122	1820.0
34.0	0.09622	461.0	56.2	20.94	53.01	1.581	0.7514	1.152	1808.0
36.0	0.09852	447.0	54.1	22.51	55.35	1.647	0.7550	1.179	1798.0
38.0	0.1009	435.0	52.0	24.09	57.73	1.712	0.7577	1.203	1789.0
40.0	0.1034	425.0	49.9	25 - 69	60.15	1.774	0.7599	1.224	1781.0
45.0	0.1099	407.0	45.1	29.76	66.39	1.921	0.7637	1.268	1768.0
50.0	0.1168	396.0	40.9	33.89	72.81	2.056	0.7662	1.298	1764.0
55.0	0.1239	392.0	37.2	38.05	79.35	2.181	0.7680	1.318	1766-0
60.0	0.1313	393.0	33.9	42.22	85.98	2.296	0.7695	1.331	1774.0
70.0	0.1464	402.0	28.7	50.56	99.36	2.502	0.7715	1.342	1800.0
80.0	0.1618	419.0	24.8	58.84	112.8	2.681	0.7725	1.341	1836.0
90.0	0.1774	440.0	21.7	67.05	126.2	2.839	0.7727	1.336	1876.0
100.0	0-1929	463.0	19.3	75.19	139.5	2.979	0.7724	1.329	1920.0
120.0	0.2239	512.0	15.8	91.27	165.9	3.220		1.313	
							0.7709		2010.0
140.0	0.2547	564.0	13.3	107.1	192.0	3.422	0.7690	1.299	2101.0
460.0	0 2057	647 0	44.5	122 0	247 0	7 506	0.7670	4 200	2400 0
160-0	0-2853	617-0	11.5	122 - 8	217-9	3.594	0.7670	1.288	2190.0
180.0	0.3156	669.0	10.2	138.3	243.5	3.745	0.7652	1.279	2277.0
200.0	0.3459	723.0	9.10	153.8	269.0	3.880	0.7635	1.272	2361.0
250.0	0.4209	855.0	7.22	192.0	332.3	4.162	0.7602	1.260	2562.0 .
300.0	0-4954	987.0	5 • 98	229.9	395.1	4.391	0.7578	1.253	2749.0
350.0	0.5697	1120.0	5.12	267.7	457.6	4.584	0.7560	1.248	2926.0
400.0	0.6439	1250.0	4.47	305.3	519.9	4.750	0.7547	1.246	3092.0
450.0	0.7179	1380.0	3.97	342.9	582.2	4.897	0.7536	1.244	3251.0
500.0	0-7920	1510.0	3.57	380.3	644.3	5.028	0.7528	1.243	3403.0
600.0	0.9400	1780.0	2.98	455.2	768.5	5.254	0.7516	1.241	3688.0
700.0	1.088	2040.0	2.55	530.0	892.6	5.446	0.7507	1.241	3954.0
800.0	1.236	2310.0	2 • 23	604.7	1017-0	5.611	0.7501	1.240	4203.0
900.0	1.384	2570.0	1.99	679.3	1141.0	5.757	0.7497	1.240	4438.0
1000.0	1.532	2840.0	1.79	754.0	1265.0	5.888	0.7493	1.240	4662.0
1200.0	1.828	3370.0	1.49	903.2	1513.0	6.114	0.7488	1.240	5081.0
1400-0	2.125	3900.0	1.28	1052.0	1761.0	6.305	0.7484	1.240	5468.0
1600.0	2.421	4430.0	1.12	1202.0	2009.0	6.471	0.7481	1.240	5830.0
1800.0	2.718	4960.0	1.00	1351.0	2257.0	6.617	0.7479	1.240	6171.0
	3.015								
2000.0		5490.0	0.896	1500.0	2505.0	6.747	0.7477	1.240	6495.0
2500.0	3.757	6820.0	0.717	1873.0	3125.0	7.024	0.7474	1.240	7241.0
7000 0		9450 0	0.500	22/5 0	77/5 0	7 050	0.7470	4 240	7040 0
3000.0	4.499	8150.0	0.598	2245.0	3745.0	7.250	0.7472	1.240	7918.0

[.] THO-PHASE BOUNDARY

1800 PSIA ISOBAR

TEMPERATUR	E DENSITY	V (DH/DV)	V*(DP/DU)	-V(DP/OV)_T	(DV/DT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
DEG. R	LB/CU FT	BTU/LB	PSIA-CU FT/BI	-	1/DEG. R	CDNDUCTIVITY BTU/FT-HR-R	10457-550	DIFFUSIVITY SQ FT/HR	CONSTANT	NUMBER
DEG. R	Le/Co Fi	810/18	P314-CU F1781	U PSIA	1706G* K	BIU/FI-RK-K	X 10E+6	SQ FIZHK		
7 • 0	13.52	45.7	20.7	9830.0	0.0112	0.0240	23.5	0.00347	1.01991	1.80
8.0	13.39	56.4	16.2	10000.0	0.00915	0.0257	19.0	0.00372	1-02003	1.37
9.0	13.27	68.7	13.0	10000.0	0.00829	0.0276	15.9	0.00365	1.02013	1.18
10.0	13.16	74.9	11.8	9900.0	0.00789	0.0294	13.8	0.00378	1.02021	1.00
11.0	13.06	79.3	11.0	9690.0	0.00777	0.0311	12.2	0.00386	1.02028	0.873
12.0	12.96	82.6	10.4	9450-0	0-00781	0.0326	11.0	0.00390	1.02036	0.785
13.0	12.85	84.9	10.0	9190.0	0.00795	0.0340	10.1	0.00392	1.02042	0.721
14.0	12.75	86.5	9.75	8910.0	0.00815	0.0352	9.33	0.00391	1.02049	0.673
15.0	12.65	87.6	9.54	8640.0	0.00840	0.0362	8.71	0.00389	1.02055	0-637
16-0	12.54	88.5	9.36	8370.0	0.00866	0.0371	8.20	0.00386	1.02061	0.610
17.0	12.43	89.2	9.20	8110.0	0.00892	0.0378	7.77	0.00382	1.02067	0.589
18.0	12.32	89.9	9.06	7850.0	0.00919	0.0384	7.40	0.00378	1.02072	0.573
19.0	12.20	90.8	8.87	7600.0	0.00939	0-0389	7.08	0.00374	1.02077	0.559
20-0	12.08	91.7	8.70	7360.0	0.00959	0.0393	6.81	0.00370	1.02082	0.549
22.0	11.85	93.2	8.39	6900.0	0.0100	0.0399	6.38	0.00363	1.02090	0.535
24.0	11.61	94.4	8.11	6480.0	0.0103	0.0402	6.06	0.00356	1.02096	0.528
26.0	11.37	95.3	7 - 87	6080-0	0.0106	0.0404	5.82	0.00351	1.02100	0.525
28.0	11.13	95.9	7.68	5710.0	0.0110	0.0404	5.63	0.00346	1.02102	0.527
30.0	10.88	96.6	7.51	5370.0	0.0113	0.0404	5.48	0.00341	1.02101	0.531
32.0	10.64	97.3	7.35	5070.0	0.0115	0.0402	5.36	0.00337	1-02099	0-538
34.0	10.39	98-0	7.20	4790.0	0.0117	0.0401	5.27	0.00335	1.02095	0.545
36.0	10.15	98.8	7.06	4540.0	0.0119	0.0398	5.20	0.00333	1.02089	0.554
38.0	9.909	100.0	6.92	4310.0	0.0121	0.0396	5.15	0.00332	1.02080	0.562
40.0	9.672	101.0	6.79	4110.0	0.0121	0.0394	5.11	0.00333	1.02070	0-571
45.0	9.101	104.0	6.49	3700.0	0.0122	0.0389	5.06	0.00337	1.02038	0.594
50.0	8.565	108.0	6.23	3390.0	0.0120	0.0385	5.06	0.00346	1.01997	0.614
55.0	8.070	112.0	5.99	3160.0	0.0117	0.0383	5.10	0.00360	1.01950	0.632
60.0	7 - 617	117.0	5.79	2990-0	0.0113	0.0382	5.15	0.00376	1.01900	0.647
70.0	6.830	128.0	5.45	2750.0	0.0105	0.0383	5.30	0.00418	1.01796	0.668
80.0	6.179	140.0	5.19	2590.0	0.00957	0.0388	5.48	0.00469	1.01694	0.681
90.0	5.638	152.0	4.99	2480.0	0.00877	0.0396	5-67	0.00526	1-01597	0-688
100-0	5.184	165.0	4.83	2400.0	0.00806	0.0406	5.87	0.00589	1.01509	0.692
120.0	4.466	190.0	4.58	2290.0	0.00690	0.0428	6.29	0.00730	1.01354	0.694
140.0	3.926	216.0	4.42	2210.0	0.00602	0.0453	6.70	0.00889	1.01226	0.691
160.0	3.505	241.0	4.29	2160-0	0.00534	0-0479	7.11	0.0106	1.01120	0.688
180.0	3.168	267.0	4.20	2120.0	0.00480	0.0506	7.51	0.0125	1.01030	0.684
200.0	2.891	292.0	4.12	2090.0	0.00436	0.0532	7.78	0.0145	1.00953	0.669
250.0	2.376	355.0	3.99	2030.0	0.00355	0.0598	8.75	0.0200	1.00904	0.664
300-0	2.019	417 - 0	3.91	1990.0	0.00300	0.0661	9.67	0.0262	1.00695	0.660
350.0	1.755	479.0	3.86	1960.0	0.00261	0.0722	10.6	0.0330	1.00612	0.657
400.0	1.553	541.0	3.82	1940.0	0.00230	0.0780	11.4	0.0403	1.00547	0.656
450.0 500.0	1.393	603.0	3.78	1930.0	0.00206	0.0836	12.2	0.0483	1-00494	0-655
600.0	1.064	665.0 788.0	3.76 3.72	1910.0 1890.0	0.00187 0.00157	0.0889 0.0994	13.0 14.6	0.0567 0.0753	1.00451	0.656
300.0	1.004	, 00.0	3.72	1030.0	0.06197	0.0554	14.6	0.0793	1.00363	0.090
700.0	0.9191	912.0	3.70	1880.0	0.00136	0.110	16.2	0.0963	1.00333	0.660
600.0	0.8090	1040.0	3.68	1870.0	0.00120	0-120	17.7	0-119	1-00295	0.661
900.0	0.7225	1160.0	3.67	1860.0	0.00107	0.130	19.2	0.145	1.00264	0.662
1000.0	0.6527	1280.0 1530.0	3.66	1850.0	0.000967	0.139	20.7	0.172	1.00240	0.662
1400.0	0.5469	1780.0	3.64 3.63	1840.0	0.000810 0.000698	0.158 0.175	23.4 26.1	0-233	1-00202	0-663
1600.0	0.4130	2020.0	3.62	1830.0	0.000612	0.175	26.1	0.301 0.376	1.00174 1.00153	0.664
1800.0	0.3679	2270.0	3.62	1820.0	0.000546	0.193	31.1	0.458	1.00137	0.664
2000.0	0.3317	2520.0	3.61	1820.0	0.000492	0.225	33.5	0.547	1.00123	0-664
2500.0	0-2662	3140.0	3.61	1820.0	0.000395	0.264	39.2	0.798	1.00099	0.664
3000.0	0.2223	3760.0	3.60	1810.0	0.000330	0.300	44.6	1.09	1.00083	0.665

[.] THO-PHASE BOUNDARY

THERMODYNAMIC PROPERTIES OF HELIUM 4

2000 PSIA ISOBAR

TEMPERATURE	VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	cv	CP	VELDCITY
		DERIVATIVE	DERIVATIVE	ENERGY				-	DF SDUND
OEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU /	LB -R	FT/SEC
8.0	0.07329	799.0	102.0	4.806	31.95	0.3505	0-4444	0.5486	2138.0
9.0	0.07394	809.0	89.4	5.152	32.54	0.4163	0.4954	0.5853	2105.0
10.0	0.07454	809.0	82.2	5.550	33.15	0.4787	0.5118	0.5978	2092.0
11.0	0.07509	801.0	78.2	5.945	33.75	0.5365	0.5288	0.6165	2080.0
12.0	0.07564	789.0	76.1	6.360	34-37	0.5912	0.5473	0.6405	2068.0
13.0	0.07620	775.0	75.0	6.796	35.02	0.6435	0.5652	0.6667	2058.0
14.0	0.07677	760.0	74.6	7.251	35.68	0.6940	0.5822	0.6940	2049.0
15.0	0.07736	745.0	74.5	7.725	36.37	0.7429	0.5983	0.7220	2040.0
16.0	0.07797	729.0	74.5	8.218	37.09	0.7905	0.6136	0.7506	2033.0
17.0	0.07860	714.0	74.5	8.730	37.84	0.8370	0.6282	0.7795	2026.0
18.0	0.07926	699.0	74.5	9.261	38.61	0.8825	0.6422	0-8084	2019.0
19.0	0.07996	685.0	73.9	9.910	39.52	0.9324	0.6551	0.8344	2010.0
20.0	0.08067	671.0	73.2	10.58	40.46	0.9813	0.6672	0.8598	2001.0
22.0	0.08215	644.0	71.7	11.98	42.41	1.076	0.6889	0.9081	1983.0
24.0	0.08369	619.0	69.8	13.46	44.45	1.167	0.7067	0.9518	1965.0
26.0	0.08530	596.0	67.8	15.00	46.59	1.253	0.7201	0.9904	1948.0
28.0	0.08698	573.0	65.9	16.49	48.70	1.332	0.7304	1.027	1933.0
30.0	0.08876	553.0	64.0	17.92	50.79	1.404	0.7395	1.063	1919.0
32.0	0.09063	534.0	62.0	19.39	52.95	1.474	0.7463	1.096	1907.0
34.0	0.09257	518.0	59.9	20.89	55.18	1.541	0.7515	1.125	1895.0
36.0	0.09459	502.0	57.8	22.42	57.45	1.607	0.7554	1.152	1884.0
38.0	0.09669	489.0	55.7	23.97	59.78	1.669	0.7584	1.176	1875.0
40.0	0.09885	477.0	53.7	25.55	62.16	1.730	0.7608	1.198	1866.0
45.0	0.1045	455.0	48.9	29.55	68.27	1.874	0.7648	1.244	1851.0
50.0	0.1106	441.0	44.6	33.62	74.57	2.007	0.7674	1.277	1843-0
55.0	0.1169	433.0	40.7	37.74	81.02	2.130	0.7694	1.302	1842.0
60.0	0.1234	430.0	37.3	41.88	87.58	2.244	0.7709	1.318	1846.0
70.0	0.1368	436.0	31.7	50.17	100.9	2.449	0.7730	1.334	1867.0
80.0	0.1506	450.0	27.5	58.44	114.7	2.627	0.7742	1.338	1897.0
90.0	0-1645	468.0	24-1	66.66	127.6	2.785	0.7747	1.335	1934.0
100.0	0.1784	490.0	21.5	74.82	140.9	2.925	0.7745	1.329	1974.0
120.0	0.2063	538.0	17.6	90.95	167.4	3.166	0.7732	1.315	2058.0
140.0	0.2340	588.0	14.8	106.9	193.5	3.368	0.7713	1.302	2144.0
160.0	0.2615	640.0	12.8	122.6	219.4	3.541	0.7693	1.290	2230.0
180.0	0.2889	692.0	11.3	138.2	245.1	3.692	0.7673	1.281	2314.0
200.0	0.3161	745.0	10.1	153.6	270.7	3.827	0.7656	1.274	2396.0
250.0	0.3836	877.0	8 • 02	192.0	334.0	4.110	0.7619	1.261	2593.0
300.0	0.4507	1010.0	6.65	230.0	396.9	4.339	0.7593	1.254	2777.0
350.0	0.5175	1140.0	5.68	267.8	459.4	4.532	0.7573	1.249	2951.0
400.0	0.5842	1270.0	4.96	305.5	521.8	4.698	0.7558	1.246	3115.0
450.0	0-6508	1400-0	4 - 41	343.0	584.1	4.845	0.7547	1.244	3272.0
500.0	0.7174	1530.0	3.97	380.5	646.2	4.976	0.7537	1.243	3423.0
800.0	0.8515	1800.0	3.31	455.4	770.4	5.202	0.7524	1.241	3706.0
700.0	0.9836	2060.0	2.83	530.2	894.5	5.394	0.7514	1.241	3969.0
800.0	1.117	2320.0	2.48	605.0	1019.0	5.559	0.7508	1.240	4217.0
900.0	1.250	2590.0	2.21	679.6	1143.0	5.705	0.7502	1.240	4451.0
1000.0	1.383	2850.0	1.99	754.3	1267.0	5.836	0.7498	1.240	4674.0
1200.0	1.650	3380.0	1.66	903.6	1515.0	6.062	0.7492	1.240	5091.0
1400.0	1.916	3910.0	1.42	1053.0	1762.0	6.253	0.7488	1.240	5477.0
1600.0	2.183	4440.0	1.24	1202.0	2010.0	6.419	0.7485	1.240	5838.0
1800.0	2 • 45 0	4970.0	1.11	1351.0	2258.0	6.565	0.7482	1.240	6179.0
2000.0	2.717	5500.0	1.00	1500-0	2506.0	6.695	0.7481	1.240	6501.0
2500.0	3.384	6830.0	0.797	1873.0	3126.0	6.972	0.7477	1.240	7246.0
3000.0	4.052	8160.0	0.664	2246.0	3747.0	7.198	0.7475	1.240	7922.0

^{*} TWO-PHASE BOUNDARY

2000 PSIA ISOBAR

TEMPEDATU	DE DENETTY	V (DH (OV)	W 4 D D 4 D W 3	-V4DB4DW	(OV/DT)/V	THERMAL	VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
	RE DENSITY	A(DH\OA)	·	-V(DP/DV) _T	P Co	NDUCTIVITY		DIFFUSIVITY	CONSTANT	NUMBER
OEG. R	LB/CU FT	BTU/LB	PSIA-CU FT/B	TU PSIA	1/DEG. P	STU/FT-HR-R	LB/FT-SEC X 10E+6	SO FT/HR		
							× 105+6			
	47.61	F0 F	16.9	10900.0	0.00938	0.0268	22.3	0.00358	1.01980	1.64
8 • 0 9 • 0	13.64 13.52	58.5 71.7	13.3	10900.0	0.00938	0.0287	18.4	0.00362	1.01991	1.35
10.0	13.42	78.9	12.0	10900.0	0.00758	0.0306	15.8	0.00381	1.02001	1.11
11.0	13.32	84 - 1	11.1	10700-0	0.00733	0.0324	13.9	0.00394	1.02009	0.951
12.0	13.22	87.8	10.5	10400.0	0.00729	0.0340	12.4	0.00401	1.02016	0.843
13.0	13.12	90.4	10.1	10200.0	0.00737	0.0354	11.3	0.00405	1.02024	0.765
14.0	13.03	92.2	9.83	9900.0	0.00753	0.0367	10.4	0.00406	1.02031	0.707
15.0	12.93	93 • 4	9.63	9630.0	0.00773	0.0378	9.65	0.00405	1.02038	0.664
16.0	12.83	94.3	9.46	9350.0	0.00796	0.0387	9.04	0.00402	1.02044	0.631
17.0	12.72	95.0	9.32	9080.0	0.00820	0.0395	8.53	0.00398	1.02051	0.606
18.0	12.62	95.7	9.19	8820.0	0-00844	0.0402	8.10	0.00394	1.02057	0.587
19.0	12.51	96.7	9.02	8560.0	0.00863	0.0407	7.73	0.00390	1.02063	0.570
20.0	12.40	97.6	8 • 85	8310.0	0.00881	0.0411	7.41	0.00386	1.02068	0.558
22.0	12.17	99.4	8.55	7840.0	0.00914	0.0418	6.90	0.00378	1.02078	0.540
24.0 26.0	11.95 11.72	101.0 102.0	8 • 27 8 • 03	7400-0 6980.0	0.00944 0.00971	0.0422	6.52 6.23	0.00371 0.00365	1.02086 1.02093	0.530 0.524
28.0	11.50	103.0	7.84	6590.0	0.0100	0.0424	6.00	0.00359	1.02098	0.523
30.0	11.27	104.0	7.68	6230.0	0.0103	0.0424	5.82	0.00354	1.02101	0.526
32.0	11.03	104.0	7.52	5900.0	0.0105	0.0423	5.68	0.00350	1.02102	0.530
34.0	10.80	105.0	7.38	5590.0	0.0107	0.0421	5.57	0.00346	1.02101	0.536
36.0	10.57	106.0	7.24	5310.0	0.0109	0.0419	5.49	0.00344	1.02098	0.543
38.0	10.34	107.0	7.11	5060.0	0.0110	0.0417	5.42	0.00342	1.02094	0.551
40-0	10.12	108.0	6.98	4830.0	0.0111	0.0414	5.37	0.00342	1.02088	0.559
45.0	9.565	111.0	6.68	4350.0	0.0112	0.0409	5.29	0.00344	1.02065	0.580
50.0	9.043	114.0	6.42	3990.0	0.0112	0.0404	5.27	0.00350	1.02034	0.600
55.0	8-555	118-0	6.18	3700.0	0.0110	0.0401	5.29	0.00360	1.01996	0.618
60.0	8.104	123.0	5.97	3490.0	0.0107	0.0399	5.33	0.00374	1.01954	0.633
70.0	7.308	134.0	5.62	3180.0	0.0100	0.0399	5.46	0.00410	1.01862	0.657
80.0	6.640	145.0	5.34	2990.0	0.00920	0.0403	5.63	0.00454	1.01768	0.672
90.0	6.079	158.0	5.12	2850.0	0.00847	0.0410	5.81	0.00505	1.01676	0.681
100.0	5.604	170.0	4.95	2750.0	0.00782	0.0418	6.00	0.00562	1.01591	0.686
120.0	4.847	195.0	4.68	2610.0	0.00674	0.0440	6.40	0.00689	1.01438	0.690
140.0	4.273	221.0	4.50	2510.0	0.00590	0.0463	6.81	0.00833	1.01310	0-688
160.0	3.824	246.0	4.36	2450.0	0.00524	0.0489	7.21	0.00990	1.01201	0.685
180.0	3.462	272.0	4.26	2400.0	0.00472	0.0515	7.61	0.0116	1.01108	0.682
200.0	3.164	297.0	4.18	2360.0	0.00429	0.0541	7.87	0.0134	1.01029	0.668
250.0	2.607	360.0	4-04	2290.0	0.00351	0.0605	8.83	0.0184	1.00872	0.662
300.0 350.0	2.219	422.0	3.94	2240.0 2200.0	0.00297	0.0668	9.74	0.0240 0.0302	1.00757	0.658 0.656
400.0	1.712	484.0 546.0	3.88 3.84	2180.0	0.00258 0.00228	0.0728 0.0786	10.6 11.5	0.0368	1.00668 1.00598	0.654
450.0	1.537	608.0	3.80	2150.0	0.00225	0.0841	12.3	0.0440	1.00541	0.654
500.0	1.394	670.0	3.78	2140.0	0.00186	0.0893	13.1	0.0516	1.00494	0.655
600.0	1.176	793.0	3.74	2110.0	0.00156	0.100	14.7	0.0683	1.00421	0.657
700.0	1.017	917.0	3,71	2090.0	0.00135	0-110	16.2	0.0873	1.00367	0.659
800.0	0.8954	1040.0	3.69	2080.0	0.00119	0.120	17.8	0.108	1.00325	0.660
900.0	0.8000	1160.0	3.68	2070.0	0.00107	0.130	19.2	0.131	1.00292	0.661
1000.0	0.7230	1290.0	3.66	2060.0	0.000963	0.139	20.7	0.156	1.00264	0.662
1200.0	0.6062	1530.0	3.65	2050 • 0	0.000808	0-158	23.4	0.210	1.00223	0.563
1400.0	0.5218	1780.0	3.64	2040.0	0.000696	0.176	26.1	0.271	1.00193	0.663
1600.0	0.4581	2030.0	3.63	2030.0	0.000611	0.193	28.6	0.339	1.00170	0.664
1800.0	0.4082	2280.0	3.62	2030.0	0.000545	0.209	31.1	0.413	1.00151	0.664
2000-0	0-3681	2520.0	3.61	2030.0	0.000491	0.225	33.5	0.493	1.00137	0.664
2500.0	0.2955	3140.0	3.61	2020.0	0.000395	0.264	39.2	0.719	1.00110	0.664
3000.0	0.2468	3760.0	3.60	2010.0	0.000330	0.300	44.6	0.980	1.00092	0.664

^{*} TWO-PHASE BOUNDARY

2500 PSIA ISOBAR

TEMPERATURE	VOLUME	ISOTHERM	ISOCHOPE	INTERNAL	ENTHALPY	ENTROPY	cv	CP	VELOCITY
TOTAL CINETONIC		OERIVATIVE	OERIVATIVE	ENERGY			• •	0.	OF SOUND
OEG. R	CU FT/L9	CU FT-PSIA/LB	PSIA/R	BTU/LB	8TU/L8	BTU/LB-R	8TU /	L8 -R	FT/SEC
				E 007	20.75		0.5150		
9.0	0-07094	935-0	108.0 94.0	5.907	38.75 39.41	0.3617	0.5452	0.6500	2272.0
10.0	0.07149	942.0	86.2	6.318	40.04	0.4292	0.5420	0.6309	2254.0
11.0	0.07198	939.0		6.714			0.5463	0.6298	2239.0
12.0	0.07245	930.0	81.9	7.122	40.66	0.5444	0-5556	0.6398	2227.0
13.0	0.07291	918.0	79.7	7.544	41.30	0.5962	0.5669	0.6555	2217.0
14.0	0.07338	904.0	78.8	7.979	41.95	0.6455	0.5789	0.6748	2209.0
15.0	0.07385	889.0	78.6	8.428	42.62	0.6929	0.5913	0.6966	2203.0
16.0	0.07434	874.0	78-8	8-891	43.31	0.7386	0.6041	0-7203	2198.0
17.0	0.07485	860.0	79.1	9.370	44.02	0.7831	0.6172	0.7456	2193.0
18.0	0.07538	845.0	79.4	9.865	44.76	0.8266	0.6305	0.7720	2189.0
19.0	0.07593	830.0	79.2	10.48	45.64	0.8749	0.6429	0.7961	2182.0
20.0	0-07651	816.0	78.9	11.12	46.54	0.9222	0.6552	0.8204	2176.0
22.0	0.07768	790.0	77.9	12.46	48.43	1.014	0.6786	0.8673	2162.0
24.0	0.07891	765.0	76.4	13.88	50.41	1.102	0.6988	0.9099	2148.0
26.0	0.08017	741.0	74.7	15.36	52.47	1.186	0.7139	0.9466	2134.0
28.0	0-08148	718-0	73.0	16.79	54.51	1.262	0.7258	0.9813	2121.0
30.0	0.08286	697.0	71.4	18.15	56.51	1.331	0.7364	1.016	2110.0
32.0	0.08429	676.0	69.7	19.55	58.57	1.397	0.7445	1.047	2099.0
34.0	0.08579	657.0	67.8	20.98	60-69	1.461	0.7507	1.075	2088.0
36.0	0.08733	640.0	65.9	22.44	62.87	1.524	0.7555	1.100	2078.0
38.0	0.08893	624.0	64.0	23.92	65.09	1.584	0.7591	1.124	2068.0
40.0	0.09057	609.0	62.0	25.43	67.36	1.642	0.7620	1.146	2060-0
45.0	0-09489	579.0	57.3	29.28	73.21	1.780	0.7669	1.193	2042.0
50.0	0.09948	556.0	52.9	33.22	79.28	1.907	0.7700	1.231	2029.0
55.0	0.1043	540.0	48.8	37.23	85.51	2.026	0.7723	1.261	2022.0
60.0	0.1093	531.0	45.2	41.28	91.88	2-137	0-7741	1.284	2020.0
70.0	0.1197	525.0	38.9	49.46	104.9	2.337	0.7767	1.313	2027.0
80.0	0.1305	531.0	33.9	57.67	118.1	2.514	0.7784	1.326	2046.0
90.0	0.1415	544.0	29.9	65.88	131.4	2.670	0.7792	1.329	2073.0
100.0	0.1525	561.0	26.7	74.05	144.6	2.810	0.7795	1.328	2105.0
120.0	0.1747	604.0	21.9	90.25	171.1	3.051	0.7786	1.318	2176.0
140.0	0.1968	651.0	18.5	106.3	197.4	3.254	0.7768	1.307	2252.0
460.0	0.0400	700.0	46.0	400 4	207.1	7 400	0. 774.7		
160.0 180.0	0.2188 0.2407	700.0 751.0	16.0 14.1	122.1	223.4 249.2	3.428 3.580	0.7747 0.7726	1.296 1.287	2330.0
				137.8					2407.0
200.0	0.2624	802.0	12.6	153.4	274.9	3.715	0.7705	1.279	2484.0
250.0 300.0	0.3164 0.3701	932.0 1060.0	10.0 8.29	191.9 230.1	338.4 401.4	3.998 4.228	0.7663 0.7631	1.265 1.256	2669.0 2845.0
350.0						4.421		1.251	
400.0	0.4235 0.4768	1190.0 1320.0	7.09 6.19	268.1 305.8	464.1 526.5	4.588	0.7606 0.7588	1.247	3012.0 3172.0
450.0		1450.0	5.50	343.5	588.8				3325.0
500.0	0.5300 0.5831	1580.0	4.95			4.735 4.866	0.7573 0.7561	1.245 1.243	3471.0
600.0	0.6894	1840.0		381-1	651.0 775.2	5.092	0.7544		3749.0
000.0	0.0094	1040.0	4.12	456.1	119.2	5.092	0.7544	1.241	3749.0
700.0	0.7957	2110.0	3.54	530.9	899.3	5.284	0.7532	1.240	4008.0
800.0	0.9021	2370.0	3.09	605.7	1023.0	5.449	0.7523	1.240	4252.0
900.0	1.008	2630.0	2.75	680.5	1147.9	5.595-	0.7517	1.240	4483.0
1000.0	1.115	2890.0	2.48	755.2	1271.0	5.726	0.7511	1.240	4704.0
1200.0	1.328	3420.0	2.07	904.5	1519.0	5.952	0.7504	1.239	5117.0
1400.0	1.541	3950.0	1.77	1054.0	1767.0	6.143	0.7498	1.240	5500.0
1600.0	1.754	4480.0	1.55	1203.0	2015.0	6.308	0.7494	1.240	5858.0
1800.0	1.967	5010.0	1.38	1352.0	2263.0	6.454	0.7491	1.240	6196.0
2000.0	2.180	5540.0	1.24	1501.0	2511.0	6.585	0.7489	1.240	6517.0
2500.0	2.714	6870.0	0.995	1874.0	3131.0	6.862	0.7485	1.240	7259.0
3000.0	3.248	8190.0	0.829	2247.0	3751.0	7.088	0.7482	1.240	7932.0
		0.70.0	0,00,	224.00	017243	1 * 0 0 0	V1140E	****	. ,0

^{*} TWO-PHASE BOUNDARY

2500 PSIA ISOBAR

					4DV 4DT 1	T., C.D., 44	W700007	T., CO., 4		004495
TEMPERATUR		V(DM/DV) _P	· ·	-V(DP/DV) _T	P Co	THERMAL INDUCTIVITY		THERMAL DIFFUSIVITY	DIELECTRIC CONSTANT	PRANDTL NUMBER
DEG. R	LB/CU FT	BTU/LB	PSIA-CU FT/B	TU PSIA	1/DEG. P	TU/FT-HR-R	LB/FT-SEC X 10E+6	SQ FT/HR		
							× 100,00			
9.0	14.10	79.2	14.1	13200.0	0.00820	0.0314	26.2	0.00343	1.01935	1.95
10.0	13.99	88.4	12.4	13200.0	0.00714	0.0335	21.8	0.00379	1.01947	1.48
11.0	13.89	95.3	11.4	13000.0	0.00661	0.0354	18.7	0.00405	1.01957	1.20
12.0	13.80	100.0	10.7	12800.0	0.00638	0.0372	16.5	0.00422	1.01965	1.02
13.0	13.72	103.0	10.3	12600.0	0.00633	0.0389	14.7	0.00432	1.01974	0.894
14.0	13.63	105.0	10.0	12300.0	0.00640	0.0403	13.4	0.00438	1.01982	0.806
15.0	13.54	107.0	9.82	12000.0	0.00653	0.0415	12.3	0.00440	1.01990	0.741
16.0	13.45	108.0	9.69	11800.0	0.00670	0.0426	11.4	0.00440	1.01998	0.692
17.0	13.36	108.0	9.59	11500.0	0.00689	0.0435	10.6	0.00437	1.02005	0.656
17.00	13.36	100.0	3.00	11900.0	0.0000	0.0439	10.0	0.00437	1.02007	0.000
18-0	13.27	109-0	9.50	11200.0	0.00709	0.0443	10.0	0.00432	1.02013	0.628
19.0	13.17	110.0	9.35	10900.0	0.00724	0.0449	9.46	0.00428	1.02020	0.604
20.0	13.07	111.0	9.21	10700.0	0.00739	0.0454	9.00	0.00424	1.02028	0.585
22.0	12.87	113.0	8.91	10200.0	0.00766	0.0462	8-27	0.00414	1.02041	0.559
24.0	12.67	115.0	8.63	9700.0	0.00788	0.0467	7.72	0.00405	1.02053	0.542
26.0	12.47	117.0	8.38	9250.0	0.00807	0.0469	7.30	0.00398	1.02064	0.530
28.0	12.27	118.0	8.20	8820.0	0.00828	0.0471	6.97	0.00391	1.02074	0.523
30.0	12.07	120.0	8.04	8410.0	0.00849	0-0471	6.71	0.00384	1-02082	0.521
32.0	11.86	121.0	7.89	8020.0	0.00868	0.0470	6.50	0.00378	1.02089	0.522
34.0	11.66	121.0	7.75	7660.0	0.00885	0.0468	6.34	0.00374	1.02094	0.524
36.0	11.45	122.0	7.62	7330.0	0.00899	0.0466	6.20	0.00370	1.02098	0.527
38.0	11.25	123.0	7.49	7010.0	0.00912	0.0464	6.09	0.00367	1.02101	0.532
40.0	11.04	124.0	7.37	6730.0	0.00922	0.0461	6.01	0.00365	1.02102	0.537
			, , , ,							
45.0	10.54	127.0	7.09	6100.0	0.00940	0.0455	5.86	0.00362	1.02098	0.553
50.0	10.05	130.0	6.83	5590 • 0	0.00947	0-0449	5.79	0.00363	1.02086	0.571
55.0	9.588	134.0	6.60	5180.0	0.00943	0.0445	5.77	0.00368	1.02066	0.589
60.0	9.149	138.0	6.38	4860.0	0.00930	0.0441	5.78	0.00376	1.02041	0.605
70.0	8.353	148.0	6.00	4380.0	0.00888	0.0438	5.86	0.00400	1.01978	0.632
80.0	7.664	159.0	5.69	4070.0	0.00834	0.0439	5.99	0.00432	1.01906	0.651
90.0	7.070	171.0	5.44	3840.0	0.00779	0.0443	6.15	0.00472	1.01830	0.664
100.0	6.557	183.0	5.23	3680.0	0.00726	0.0450	6.32	0.00516	1.01755	0.672
120.0	5.725	208.0	4.92	3460.0	0.00634	0.0467	6.69	0.00619	1.01613	0.679
140.0	5.081	233.0	4.70	3310.0	0.00560	0.0489	7.07	0.00736	1.01488	0.681
160.0	4.571	259.0	4.53	3200.0	0.00501	0.0512	7.45	0.00864	1.01378	0.679
180.0	4.155	284.0	4.41	3120.0	0.00453	0.0536	7.83	0.0100	1.01282	0.676
200.0	3.811	309.0	4.31	3060.0	0.00414	0.0561	8.08	0.0115	1.01198	0.663
250.0	3.160	372.0	4.13	2940.0	0.00340	0.0623	9.01	0.0156	1.01028	0.658
300.0	2.702	434.0	4.02	2870.0	0.00289	0.0684	9.90	0.0201	1.00900	0.655
350.0	2.361	496.0	3.95	2810.0	0.00252	0.0743	10.8	0.0251	1.00800	0.652
400.0	2.098	558.0	3.89	2770.0	0.00223	0.0799	11.6	0.0305	1-00719	0.651
450.0	1.887	620.0	3.85	2740.0	0.00201	0.0852	12.4	0.0363	1.00654	0.651
500.0	1.715	682.0	3.82	2710.0	0.00182	0.0904	13.2	0.0424	1.00599	0.651
800.0	1.450	805.0	3.77	2670.0	0.00154	0.101	14.7	0.0559	1.00513	0.654
700-0	1.257	928-0	3.73	2650-0	0.00134	0.111	16.3	0.0711	1.00449	0.656
800.0	1.109	1050.0	3.71	2630.0	0.00118	0.121	17.8	0.0879	1.00398	0.658
900.0	0.9916	1180.0	3.69	2610.0	0.00115	0.131	19.3	0.106	1.00358	0.659
1000.0	0.8970	1300.0	3.68	2600.0	0.000955	0.140	20.7	0.126	1.00326	0.660
1200-0	0.7532	1550-0	3.66	2580.0	0.000802	0.158	23.5	0.170	1.00275	0.662
1400.0	0.6490	1790.0	3.64	2560.0	0.000691	0.176	26.1	0.219	1.00238	0.662
1600.0	0.5702	2040.0	3.63	2550.0	0.000608	0.193	28.7	0.273	1.00210	0.663
1800.0	0.5084	2290.0	3.62	2550.0	0.000542	0.210	31.1	0.332	1.00188	0.663
2000-0	0.4586	2530.0	3.62	2540.0	0.000489	0.226	33.5	0.397	1.00170	0.664
2500.0	0.3685	3150.0	3.61	2530.0	0.000393	0.264	39.2	0.577	1.00137	0.664
3000.0	0.3079	3770.0	3.60	2520.0	0.000329	0.300	44.6	0.786	1.00115	0.664

^{*} TWO-PHASE BOUNDARY

3000 PSIA ISOBAR

TEMPERATURE	VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
		DERIVATIVE	DERIVATIVE	ENERGY					OF SDUND
0EG∙ R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU /	LB -R	FT/SEC
10.0	0.06903	1060.0	108.0	7.108	45.46	0.3833	0.5894	0.6861	2396-0
11.0	0.06948	1070.0	95.3	7.520	46.12	0.4472	0.5752	0.6589	2379.0
12.0	0.06990	1060.0	88.2	7.933	46.76	0.5041	0.5717	0.6514	2366.0
13.0	0.07030	1050.0	84.5	8.350	47.40	0.5564	0.5737	0.6545	2356.0
14.0	0.07070	1040.0	82.8	8.773	48.05	0.6052	0.5789	0.6644	2349.0
15.0	0.07110	1020-0	82-3	9.204	48.70	0.6516	0.5864	0.6792	2344.0
16.0	0.07151	1010.0	82.5	9.645	49.37	0.6961	0.5958	0.6979	2341.0
17.0	0.07194	1000.0	83.0	10.10	50.06	0.7391	0.6067	0.7194	2338.0
18.0	0.07238	981.0	83.6	10.56	50.77	0.7809	0.6188	0.7432	2336.0
19.0	0.07285	966.0	83.7	11.16	51.63	0.8280	0.6304	0.7658	2332.0
20.0	0.07333	952.0	83.7	11.77	52.51	0.8740	0.6428	0.7894	2328.0
22.0	0.07431	926.0	83.3	13.06	54.34	0.9631	0.6678	0.8362	2318.0
24.0	0.07533	902.0	82-1	14.43	56.28	1.049	0.6903	0.8789	2307.0
26.0	0.07638	879.0	80.6	15.87	58.30	1.131	0.7073	0.9149	2294.0
28.0	0.97746	856.0	79.2	17.24	60.27	1.205	0.7206	0.9484	2284.0
30.0	0.07859	834.0	77.8	18.54	62.21	1.272	0.7326	0.9817	2275.0
32.0	0-07977	812.0	76 • 2	19.89	64-20	1.336	0.7418	1.012	2265.0
34.0	0.08098	792.0	74.6	21.26	66.25	1.398	0.7490	1.039	2256.0
36.0	0.08224	774.0	72.8	22.67	68.35	1.458	0.7545	1.063	2247.0
38.0	0.08353	756.0	71.0	24.10	70.50	1.516	0.7588	1.086	2239-0
40-0	0-08486	739.0	69.2	25.56	72.70	1.573	0.7622	1.107	2230.0
45.0	0.08833	703.0	64.6	29.28	78.35	1.706	0.7681	1.154	2212.0
50.0	0.09202	674.0	60.2	33.10	84.22	1.829	0.7719	1.193	2197.0
55.0	0-09588	652 - 0	56-1	37-01	90-27	1.945	0.7746	1.226	2187.0
60.0	0.0999	636.0	52.2	40.97	96.47	2.053	0.7768	1.253	2180.0
70.0	0.1083	619.0	45.6	49.01	109.2	2.249	0.7800	1.290	2178.0
80.0	0.1171	616.0	40.0	57.15	122.2	2.423	0.7822	1.311	2188.0
90.0	0.1261	623.0	35.5	65.31	135.4	2.578	0.7835	1.321	2206.0
100.0	0.1352	636.0	31.8	73.48	148.6	2.717	0.7841	1.324	2230.0
120.0	0.1536	672.0	26.2	89.71	175.1	2.958	0.7836	1.319	2290.0
140.0	0.1720	716.0	22.2	105.8	201.4	3-161	0.7820	1-310	2357.0
160.0	0.1903	763.0	19.2	121.7	227.4	3.335	0.7799	1.300	2427.0
180.0	0.2085	811.0	17.0	137.5	253.4	3.488	0.7776	1.291	2498.0
200.0	0.2266	861.0	15.2	153.2	279.1	3.623	0.7754	1.283	2569• 0
250.0	0-2716	988-0	12-0	191.9	342.8	3.908	0.7706	1.268	2744.0
300.0	0.3163	1120.0	9.93	230.3	406.0	4.138	0.7669	1.258	2912.0
350.0	0.3607	1240.0	8.49	268.3	468.7	4.331	0.7640	1.252	3073.0
400.0	0.4051	1370.0	7.41	306.2	531.2	4.498	0.7618	1.248	3228.0
450.0	0.4493	1500-0	6 • 58	343.9	593.6	4 • 6 4 5	0.7600	1.245	3376.0
500.0	0.4936	1630.0	5.92	381.6	655.8	4.776	0.7586	1.244	3519.0
600.0	0.5820	1890.0	4.94	456.7	780.0	5.003	0.7565	1.241	3791.0
700.0	0.6704	2150.0	4.23	531.6	904-1	5-194	0.7550	1-240	4046.0
800-0	0.7589	2410.0	3.71	606.5	1028.0	5.360	0.7539	1.240	4286.0
900.0	0.8473	2670.0	3.30	681.3	1152.0	5.506	0.7531	1.239	4515.0
1000.0	0.9359	2940.0	2.97	756 • 0	1276.0	5.636	0.7525	1.239	4733.0
1200.0	1.113	3460.0	2 - 48	905-4	1524-0	5.862	0.7515	1.239	5142.0
1400.0	1.290	3990.0	2.12	1055.0	1772.0	6.053	0.7509	1.239	5522.0
1600.0	1.468	4520.0	1.86	1204.0	2019.0	6.219	0.7504	1.239	5878.0
1800.0	1.645	5040.0	1.65	1353.0	2267.0	6.365	0.7500	1.239	6214.0
2000.0	1.823	5570-0	1.49	1503.0	2515.0	6-495	0.7497	1.239	6533.0
2500.0	2.267	6900.0	1.19	1876.0	3135.0	6.772	0.7492	1.240	7271.0
3000.0	2.711	8220.0	0.994	2249.0	3755.0	6.998	0.7488	1.240	7941.0

^{*} TWO-PHASE BOUNDARY

3000 PSIA ISOBAR

TENPERATUR	E DENSITY	V(DH/OV) _p	V (OP/DU)	-V(DP/DV) _T	(DV/OT)/V	THERHAL	VISCOSITY	THERHAL	OIELECTRIC	PRANDTL
				_		ONDUCTIVITY		DIFFUSIVITY	CONSTANT	NUHBER
OEG. R	LB/CU FT	BTU/LB	PSIA-CU FT/BT	U PSIA	1/0EG. R	BTU/FT-HR-R		SQ FT/HR		
							X 10E+6			
10.0	14.49	97.9	12.7	15400.0	0.00701	0.0363	29.5	0.00365	1.01891	2.01
11.0	14.39	106.0	11.5	15300.0	0.00621	0.0384	24.8	0.00405	1.01902	1.53
12.0	14.31	112.0	10-8	15200.0	0.00581	0.0404	21.4	0.00433	1.01912	1.25
13.0	14.22	116.0	10.4	14900.0	0.00565	0.0421	18.9	0.00453	1.01921	1.06
14.0	14.14	118.0	10.1	14700.0	0.00564	0.0437	16.9	0.00465	1.01930	0.926
15.0	14.06	119.0	10.0	14400.0	0.00571	0.0451	15.4	0.00472	1.01939	0.833
16-0	13.98	120.0	9.90	14100.0	0.00584	0.0463	14.1	0.00475	1.01947	0.765
17.0	13.90	120.0	9.84	13800.0	0.00600	0.0473	13.0	0.00473	1.01956	0.714
18.0	13.82	120.0	9.78	13600.0	0.00617	0.0482	12.2	0.00469	1.01964	0.676
19.0	13.73	121-0	9 • 67	13300-0	0.00631	0-0489	11.4	0.00465	1.01973	0.644
20.0	13.64	122.0	9.55	13000.0	0.00645	0.0495	10.8	0.00459	1.01973	0.620
22.0	13.46	125.0	9.27	12500.0	0.00668	0.0503	9.77	0.00447	1.01997	0.585
24.0	13.27	128.0	8.96	12000.0	0.00686	0.0509	9.02	0.00436	1.02012	0.561
26.0	13.09	131.0	8-70	11500-0	0.00701	0.0512	8.44	0.00427	1.02026	0.543
28.0	12.91	132.0	8.51	11000.0	0.00717	0.0514	7.99	0.00419	1.02039	0.531
30.0	12.72	134.0	8.35	10600.0	0.00733	0.0514	7.64	0.00411	1.02050	0.525
32.0	12.54	135.0	8.20	10200.0	0.00749	0.0513	7.35	0-00404	1.02061	0.522
34-0	12.35	136.0	8.06	9790.0	0.00762	0.0511	7.12	0.00399	1.02070	0.521
36.0	12.16	137.0	7.93	9410.0	0.00774	0.0509	6.93	0.00394	1.02079	0.521
38.0	11.97	138.0	7.81	9050.0	0.00784	0.0507	6.78	0.00390	1.02086	0.523
40.0	11.78	139.0	7.70	8710-0	0-00794	0-0504	6-65	0.00386	1.02091	0.526
45.0	11.32	142.0	7.43	7960.0	0.00811	0.0497	6.43	0.00381	1.02100	0.537
50.0	10.87	145.0	7.18	7330.0	0.00821	0.0491	6.30	0.00379	1.02101	0.552
55.0	10.43	149.0	6.94	6800.0	0.00824	0.0485	6-24	0.00380	1.02096	0.567
60.0	10.01	153-0	6.72	6370.0	0.00820	0.0481	6.21	0.00383	1.02084	0.583
70.0	9.230	162.0	6.33	5710.0	0.00797	0.0475	6.24	0.00399	1.02046	0.610
80.0	8.538	172.0	6.00	5260.0	0.00761	0.0473	6.34	0.00423	1.01995	0.632
90.0	7.928	184.0	5.72	4940.0	0.00719	0.0475	6-47	0.00454	1.01935	0-647
100-0	7.394	196.0	5.49	4700.0	0.00677	0.0480	6.62	0.00490	1.01873	0.658
120.0	6.510	220.0	5.14	4380.0	0.00599	0.0494	6.96	0.00576	1.01747	0.669
140.0	5.814	246.0	4.88	4160.0	0.00533	0.0513	7.32	0.00674	1.01630	0.672
460.0	5 255	271.0	4.69	4010.0	0.004.00	0.0575	7.68	0 00707	4 04507	0.670
160.0 180.0	5 • 255 4 • 796	296.0	4.55	3890.0	0-00480 0-00436	0.0535 0.0558	8.05	0.00783 0.00901	1.01523 1.01427	0.672 0.671
200.0	4.412	322.0	4.43	3800.0	0.00399	0.0581	8.29	0.0103	1.01342	0.658
250.0	3.682	384.0	4.23	3640.0	0.00330	0.0641	9.19	0.0137	1.01165	0.654
300.0	3.162	447.0	4.10	3530.0	0.00282	0.0700	10.1	0.0176	1.01028	0.651
350.0	2.772	509.0	4.01	3450.0	0.00246	0.0757	10.9	0.0218	1.00920	0.649
400.0	2.469	571.0	3.94	3390.0	0.00219	0.0812	11.7	0.0263	1.00831	0.647
450.0	2.226	632.0	3.89	3340.0	0.00197	0.0864	12.5	0.0312	1.00759	0-647
500.0	2.026	694.0	3.85	3300.0	0.00179	0.0914	13.2	0.0363	1.00697	0.648
600.0	1.718	817.0	3.80	3250.0	0.00152	0.101	14.8	0.0476	1.00600	0.651
700.0 800.0	1.492	940.0	3.76	3210.0	0.00132	0.112	16.3	0.0603	1.00527	0.654
900.0	1.318	1060-0 1190-0	3.73 3.71	3180.0 3160.0	0.00117 0.00104	0.121 0.131	17.9 19.3	0.0744 0.0897	1.00469	0.656
1000.0	1.069	1310.0	3.69	3140.0	0.00104	0.131	20.8	0.106	1.00423 1.00385	0.658 0.659
1200.0	0.8984	1560.0	3.67	3110.0	0.000796	0.159	23.5	0-143	1.00326	0.660
1400.0	0.7750	1800.0	3.65	3090.0	0.000687	0.176	26.2	0.184	1.00283	0.661
1600.0	0.6813	2050.0	3.64	3080.0	0.000604	0.193	28.7	0.229	1.00250	0.662
1800.0	0.6078	2300.0	3.63	3070.0	0.000539	0.210	31.2	0.278	1.00224	0.663
2000.0	0.5486	2540.0	3.62	3060.0	0.000487	0.226	33.5	0.332	1.00202	0.663
2500.0	0-4411	3160.0	3.61	3040.0	0.000392	0.264	39.3	0.483	1.00163	0.664
-11-1										
3000.0	0.3688	3780.0	3.60	3030.0	0.000328	0.300	44.7	0.657	1.00137	0.664

^{*} THO-PHASE BOUNDARY

3500 PSIA ISDBAR

TEMPERATURE	VOL UMF	ISOTHERH	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELDCITY
TEIN EIRA OILE	*0202	OERIVATIVE	DERIVATIVE	ENERGY		2	•	0.	OF SOUND
DEG. R	CH ETZI B	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU /	LB -R	FT/SEC
DE G + K	00 11720	00 11 1312720	1324/10	177 67 20	0,0,0	310760 1	0,0 ,	C 0 - K	(1)320
11.0	0.06740	1190.0	106.0	8.344	52.03	0.4085	0-6148	0.7016	2504.0
12.0	0.06779	1180-0	95.0	8.770	52.70	0.4682	0.5951	0.6729	2490.0
13.0	0.06815	1180.0	89.4	9.190	53.36	0.5215	0.5854	0.6614	2480.0
14.0	0.06850	1160.0	86.6	9.608	54.00	0.5705	0.5822	0.6606	2474.0
15.0	0.06885	1150.0	85.7	10.03	54.65	0.6163	0.5837	0.6677	2470.0
16.0	0.06921	1140.0	85.8	10.45	55.30	0.6599	0.5888	0.6806	2468.0
	0.06957	1120.0	86.4	10.88	55.97	0.7017	0.5969	0.6981	2468.0
17.0 18.0	0.06995	1110.0	87.3	11.32	56.66	0.7422	0.6071	0.7191	2467.0
19.0	0.07036	1090.0	87.8	11.90	57.50	0-7881	0.6179	0.7404	2465.0
19.0	0.07036	10 90 • 0	07.0	11.90	57.50	0-7001	0.6179	0.7404	2409.U
20.0	0.07077	1080.0	88.1	12.49	58.35	0.8330	0.6302	0.7635	2463.0
22.0	0.07162	1060.0	88.2	13.73	60.15	0.9202		0.8109	
			87.4	15.06	62.05	1.004	0.6569		2457.0
24.0	0.07250	1030.0	87.4 86.0	16.46	64.93	1.004	0.6816	0.8545	2448-0
26-0	0.07341	1010.0					0.7005	0.8906	2437.0
28.0	0.07433	986.0	84.7	17.79	65.97	1.158	0.7151	0.9234	2429.0
30.0	0.07530	964.0	83.5	19.05	67.85	1.223	0.7284	0.9561	2421.0
32.0	0.07630	943.0	82.1	20.34	69.79	1.285	0.7387	0.9853	2414.0
34.0	0.07733	923.0	80 - 6	21.67	71.79	1.346	0.7467	1.012	2406.0
36.0	0.07838	903.0	78.9	23.03	73.84	1.404	0.7529	1.035	2398.0
38.0	0.07947	884.0	77.2	24.42	75.93	1.461	0.7579	1.057	2391.0
40.0	0.08059	867.0	75.5	25.83	78.06	1.516	0.7618	1.078	2383.0
					- 0				
45.0	0.08350	827.0	71.0	29.45	83.57	1.645	0.7686	1.123	2366.0
50.0	0.08658	794.0	66.7	33.18	89.29	1.766	0.7731	1.162	2351.0
55.0	0.08980	766.0	62.6	36.98	95.18	1.878	0-7764	1-196	2339.0
60.0	0-09316	745.0	58.7	40.86	101.2	1.983	0.7790	1.225	2329.0
70.0	0.1002	718.0	51.7	48.77	113.7	2.176	0.7830	1.268	2320.0
80.0	0.1076	706.0	51.7 45.8 40.9	56 . 82	126.5	2.347	0.7857	1.295	2322.0
90.0	0.1152	706.0	40.9	64.93	139.6	2.500	0.7875	1.310	2333.0
100.0	0.1229	11400	30.0	73.06	152.7	2.639	0.7884	1.318	2351.0
120.0	0.1386	743.0	30.4	89.30	179.1	2.879	0.7885	1.319	2400.0
140.0	0.1543	782.0	25.8	105.4	205.4	3.082	0.7871	1.312	2458.0
160.0	0.1699	826-0	22.4 19.7 17.6 14.0	121-4	231.6	3.257	0.7850	1.303	2521.0
180.0	0.1855	873.0	19.7	137.3	257.5	3.410	0.7826	1.294	2586.0
200.0	0.2011	921.0	17.6	153.0	283.4	3.546	0.7803	1.286	2652.0
250.0	0.2396	1040.0	14.0	192.0	347.3	3.831	0.7750	1.271	2817.0
300.0	0.2778	1170-0	11-6	230.5	410.5	4.062	0.7707	1.260	2977.0
350.0	0.3159	1300.0	9 • 87	268.6	473.4	4.255	0.7674	1.254	3133.0
400.0	0.3538	1420.0	8 • 62	306.6	535.9	4.423	0.7648	1.249	3283.0
450.0	0.3917	1550.0	7.66	344.4	598.3	4.569	0.7627	1.246	3427.0
500.0	0.4295	1680.0	6.89	382.1	660.5	4.701	0.7611	1.244	3567.0
600.0	0.5052	1940.0	5.74	457.3	784.8	4.927	0.7586	1.241	3833.0
700.0	0.5808	2200.0	4.93	532.4	908.8	5.118	0.7568	1.240	4083.0
800.0	0.6565	2460-0	4.31	607.3	1033-0	5.284	0.7556	1.239	4320.0
900.0	0.7322	2720.0	3.84	682.1	1157.0	5.430	0.7546	1.239	4546.0
1000.0	0.8080	2980.0	3.46	756.9	1281.0	5.560	0.7538	1.239	4761.0
1200.0	0.9596	3500.0	2.88	906.4	1528.0	5.786	0.7527	1.239	5166-0
1400.0	1-111	4030.0	2.47	1056.0	1776.0	5.977	0.7520	1.239	5543.0
1600.0	1.263	4550.0	2.17	1205.0	2024.0	6.143	0.7514	1.239	5897.0
1800.0	1.415	5080.0	1.93	1354.0	2272.0	6.289	0.7509	1.239	6231.0
2000.0	1.567	5610.0	1.74	1504.0	2520.0	6.419	0.7506	1.239	6548.0
2500.0	1.947	6930.0	1.39	1877.0	3139.0	6.696	0.7500	1.239	7283.0
5900.0	2.041	0,00.0	1.07	1011.0	0139.0	0.070	0.7500	1.009	, 200.0
3000.0	2.328	8250.0	1.16	2250.0	3759.0	6.922	0.7495	1.240	7951.0
00000	OE O	0270.0	1.10	2250.0	0199eu	0.766	400	1.6240	, ,,,,,,,

^{*} TWO-PHASE BOUNDARY

3500 PSIA ISDBAR

						T., C.D., 4		TUEBULL		204
TEMPERATU	RE DENSITY	V (DH/DV)	V (OP/DU)	-V(OP/DV) _T	(DV/DT)/V	THERMAL ONDUCTIVITY	VISCOSITY	THEPMAL OIFFUSIVITY	DIELECTRIC	PRANOTL NUMBER
DEG. R	LB/CU FT	BTU/LB	PSIA-CU FT/8	TU PSIA		BTU/FT-HR-R	LB/FT-SEC	SQ FT/HR		
							X 10E+6			
11.0	14.84	117.0	11.6	17600.0	0.00600	0.0413	32.5	0.00397	1.01846	1.99
12.0	14.75	124.0	10.8	17500.0	0.00544	0.0434	27.6	0.00437	1.01857	1.54
13.0	14.67	128.0	10-4	17300.0	0.00518	0.0453	24 - 0	0.00467	1.01867	1.26
14.0	14.60	130.0	10.2	17000.0	0.00510	0.0471	21.2	0.00488	1.01877	1.07
15.0	14.52	130.0	10.1	16700.0	0.00512	0.0486	19.0	0.00501	1.01886	0.941
16.0	14.45	130.0	10.1	16400.0	0.00522	0.0499	17.3	0.00507	1.01895	0-848
17.0	14.37	131-0	10-1	16200.0	0.00535	0.0510	15.8	0.00508	1.01904	0.781
18.0	14.30	131.0	10.1	15900.0	0.00550	0.0519	14.7	0.00505	1.01913	0.730
19.0	14.21	131.0	10.0	15600.0	0-00564	0.0527	13.6	0.00501	1.01922	0.690
20.0	14.13	132.0	9.89	15300.0	0.00577	0.0533	12.8	0.00494	1.01932	0.659
22.0	13.96	135.0	9.61	14700.0	0.00598	0.0543	11.4	0.00479	1.01949	0.615
24.0	13.79	139.0	9.29	14200.0	0.00614	0.0549	10.4	0.00466	1.01966	0.585
26.0	13-62	142-0	9.01	13700 • 0	0.00626	0.0552	9.67	0.00455	1.01982	0.561
28.0	13.45	145.0	8.80	13300.0	0.00638	0.0554	9.08	0.00446	1.01997	0.545
30.0	13.28	147.0	8.63	12800.0	0.00652	0.0554	8.61	0.00437	1.02012	0.535
32.0	13.11	148.0	8.48	12400.0	0.00664	0.0553	8 - 23	0.00429	1.02025	0.528
34-0	12.93	150.0	8 • 3 4	11900.0	0.00675	0.0552	7.93	0.00422	1.02037	0.523
36.0	12.76	151.0	8.22	11500.0	0.00685	0.0549	7.68	0.00416	1.02048	0.521
38.0	12.58	152.0	8.10	11100.0	0.00694	0.0547	7.47	0.00411	1.02059	0.520
40.0	12.41	154.0	7•98	10800-0	0.00702	0 - 0544	7.30	0-00407	1.02068	0.521
45.0	11.98	157.0	7.72	9900.0	0.00717	0.0537	7.00	0.00399	1.02085	0.527
50.0	11.55	160.0	7.47	9170.0	0.00728	0.0529	6.81	0.00394	1.02097	0.538
55.0	11.14	163.0	7.24	8530.0	0.00733	0.0523	6.70	0.00393	1-02101	0.551
60.0	10.73	167.0	7.02	8000.0	0.00734	0.0518	6.64	0.00394	1.02100	0.566
70.0	9.98	176.0	6.62	7160.0	0.00722	0.0510	6.62	0.00403	1.02083	0.593
80.0	9.295	186.0	6.27	6560.0	0.00698	0.0506	6.68	0.00421	1.02050	0.615
90.0	8.682	197.0	5.98	6130.0	0.00667	0.0506	6.79	0.00445	1.02007	0.632
100.0	8.136	208.0	5.73	5810.0	0.00633	0.0509	6.92	0.00475	1.01957	0.645
120.0	7.217	233.0	5.34	5360.0	0.00567	0.0521	7.22	0.00547	1.01850	0.659
140.0	6.482	258.0	5.06	5070.0	0.00509	0.0537	7.56	0.00632	1.01743	0.664
160.0	5.884	283.0	4-84	4860.0	0.00460	0.0557	7.91	0.00727	1.01642	0.666
180.0	5.390	309.0	4.68	4710.0	0.00419	0.0579	8.26	0.00830	1.01550	0.665
200.0	4.974	334.0	4.55	4580.0	0.00385	0.0579	8.48	0.00940	1.01465	0.653
		397.0	4.32	4360.0			9.36	0.0124		0.650
250.0 300.0	4.174 3.599	459.0	4.17	4210.0	0.00320 0.00274	0.0659 0.0716	10.2	0.0158	1-01286 1.01144	0.647
350.0	3.166	521.0	4.06	4110.0	0.002/4	0.0771	11.0	0.0194	1.01029	0.647
400.0	2.826	583.0	3.99	4030.0	0.00214	0.0825	11.8	0.0234	1.00935	0.644
450.0	2.553	645.0	3.93	3960.0	0.00193	0.0876	12.6	0.0275	1.00935	0.644
500-0	2.328	706.0	3.89	3910.0	0.00176	0.0925	13.3	0.0319	1.00790	0.644
600.0	1.979	829.0	3.82	3840.0	0.00150	0.102	14.8	0.0417	1.00683	0.648
700 6	4 722	052.0	7 70	7700 0	0.00470	0.442	45.4	0.0505	4 00505	0.650
700.0	1.722	952 • 0	3.78	3780.0	0.00130	0.112	16.4	0.0526	1.00601	0-652
800-0	1.523	1070-0	3.75	3740-0	0-00115	0.122	17.9	0.0647	1.00537	0.654
900.0	1.366	1200.0	3.72	3710.0	0.00103	0.132	19.4	0.0779	1.00485	0.656
1000.0	1.238	1320.0	3.70	3690.0	0.000938	0.141	20.8	0.0920	1.00442	0.657
1200.0	1.042	1570.0	3.68	3650.0	0.000790	0.159	23.5	0.123	1.00376	0.659
1400-0	0-8998	1810-0	3.66	3620.0	0.000683	0.177	26.2	0.159	1.00327	0.661
1600.0	0.7916	2060.0	3.64	3600.0	0.000601	0.194	28.7	0.197	1.00289	0.661
1800.0	0.7066	2310.0	3.63	3590.0	0.000537	0.210	31.2	0.240	1.00259	0.662
2000.0	0.6381	2550.0	3.62	3580.0	0.000485	0.226	33-6	0-286	1.00234	0.662
2500-0	0.5135	3170.0	3.61	3560.0	0.000391	0.264	39.3	0.415	1.00190	0.663
3000.0	0.4295	3790.0	3.60	3540.0	0.000327	0.300	44.7	0.564	1.00159	0.664

^{*} THO-PHASE BOUNDARY

4000 PSIA ISOBAR

TEMPERATURE		ISOTHERM DERIVATIVE	ISOCHORE DERIVATIVE	INTERNAL ENERGY	ENTHALPY	ENTROPY	CV	CP	VELOCIT OF SOUN
OEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU /	LB -R	FT/SEC
12.0	0.06599	1300-0	102.0	9-623	58.50	0.4352	0.6252	0.7032	2604.0
13.0	0.06632	1300.0	94.5	10.05	59.17	0.4902	0.6018	0.6748	2593.0
14.0	0.06663	1290.0	90.5	10.47	59.83	0.5397	0.5887	0.6621	2587.0
15.0	0.06695	1270.0	88.9	10.88	60.47	0.5853	0.5831	0-6604	2584.0
16.0	0-06726	1260.0	88.8	11.29	61.11	0.6282	0.5832	0.6671	2584.0
17.0	0.06759	1250.0	89.5	11.71	61.77	0.6690	0.5877	0.6802	2585.0
18.0	0.06792	1230.0	90.6	12.12	62.43	0.7085	0.5958	0.6982	2586.0
19.0	0.06827	1220.0	91.5	12-68	63-25	0.7533	0.6055	0.7182	2586.0
20.0	0.06864	1200.0	92.2	13.25	64.09	0.7972	0.6177	0.7409	2586.0
22.0	0.06939	1180.0	92.8	14.45	65.85	0.8827	0.6459	0.7893	2582.0
24.0	0.07017	1150.0	92.3	15.74	67.72	0.9655	0.6730	0.8344	2576.0
26.0	0.07097	1130.0	91.0	17.11	69.68	1.045	0.6938	0.8712	2567.0
28.0	0.07179	1110.0	89.8	18.41	71.58	1.117	0.7097	0.9036	2560.0
30.0	0.07263	1090.0	88.8	19.62	73.42	1.180	0.7240	0.9360	2554.0
32.0	0.07351	1070.0	87.5	20.87	75.32	1.241	0.7353	0.9648	2548 • 0
34.0	0.07440	1050.0	86.1	22.17	77.28	1.301	0.7441	0.9905	2542.0
36.0	0.07532	1030.0	84.5	23.49	79.28	1.358	0.7510	1.014	2535.0
	0.07627	1010.0	82.9	24.84	81.33	1.413	0.7565	1.035	2529.0
38.0 40.0	0.07724	991.0	81.2	26.21	83.42	1.467	0.7609	1.055	2522-0
45.0	0.07975	949.0	76.9	29.74	88.81	1.594	0.7688	1.099	2506.0
50.0	0.08239	912.0	72.6	33.38	94.40	1.712	0.7740	1.138	2492.0
55.0	0.08515	881.0	68.5	37.10	100.2	1.822	0.7778	1.171	2479.0
60.0	0-08802	855 • 0	64.6	40.91	106.1	1.925	0.7809	1.201	2468.0
70.0	0.09406	819.0	57.4	48.69	118.4	2.114	0.7857	1.247	2454.0
80.0	0.1004	799.0	51.2	56.64	131.0	2.282	0.7890	1.279	2450.0
90-0			45-9	64.68		2.434	0.7912	1.299	2455.0
	0-1069	792-0 794-0	41.5	72.78	143.9 157.0				
100.0	0.1136					2.572	0.7925	1.310	2467.0
120.0	0.1272	816.0 850.0	34.5 29.3	89.01 105.2	183.3 209.6	2.812 3.014	0.7931 0.7919	1.317 1.313	2505.0 2556.0
160.0	0.1546	891.0	25.5	121.2	235.8	3.189	0.7899	1.305	2612.0
180.0	0.1683	936.0	22.5	137.1	261.8	3.343	0.7875	1.297	2672.0
200.0	0.1818	982.0	20.1	152.9	287.6	3.479	0.7850	1.289	2733.0
250.0	0.2155	1100.0	15.9	192.0	351.7	3.765	0.7792	1.273	2888.0
300.0	0.2489		13.2	230.7	415.1	3.996	0.7745	1.262	3042.0
		1230.0						1.255	
350.0	0.2822	1350.0	11.3	269.0	478.0	4.190	0.7708		3191.0
400.0	0.3153	1480.0	9.83	307.0	540.6	4.357	0.7678	1.250	3336.0
450.0	0.3484	1600.0	8.73	344-9	603.0	4.504	0.7655	1.247	3477.0
500.0 600.0	0.3815	1730.0 1980.0	7 • 85 6 • 55	382.7 458.0	665.3 789.5	4.635 4.862	0.7636 0.7607	1.244	3613.0 3873.0
700.0	0.5136	2240.0	5.62	533.1	913.6	5.053	0.7587	1.240	4119-0
800-0	0.5136	2500.0	4.92	608.1	1037.0	5.218	0.7572	1.239	4353.0
900.0 1000.0	0.6459	2760.0 3020.0	4.38	683.0	1161.0	5.364	0.7561	1.239	4576.0
			3.94	757 • 8	1285.0	5.495	0.7552	1.238	4789.0
1200.0	0.8445	3540.0	3.29	907-4	1533-0	5.721	0-7539	1.238	5190.0
1400.0	0.9771	4060.0	2 • 82	1057.0	1781.0	5.912	0.7530	1.239	5564.0
1600.0	1.110	4590.0	2.47	1206.0	2028.0	6.077	0.7524	1.239	5915.0
1800.0	1.243	5110.0	2.20	1356.0	2276.0	6.223	0.7518	1.239	6247.0
2000.0	1.376	5640-0	1.98	1505.0	2524.0	6.353	0.7514	1.239	6563.0
2500.0	1.708	6960.0	1.59	1878.0	3143.0	6.630	0.7507	1.239	7294.0
3000.0	2.041	8280.0	1.32	2252.0	3763.0	6.856	0.7502	1.239	7960.0

^{*} THO-PHASE BOUNDARY

4000 PSIA ISDBAR

TEMPERATU	RE DENSITY	V (ОН/ОV) _р	V(DP/OU) _V	-V(OP/OV) $_{ m T}$	(σν/στ) ₂ νν	THERMAL	VISCOSITY	THERMAL DIFFUSIVITY	DIELECTRIC CONSTANT	PRANDTL Number
DEG. R	LB/CU FT	BTU/LB	PSIA-CU FT/B	ATZQ IIT		BTU/FT-HR-R	LB/ET-SEC	SQ FT/HR	0011314111	HOHOLK
DEG. K	LB/CO FT	610760	F314-00 1170	TO FSIM	170L0. K	OTO/FT-HK-K	X 10E+6	30 11711		
							A 10L+0			
12.0	15.15	135.0	10.8	19700.0	0.00519	0.0464	35 • 2	0.00436	1.01802	1.92
13.0	15.08	139.0	10.4	19500.0	0.00484	0.0485	30.1	0.00477	1.01812	1.51
14.0	15.01	141.0	10.2	19300.0	0.00469	0.0503	26.3	0.00507	1.01823	1.25
15.0	14.94	141.0	10.2	19000.0	0.00468	0.0520	23.3	0.00527	1.01832	1.07
16.0	14.87	141.0	10.2	18700.0	0.00474	0.0534	21.0	0.00538	1.01842	0.944
17.0	14.80	140.0	10.3	18400.0	0.00486	0.0546	19.1	0.00542	1.01851	0.856
18.0	14.72	140.0	10.3	18100.0	0.00499	0.0556	17.5	0.00541	1.01861	0.791
19.0	14.65	140.0	10.3	17800.0	0.00513	0.0564	16.2	0.00537	1.01871	0.741
20.0	14.57	141.0	10.2	17500.0	0.00526	0.0571	15.1	0.00529	1.01880	0.703
22.0	14.41	144.0	10.0	17000.0	0.00546	0.0581	13.3	0.00511	1.01900	0.650
24.0	14.25	149.0	9.62	16500.0	0.00561	0.0588	12.0	0.00494	1.01918	0.613
26.0	14.09	153.0	9.31	16000.0	0.00570	0.0591	11.0	0.00482	1.01936	0.584
28.0	13.93	156.0	9.08	15500.0	0.00580	0.0593	10.2	0.00471	1.01953	0.562
30.0	13.77	158.0	8.91	15000.0	0.00592	0.0593	9.64	0.00460	1.01969	0.548
32.0	13.60	160.0	8.75	14500.0	0.00602	0.0592	9.16	0.00451	1.01984	0.537
34.0	13.44	162.0	8.60	14100.0	0.00611	0.0590	8.77	0.00443	1.01999	0.530
36.0	13.28	164.0	8.48	13600.0	0.00619	0.0588	8.45	0.00437	1.02012	0.524
38.0	13.11	165.0	8.35	13200.0	0.00626	0.0585	8.18	0.00431	1.02025	0.521
40.0	12.95	167.0	8.24	12800.0	0.00633	0.0582	7.97	0.00426	1.02036	0.520
45.0	12.54	170.0	7.98	11900.0	0.00647	0.0574	7.57	0.00416	1.02061	0.522
50.0	12.14	173.0	7.73	11100.0	0.00656	0.0566	7.32	0.00410	1.02080	0.529
55.0	11.74	177.0	7.50	10300.0	0.00662	0.0559	7.16	0.00406	1.02092	0.540
60.0	11.36	181.0	7.28	9720.0	0.00665	0.0552	7.06	0.00405	1.02100	0.552
70.0	10.63	189.0	6.87	8710.0	0.00659	0.0543	6.99	0.00410	1.02099	0.578
80.0	9.96	199.0	6.52	7960.0	0.00643	0.0538	7.01	0.00422	1.02082	0.600
90.0	9.350	209.0	6.21	7410.0	0.00620	0.0536	7.09	0.00441	1.02053	0.619
100.0	8.800	221.0	5.95	6990.0	0.00593	0.0537	7.20	0.00466	1.02016	0.632
120.0	7.859	245.0	5.53	6410.0	0.00538	0.0546	7 • 48	0.00528	1.01928	0.649
140.0	7.095	270.0	5 • 22	6030.0	0.00486	0.0561	7.79	0.00602	1.01833	0.657
160.0	6.467	295.0	4.99	5760.0	0.00442	0.0579	8.12	0.00686	1.01741	0.659
180.0	5.943	321.0	4.80	5560.0	0.00404	0.0599	8.46	0.00777	1.01653	0.659
200.0	5.499	346.0	4.66	5400.0	0.00372	0.0621	8.67	0.00875	1.01571	0.649
250.0	4 • 640	409.0	4.40	5110.0	0.00311	0.0676	9.52	0.0114	1.01393	0.646
300.0	4.017	472.0	4.24	4920.0	0.00268	0.0731	10.3	0.0144	1.01248	0.643
350.0	3.544	534.0	4.12	4790.0	0.00235	0.0785	11.1	0.0177	1.01130	0.641
400.0	3.171	595.0	4.04	4680.0	0.00210	0.0837	11.9	0.0211	1.01031	0.640
450.0	2.870	657.0	3.97	4600.0	0.00190	0.0887	12.7	0.0248	1.00947	0.640
500.0	2.621	718.0	3.92	4530.0	0.00173	0.0935	13.4	0.0287	1.00876	0.641
600.0	2.234	841.0	3.85	4440.0	0.00148	0.103	14.9	0.0372	1.00761	0.645
700.0	1.947	964-0	3-80	4360.0	0-00129	0.113	16.5	0.0469	1.00673	0.649
800.0	1.725	1090.0	3.77	4310.0	0.00114	0.123	18.0	0.0575	1.00602	0.652
900.0	1.548	1210.0	3.74	4270.0	0.00102	0.132	19.4	0.0690	1.00545	0.654
1000.0	1.404	1330.0	3.72	4240.0	0.000930	0.142	20.8	0.0814	1.00498	0.656
1200-0	1-184	1580.0	3.69	4190.0	0.000785	0.160	23.6	0.109	1.00424	0.658
1400.0	1.023	1820.0	3.66	4160.0	0.000679	0.177	26.2	0.140	1.00369	0.660
1600.0	0.9010	2070.0	3.65	4130.0	0.000598	0.194	28.7	0.174	1.00327	0.661
1800.0	0.8047	2320.0	3.64	4120.0	0.000534	0.210	31.2	0.211	1.00293	0.661
2000.0	0.7270	2560.0	3.63	4100.0	0.000483	0.226	33.6	0.251	1.00266	0.662
2500.0	0.5855	3180.0	3.61	4070.0	0.000389	0.264	39.3	0.364	1.00216	0.663
3000.0	0.4900	3800.0	3.60	4060.0	0.000326	0.301	44.7	0.495	1.00181	0.663
3000.0	0.4700	5000.0	3.00	400010	0.000320	0.301	4401	0 + 7 7 7	1.00101	0.000

^{*} THO-PHASE BOUNDARY

THERMOOYNAMIC PROPERTIES OF HELIUM 4

4500 PSIA ISOBAR

TEMPERATURE	VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
OEG. R		OERIVATIVE CU FT-PSIA/LB	DERIVATIVE PSIA/R	ENERGY BTU/LB	BTU/LB	8TU/LR-R		LB -R	OF SOUNO FT/SEC
OLO+ K	00 1 1728	CO II I SIRVED	1 32 - 7 10	0,0,0	0.0.20	57 676 1. 11	,.	20 10	117520
12.0	0.06442	1410.0	110.0	10.48	64.16	0.4043	0.6617	0.7410	2709.0
13.0	0.06473	1410.0	100.0	10.93	64.87	0.4616	0.6226	0.6938	2698.0
14.0	0.06502	1400.0	94.3	11.35	65.53	0.5120	0.5982	0.6679	2692.0
15.0	0.06530	1390.0	92.1	11.76	66.17	0.5576	0.5845	0.6567	2689.0
16.0	0.06559	1380.0	91.7	12.16	66.81	0.6000	0.5788	0.6566	2690.0
17.0	0.06588	1360.0		. 12.55	67.45	0.6400	0.5793	0.6649	2692.0
18.0	0.06618	1350.0	93.6	12.96	68.10	0.6785	0.5849	0.6797	2695.0
19.0	0.06649	1330.0	94.9	13.49	68.90	0.7223	0.5933	0.6982	2697 • 0
20.0	0.06682	1320.0	96.0	14.04	69.72	0.7653	0.6054	0.7207	2699.0
22.0	0.06750	1300.0	97.2	15.20	71.45	0.8492	0.6350	0.7703	2698.0
22.0	0.06750	1300.0	31.62	19.50	71.43	0.0432	0.0370	0.7703	2090.0
24.0	0.06820	1270.0	97.0	16.46	73.29	0.9308	0.6645	0.8172	2693.0
26.0	0.06892	1250.0	95.8	17 - 80	75.23	1.010	0.6873	0.8550	2686.0
28.0	0.06965	1230.0	94.7	19.06	77.10	1.080	0.7043	0.8875	2680.0
30.0	0.07041	1210.0	93.7	20.24	78.91	1.142	0.7197	0.9198	2676.0
32.0	0.07119	1190.0	92.6	21.46	80.78	1.203	0.7319	0.9482	2671.0
34.0	0.07199	1170.0	91.2	22.72	82.70	1.261	0.7414	0.9736	2666.0
36.0	0.07280	1150.0	89.7	24.01	84.67	1.317	0.7490	0.996	2661.0
38.0	0.07364	1130.0	88.1	25.32	86.68	1.372	0.7550	1.017	2656.0
40.0	0.07450	1110.0	86.5	26.66	88.74	1.424	0.7598	1.037	2650.0
40.0	0.07450	1110.0	00.9	20.00	00.74	1.464	0.7990	1.037	2090.0
45.0	0.07671	1070.0	82.3	30.11	94.03	1.549	0.7686	1.080	2636.0
50.0	0.07903	1030.0	78.1	33.67	99.5	1.665	0.7745	1.117	2622.0
55.0	0.08145	995.0	74.0	37.33	105.2	1.773	0.7789	1.151	2609.0
60.0	0.08396	966.0	70.0	41.06	111.0	1.874	0.7825	1.180	2597.0
70.0	0.08923	922.0	62.7	48.73	123.1	2.060	0.7880	1.229	2580.0
80.0	0.09477	895.0	56.3	56.58	135.6	2.227	0.7920	1.264	2571.0
90.0	0.1005	881.0	50.8	64.56	148.3	2.377	0.7948	1.288	2571.0
100.0	0.1064	877.0	46.0	72.61	161.3	2.513	0.7965	1.302	2578.0
120.0	0.1184	891.0	38.4	88.80	187.5	2.752	0.7976	1.314	2607.0
140.0	0.1305	920.0	32.8	105.0	213.8	2.955	0.7966	1.313	2650.0
140.0	0.1309	320+0	32.0	109.0	213.0	2.177	0.7300	1.015	2090.0
160.0	0.1427	957.0	28.5	121.1	240.0	3.130	0.7947	1.307	2700.0
180 - 0	0-1548	1000-0	25.2	137.0	266.0	3.283	0.7922	1.300	2755.0
200.0	0.1669	1040.0	22.5	152.9	291.9	3.420	0.7897	1.292	2812.0
250.0	0.1968	1160.0	17.8	192.1	356.1	3.706	0.7835	1.276	2958.0
300.0	0.2265	1280.0	14.8	230.9	419.6	3-938	0.7783	1-264	3105-0
350.0	0.2560	1400.0	12.6	269.3	482.6	4.132	0.7742	1.256	3249.0
400.0	0.2854	1530.0	11.0	307.5	545.3	4.299	0.7709	1.251	3389.0
450.0	0.3147	1650.0	9.79	345.4	607.7	4.446	0.7683	1.247	3526.0
500.0	0-3441	1780.0	8.81	383.3	670.0	4.578	0.7661	1.244	3659.0
600.0	0.4027	2030.0	7.35	458.7	794.2	4.804	0.7629	1.241	3914.0
700.0	0.4613	2290.0	6.30	533.9	918.3	4.995	0.7606	1.240	4155.0
800-0	0.5200	2540.0	5.52	608.9	1042-0	5.161	0.7589	1.239	4386.0
900.0	0.5787	2800.0	4.91	683.8	1166.0	5.307	0.7576	1.238	4606.0
1000.0	0.6374	3060.0	4.43	758.7	1290.0	5.437	0.7566	1.238	4816.0
1200.0	0.7550	3580.0	3.69	908.3	1537.0	5.663	0.7551	1.238	5214.0
1400.0	0 - 8727	4100.0	3.17	1058.0	1785.0	5.854	0.7541	1.238	5585.0
1600.0	0.9905	4620.0	2.78	1207.0	2033.0	6.019	0.7533	1.238	5934.0
1800.0	1.108	5150.0	2.47	1357.0	2280.0	6.165	0.7528	1.239	6264.0
2000.0	1.226	5670.0	2.23	1506.0	2528.0	6 • 295	0.7523	1.239	6578.0
2500.0	1.522	6990.0	1.78	1880.0	3148.0	6.572	0.7515	1.239	7306.0
3000.0	1.817	8310.0	1.49	2253.0	3767.0	6.798	0.7509	1.239	7969.0

^{*} TWO-PHASE BOUNGARY

4500 PSIA ISOBAR

TEMPERATE	JRE DENSITY	V (DH/DV) _P	V(DP/DU) _V	-V(DP/DV) _T		THERMAL ONDUCTIVITY	VISCOSITY	THERMAL DIFFUSIVITY	DIELECTRIC	PRANDTL Number
DEG. F	R LB/CU FT	BTU/LB	PSIA-CU FT/B	TU PSTA		BTU/FT-HR-R		SQ FT/HR	CUNSTANT	NUMBER
OLO.		310723	1314 00 1175		2,020		X 10E+6	54 T (7)		
12.0	15.52	148.0	10.7	22000.0	0.00502	0.0494	44.6	0.00429	1.01746	2.41
13.0	15.45	151.0	10.4	21800.0	0.00458	0.0516	37.6	0.00481	1.01758	1.82
14.0	15.38	153.0	10.3	21500.0	0.00438	0.0536	32.4	0.00522	1.01768	1.45
15.0	15.31	152.0	10.3	21300-0	0.00433	0.0553	28.4	0.00550	1.01778	1.22
16.0	15.25	150.0	10.4	21000.0	0.00437	0.0568	25.3	0.00568	1.01788	1.05
17.0	15.18	149.0	10.5	20700.0	0.00446	0.0581	22.8	0.00576	1.01798	0.940
18.0	15.11 15.04	148.0 148.0	10.6 10.6	20400.0 20100.0	0.00459 0.00473	0.0592 0.0601	20.8	0.00576 0.00572	1.01808 1.01818	0.858 0.797
19.0	14.97	148.0	10.6	19800.0	0.00486	0.0608	17.6	0.00564	1.01828	0.751
22.0	14.82	152.0	10.3	19200.0	0.00506	0.0619	15.3	0.00542	1.01849	0.688
22.0	14.02	172.0	10.5	1920000	0.00,00	0.0019	19.5	0.00742	1.01049	4.000
24.0	14.66	157.0	10.0	18700.0	0.00520	0-0626	13.7	0.00522	1.01869	0.644
26-0	14.51	162.0	9.61	18200.0	0.00528	0.0629	12.5	0.00507	1.01888	0.609
28.0	14.36	166.0	9.36	17700.0	0.00536	0.0631	11.5	0.00495	1.01906	0.582
30.0	14.20	169.0	9.17	17200.0	0.00546	0.0631	10.7	0.00483	1.01924	0.564
32.0	14.05	171.0	9.00	16700.0	0.00554	0.0630	10-1	0-00473	1.01940	0.550
34.0	13.89	173.0	8.85	16200.0	0.00562	0.0628	9.65	0.00464	1.01957	0.539
36.0	13.74	175.0	8.72	15800.0	0.00568	0.0625	9.25	0.00457	1.01972	0.531
38.0	13.58	177.0	8.60	15300.0	0.00575	0.0622	8.92	0.00450	1.01986	0.526
40.0	13.42	179-0	8 • 48	14900.0	0.00580	0.0618	8.65	0.00444	1.02000	0.522
45.0	13.04	183.0	8.21	13900.0	0.00591	0.0609	8.15	0.00433	1.02030	0.520
50.0	12.65	186.0	7.97	13000.0	0.00600	0.0601	7.83	0.00425	1.02055	0.524
55.0	12.28	190.0	7.73	12200.0	0.00606	0.0593	7.61	0.00420	1.02074	0.532
60.0	11.91	194.0	7.51	11500.0	0.00609	0.0586	7.48	0.00417	1.02088	0.542
70.0	11.21	202.0	7.10	10300.0	C.00607	0.0575	7.35	0.00418	1.02101	0.566
80.0	10.55	212.0	6.74	9440.0	0.00597	0.0568	7.34	0.00426	1.02098	0.588
90.0	9.949	222.0	6.42	8760.0	0.00579	0.0565	7.39	0-00441	1.02082	0.606
100.0	9.398	233.0	6.15	8240.0	0.00558	0.0565	7.48	0.00462	1.02056	0.621
120.0	8.445	257.0	5.70	7520.0	0.00511	0.0572	7.73	0.00515	1.01986	0.640
140.0	7.660	282.0	5.37	7040.0	r.00465	0.0584	8.02	0.00581	1.01905	0.649
160.0	7-008	307.0	5.12	6710.0	0.00425	0.0601	8.33	0.00656	1.01821	0.653
		333.0	4.92	6450.0	0.00390		8.66	0.00738		0.653
180.0 200.0	6.460 5.993	358.0	4.76	6250.0	0.00361	0.0620	8.85	0.00826	1.01739 1.01662	0.644
250.0	5.082	421.0	4.48	5900.0	0.00303	0.0693	9.68	0.0107	1.01488	0-641
300-0	4.416	484.0	4.30	5660.0	0.00261	0.0747	10.5	0.0134	1.01343	0.639
350.0	3.907	546.0	4.17	5490.0	0.00230	0.0799	11.3	0.0163	1.01221	0.637
400.0	3.504	607.0	4.08	5350.0	0.00206	0.0850	12.0	0.0194	1.01119	0.636
450.0	3.177	669.0	4.01	5250.0	0.00186	0.0899	12.7	0.0227	1.01032	0.637
500.0	2.906	730.0	3.96	5170.0	0.00170	0.0946	13.5	0.0261	1.00958	0.637
600.0	2.483	853.0	3.88	5050.0	0.00146	0.104	15.0	0.0338	1.00836	0.642
						••••		*******	21.000	
700.0	2.168	975.0	3.82	4960.0	0.00127	0.114	16.5	0.0424	1.00741	0-647
800.0	1.923	1100.0	3.78	4890-0	0.00113	0.123	18.0	0.0518	1.00665	0.650
900.0	1.728	1220.0	3.75	4840.0	0.00101	0.133	19.5	0.0621	1.00603	0.652
1000.0	1.569	1340.0	3.73	4800.0	0.000922	0.142	20.9	0.0732	1.00552	0.654
1200.0	1.325	1590.0	3.69	4740.0	0.000779	0.160	23.6	0.0977	1-00471	0.657
1400.0	1.146	1830.0	3.67	4700.0	0.000675	0.178	26.2	0.125	1.00411	0.659
1600.0	1.010	2080.0	3.65	4670.0	0.000595	0.194	28.8	0.155	1.00365	0.660
1800.0	0.9022	2330.0	3.64	4640.0	0.000532	0.211	31.2	0.189	1.00327	0.661
2000.0	0.8154	2570.0	3.63	4630.0	0.000481	0.227	33 - 6	0-224	1.00297	0.661
2500.0	0.6572	3190.0	3.61	4590.0	0.000388	0.265	39.3	0.325	1.00241	0.662
3000.0	0.5503	3810.0	3.60	4570.0	0.000325	0.301	44.7	0.441	1.00203	0.663

^{*} THO-PHASE BOUNDARY

THERMOOYNAMIC PROPERTIES OF HELIUM 4

5000 PSIA ISOBAR

TEMPERATUR	E VOLUME	ISOTHERM OERIVATIVE	ISOCHORE OERIVATIVE	INTERNAL ENERGY	ENTHALPY	ENTROPY	cv	CP	VELOCITY OF SOUNO
OEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LR+R	RTU /	LB -R	FT/SEC
13.0	0.06333	1520.0	105.0	11.81	70.45	0.4349	0.6474	0.7177	2795.0
14.0	0.06360	1510.0	98.2	12.24	71.13	0.4865	0.5105	0.6773	2788.0
15.0	0.06386	1500.0	95.1	12.65	71.77	0.5324	0.5877	0.6559	2786.0
16.0	0-06412	1490.0	94.3	13.04	72.41	0.5745	0.5756	0.6484	2787.0
17.0	0.06438	1480.0	95.0	13.42	73.03	0.6139	0.5717	0.6515	2791.0
18.0	0.06465	1460.0	96.4	13.81	73.67	0.6515	0.5743	0.6629	2796.0
19.0	0.06494	1450.0	98.1	14.32	74.45	0.6944	0.5813	0.6799	2800-0
20.0	0.06523	1430.0	100.0	14.86	75.25	0.7364	0.5931	0.7021	2804.0
22.0	0.06585	1410.0	101.0	15.98	76.95	0.8188	0.6243	0.7532	2806.0
24.0	0.06650	1390.0	102.0	17.20	78.77	0.8994	0.6561	0.8022	2803.0
24.0		4770 0	100-0	18-51	80-69	0.9777	0.6811	0.8414	2797.0
26.0	0.06715	1370-0	99.4	19.75	82.54	1.047	0.6992	0.8741	
28.0	0.06782	1350.0 1330.0	98.5	20.90	84.32	1.109	0.7155	0.9063	2792.0
30.0	0.06850	1310.0	97.4	22.08	86.16	1.168	0.7285	0.9346	2789.0 2786.0
32.0	0.06921		96.1	23.31	88.06	1.225	0.7387	0.9597	2782.0
34-0	0.06993 0.07067	1290.0 1270.0	96.1	24.57	90.00	1.281	0.7468	0.9823	2778.0
36.0		1250.0	93.1	25.86	91.99	1.335	0.7533	1.003	2773.0
38.0	0.07143 0.07220	1230.0	91.5	27.17	94.01	1.387	0.7586	1.022	2768-0
40.0	0.07220	1230.0	91.5	2/.1/	94.01	1.367	U • 7 506	1.022	2/60·U
45.0	0.07418	1180.0	87.4	30.55	99.23	1.509	0.7682	1.064	2756.0
50.0	0.07625	1140.0	83.2	34.04	104.6	1.623	0.7748	1.101	2743.0
55.0	0.07841	1110.0	79.1	37.63	110.2	1.730	0.7798	1.133	2731.0
60.0	0.08064	1080.0	75.1	41-30	116.0	1.830	0.7838	1.163	2719.0
70.0	0.08532	1030.0	67.7	48.86	127.9	2.013	0.7902	1.212	2699.0
80.0	0.09023	992.0	61.1	56.62	140.2	2.177	0.7948	1.249	2687.0
90.0	0.09534	971.0	55.4	64.53	152.8	2.326	0.7981	1.276	2682.0
100.0	0.1006	962.0	50-4	72.53	165.7	2.461	0.8002	1.294	2684.0
120.0	0.1113	967.0	42.3	88.68	191.7	2.699	0.8019	1.311	2705.0
140.0	0.1222	990.0	36.2	104.9	218.0	2.901	0.8012	1.313	2741.0
160.0	0.1331	1020.0	31.5	121.0	244-2	3-076	0.7994	1-308	2786-0
180.0	0.1440	1060.0	27.9	137.0	270.3	3.230	0.7969	1.302	2836.0
200.0	0.1548	1110.0	25.0	152.9	296.3	3.367	0.7943	1.294	2889.0
250.0	0.1817	1220.0	19.8	192.3	360.5	3.654	0.7877	1.278	3026.0
300.0	0.2084	1340.0	16.4	231.1	424-1	3.886	0.7822	1.266	3166.0
350.0	0.2350	1460.0	14.0	269.7	487.2	4.080	0.7776	1.257	3305.0
400.0	0.2614	1580.0	12.2	307.9	549.9	4.248	0.7740	1.252	3441.0
450.0	0.2878	1700.0	10.8	346.0	612.4	4.395	0.7711	1.248	3574.0
500.0	0.3141	1830.0	9.76	383.9	674.7	4.526	0.7687	1.245	3703.0
600.0	0.3668	2080.0	8.14	459.4	799.0	4.753	0.7650	1.241	3953.0
700.0	0.4194	2330.0	6.98	534.6	923.0	4.944	0.7625	1.239	4191.0
800-0	0-4721	2590.0	6.12	609.7	1047.0	5.109	0.7606	1.238	4418.0
900.0	0.5249	2840.0	5.45	684.7	1171.0	5.255	0.7591	1.238	4635.0
1000.0	0.5776	3100.0	4.91	759.6	1294.0	5.386	0.7580	1.238	4843.0
1200.0	0.6833	3620.0	4.10	909.3	1542.0	5.611	0.7563	1.238	5237.0
1400-0	0.7891	4140.0	3.52	1059.0	1790.0	5.802	0.7552	1.238	5605.0
1600.0	0.8950	4660.0	3.08	1208.0	2037.0	5.967	0.7543	1.238	5952.0
1800.0	1.001	5180.0	2.74	1358.0	2285.0	6.113	0.7537	1.238	6280.0
2000.0	1.107	5710.0	2.47	1507.0	2532.0	6.244	0.7532	1.238	6592.0
2500.0	1.373	7020.0	1.98	1881.0	3152.0	6.520	0.7522	1.239	7317.0
3000.0	1.638	8330.0	1.65	2254.0	3771.0	6.746	0.7516	1.239	7978-0

^{*} TWO-PHASE BOUNDARY

5000 PSIA ISOBAR

			1010010:	W 4 8 8 4 8 W	489 487	TUEDWAY	WE 0000 TT:	TUEDUE		
TEMPERA	TURE DENSI	d A(DH\DA) ^b	V(DP/DU)	-V(DP/OV) _T	ער (נעראם)	THERMAL	VISCOSITY	THERMAL DIFFUSIVITY	DIELECTRIC	PRANDTL NUMBER
DEG.	R LB/CU	FT BTU/LB	PSIA-CU FT/	BTU PSIA		BTU/FT-HR-R		SQ FT/HR		
							X 10E+6			
13.0	15.79	164.0	10.3	24000.0	0.00438	0.0547	46.6	0.00483	1.01703	2.20
14.0		164.0	10.2	23800.0	0.00413	0.0568	39.7	0.00533	1.01714	1.70
15.0		162.0	10.3	23500.0	0.00404	0.0586	34.4	0.00571	1.01724	1.39
16.0		160.0	10.5	23200.0	0.00406	0.0602	30.4	0.00596	1-01734	1.18
17.0		157.0	10.7	22900.0	0.00414	0.0616	27.1	0.00609	1.01744	1.03
18.0		156.0	10.9	22600.0	0.00426	0.0628	24.5	0.00612	1.01755	0.931
19.0		155.0	11.0	22300.0	0.00440	0.0637	22.3	0.00609	1.01765	0.857
20.0		155.0	11.0	22000-0	0-00453	0.0645	20.5	0.00599	1.01776	0.803
22.0		159.0	10.7	21400.0	0.00474	0.0656	17.6	0.00574	1.01797	0.729
24.0		165.0	10.3	20900.0	0.00487	0.0663	15.6	0.00549	1.01818	0.678
26.0		170.0	9.91	20400.0	0.00494	0.0667	14-0	0.00532	1.01838	0.637
28-0		175.0	9.64	19900.0	0.00501	0.0668	12.8	0.00518	1.01858	0.605
30.0		178.0	9.43	19400.0	0.00509	0.0668	11.9	0.00505	1.01877	0.582
32.0		181.0	9.25	18900.0	0.00516	0.0666	11.2	0.00493	1.01895	0.564
34.0	14.30	184.0	9.10	18400-0	0.00523	0.0664	10-6	0.00484	1.01913	0.551
36.0	14.15	186.0	8.96	17900.0	0.00528	0.0661	10.1	0.00475	1.01929	0.540
38.0	14.00	188.0	8.83	17500.0	0.00533	0.0657	9.69	0.00468	1.01945	0.532
40.0	13.85	190.0	8.71	17000.0	0.00538	0.0653	9.36	0.00462	1.01961	0.527
45 - 0	13-48	194-0	8 - 44	16000.0	0.00547	0.0644	8.74	0.00449	1.01995	0.520
50.0		198.0	8.19	15000.0	0.00555	0.0634	8.34	0.00439	1.02024	0.521
55.0		202.0	7.95	14100.0	0.00560	0.0625	8.07	0.00433	1.02049	0.527
60.0		207.0	7.73	13300.0	0.00563	0.0618	7.90	0.00428	1.02068	0.535
70-0		215.0	7.31	12000.0	0.00563	0.0605	7.71	0.00426	1.02093	0.556
80.0		225.0	6.94	11000.0	0.00556	0.0597	7.66	0.00431	1.02102	0.577
90.0		235.0	6.61	10200.0	0.00543	0.0593	7.69	0.00443	1.02097	0.596
100.0		246.0	6.33	9570.0	0.00526	0.0592	7.76	0-00460	1.02082	0.611
120.0		269.0	5.87	8690.0	0.00487	0.0596	7.98	0.00506	1.02030	0.631
140.0		294.0	5.52	8100.0	0.00446	0.0607	8.24	0.00565	1.01962	0.642
160.0		319.0	5.25	7690.0	0.00410	0.0622	8.54	0.00633	1.01888	0-646
180-0		345.0	5.03	7380.0	0.00377	0.0640	8.85	0.00708	1.01812	0.648
200.0		370.0	4.86	7140.0	0.00349	0.0659	9.03	0.00788	1.01739	0.639
250.0		434.0	4.56	6710.0	0.00295	0.0710	9.83	0.0101	1.01571	0.637
300.0		496.0	4.36	6420.0	0.00255	0.0762	10.6	0.0125	1.01428	0.635
350 - 0		558-0	4.23	6210.0	0.00225	0.0813	11.4	0.0152	1.01306	0.633
400.0		620.0	4.12	6050.0	0.00202	0.0862	12.1	0.0180	1.01201	0.633
450.0		681.0	4.05	5920.0	0.00183	0.0910	12.8	0.0210	1.01112	0.633
500.0		742.0	3.99	5820.0	0.00168	0.0956	13.5	0.0241	1-01034	0.634
600.0	2.727	865.0	3.90	5670.0	0.00144	0.105	15.0	0.0310	1.00907	0.639
700.0	2.384	987.0	3.84	5560.0	0.00126	0.115	16.5	0.0388	1.00806	0.644
800.0		1110.0	3.80	5480.0	0.00112	0.124	18.0	0.0473	1.00726	0-648
900.0		1230-0	3-77	5420.0	0.00101	0-133	19.5	0.0566	1.00660	0.651
1000.0		1350.0	3.74	5370.0	0.000914	0.143	20.9	0.0666	1.00604	0.653
1200.0		1600.0	3.70	5300.0	0.000774	0.161	23.6	0.0887	1.00517	0.656
1400.0		1850.0	3.68	5240.0	0.000671	0.178	26.3	0.113	1.00452	0.658
1600-0		2090-0	3.66	5210.0	0.000592	0.195	28.8	0.141	1.00401	0.659
1800.0		2340.0	3.64	5180.0	0.000530	0.211	31.2	0.171	1.00361	0.660
2000.0		2580.0	3.63	5150.0	0.000479	0.227	33.6	0.203	1.00328	0.661
2500.0			3.61	5110.0	0.000387	0.265	39.3	0-294	1.00266	0.662
3000.0	0.6104	3820.0	3.60	5090.0	0.000324	0.301	44.7	0.398	1.00224	0.663

^{*} TWD-PHASE BOUNDARY

THERHOOYNAMIC PROPERTIES OF HELIUH 4

6000 PSIA ISOBAR

TEHPERATURE	VOL UHE	ISOTHERM OERIVATIVE	ISOCHORE OERIVATIVE	INTERNAL ENERGY	ENTHALPY	ENTROPY	cv	CP	VELOCITY OF SOUNO
OEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LR-R	RTU /	LB -R	FT/SEC
15.0	0.06142	1720.0	101.0	14.46	82.70	0.4880	0.5994	0.6612	2962.0
16.0	0.06164	1700.0	99.0	14.84	83.33	0.5298	0.5727	0.6374	2964-0
17.0	0.06186	1690.0	100.0	15.21	83.94	0.5682	0.5586	0.6292	2970.0
			101.0	15.56	84.54	0.6042	0.5543	0.6328	
18.0	0.06209	1680.0							2978.0
19.0	0.06233	1660.0	104.0	16.04	85.29	0.6453	0.5581	0.6468	2987.0
20.0	0.06258	1650.0	106.0	16.53	86.06	0.6855	0.5692	0.6684	2994-0
22.0	0.06311	1620.0	109.0	17.58	87.70	0.7650	0.6032	0.7227	3003.0
24.0	0.06366	1600.0	110.0	18.74	89.47	0.8437	0.6400	0.7766	3003.0
26.0	0.06422	1590.0	109.0	20.01	91.36	0.9208	0.6693	0.8193	2999.0
28.0	0.06480	1570.0	108-0	21.19	93.18	0.9892	0.6898	0.8529	2996.0
30.0	0.06538	1550.0	108.0	22.28	94.92	1.049	0.7077	0.8852	2995.0
32.0	0.06598	1530.0	107.0	23.41	96.72	1.107	0.7220	0.9135	2993.0
34.0	0.06660	1510.0	105.0	24.58	98.57	1.163	0.7334	0.9384	2992.0
36.0	0.06722	1490.0	104.0	25.79	100.5	1.218	0.7425	0.9606	2989.0
38.0	0.06786	1470.0	102.0	27.02	102.4	1.270	0.7499	0.9807	2986.0
			101.0	28.29		1.321			
40.0	0.06850	1450.0	101.0	20.29	104.4	1.321	0.7560	0.999	2983.0
45.0	0.07016	1410.0	96.7	31.54	109.5	1 • 441	0.7672	1.040	2974.0
50.0	0.07188	1370.0	92.6	34.92	114.8	1.552	0.7751	1.075	2964.0
55 . 0	0.07366	1330.0	88.4	38.40	120.2	1.656	0.7811	1.106	2953.0
60.0	0.07549	1290.0	84.4	41.97	125.8	1.754	0.7861	1.135	2941.0
70.0	0.07931	1230.0	76.9	49.33	137.4	1.933	0.7940	1.184	2920.0
80.0	0.08332	1190.0	70.0	56.93	149.5	2.093	0.7999	1.224	2903.0
90.0	0.08748	1160.0	63.9	64.71	161.9	2.239	0.8042	1.254	2891.0
100.0	0.09176	1140.0	58.5	72.61	174.6	2.373	0.8072	1.277	2886.0
120.0	0-1006	1120.0	49.6	88 • 64	200-4	2.608	0.8101	1.302	2892.0
140.0	0.1096	1130.0	42.7	104.8	226.5	2.810	0.8101	1.310	2915.0
140.0	0.1090	1130.0	42.1	104.0	220.9	2.010	0.0101	1.310	2919.0
160.0	0.1186	1160.0	37.3	120.9	252.7	2.985	0.8085	1.309	2949.0
180.0	0.1277	1190.0	33.1	137.0	278-9	3-138	0.8060	1.305	2990.0
200.0	0.1367	1230.0	29.7	153.0	304.9	3.276	0.8032	1.298	3035.0
250.0	0.1591	1340.0	23.5	192.6	369.4	3.564	0.7961	1.282	3157.0
300.0	0.1813	1450.0	19.5	231.7	433.1	3.796	0.7898	1.269	3285.0
350.0	0.2034	1570.0	16.7	270-4	496.4	3.991	0.7845	1.260	3414.0
400.0	0.2253	1690.0	14.6	308.9	559.2	4.159	0.7802	1.253	3542.0
450.0	0.2472	1810.0	12.9	347.1	621.7	4.306	0.7767	1.249	3667.0
500.0	0.2691	1930.0	11.6	389.1	684.1	4.437	0.7738	1.245	3791.0
600.0	0.3128	2170.0	9.71	460 • 8	808-3	4-664	0.7694	1.241	4030.0
700.0	0.3565	2420.0	8.34	536.2	932.3	4.855	0.7663	1.239	4260.0
800.0	0.4003	2670.0	7.31	611.4	1056.0	5.021	0.7640	1.238	4480.0
900.0	0.4441	2930.0	6.50	686.5	1180-0	5.166	0.7622	1.237	4692-0
1000.0	0.4879	3180.0	5.86	761.5	1304.0	5.297	0.7608	1.237	4896.0
1200.0	0.5757	3690.0	4.90	911.3	1551.0	5.522	0.7587	1.237	5282.0
1400.0	0.6637	4210.0	4.21	1061.0	1798.0	5.713	0.7573	1.237	5645.0
1600.0	0.7517	4730.0	3.69	1211.0	2046.0	5.878	0.7563	1.237	5987.0
1800.0	0.8398	5250.0	3.28	1360.0	2293.0	6.024	0.7555	1.238	6311.0
2000.0	0.9280	5770.0	2.96	1510.0	2541.0	6.154	0.7549	1.238	6620.0
2500.0	1.149	7080.0	2.37	1884.0	3160.0	F. 430	0.7538	1.238	7339.0
			2.0						
3000.0	1.370	8390.0	1.98	2257.0	3779.0	6.656	0.7530	1.239	7995.0

^{*} THO-PHASE BOUNDARY

6000 PSIA ISOBAR

TEMPERATU	RE DENSITY	A (OH\OA) ^b	V(DE/DU)	-V(0P/0V) _T	(OV/OT)/V	THERMAL ONDUCTIVITY	VISCOSITY	THERMAL OIFFUSIVITY	DIELECTRIC	PRANDTL NUMBER
OEG. R	LB/CU FT	BTU/LB	PSIA-CU FT/8T	U PSIA	1/0EG. R	BTU/FT-HR-R	LB/FT-SEC	SQ FT/HR		
							X 10E+6			
45.0	46.00	4.04. 0	40.7	20000 0	0.00360	0.0652	49.8	0.00606	1.01617	1.82
15.0	16.28	184.0	10.3	28000.0	0.00358	0.0670	43-1	0-00648		1.48
16.0	16.22	178.0	10.7	27600.0			37.9	0.00674	1-01627	1.25
17.0	16.17	173.0 169.0	11.0 11.3	2730°.0 27000.0	0.00364 0.00375	0.0685 0.0698	33.7	0.00685	1.01638 1.01648	1.10
18.0	16.11		11.6	26700.0	0.00389	0.0709	30.3	0.00683	1.01659	0.994
19.0 20.0	16.04 15.98	166.0	11.7	26300.0	0.00403	0-0717	27.4	0.00672	1.01670	0.920
22.0	15.85	166.0 170.0	11.4	25700.0	0.00425	0.0729	23.0	0.00637	1.01693	0.822
24.0	15.71	177 - 0	11.0	25200.0	r. 00429	0.0736	19.9	0.00603	1.01716	0.756
26.0	15.57	185.0	10.5	24700.0	0.00443	0.0740	17.6	0.00580	1.01738	0.702
20.0	19.97	109.0	10.5	24/00.0	4.443	440	17.0	0.00	1.41/00	0.,02
28.0	15.43	190.0	10.2	24200.0	0.00448	0.0740	15.9	0.00563	1.01760	0.658
30.0	15.29	195.0	9.94	23700.0	0.00454	0.0739	14.5	0.00546	1.01781	0.625
32.0	15.16	199.0	9.74	23200.0	0.00460	0.0737	13.4	0.00532	1.01802	0.600
34.0	15.02	202.0	9.56	22700.0	0.00464	0.0734	12.6	0.00521	1.01821	0.579
36-0	14.88	205.0	9.41	22200.0	0.00468	0.0730	11.9	0.00511	1.01841	0.563
38.0	14.74	208.0	9.27	21700.0	0.00472	0.0725	11.3	0.00502	1.01859	0.551
40.0	14.60	210.0	9.14	21200.0	0.00475	0.0721	10.8	0.00494	1.01877	0.541
45-0	14.25	216.0	8 - 85	20100.0	0.00482	0.0709	10.0	0.00479	1.01918	0.526
50.0	13.91	221.0	8.59	19000.0	6.00487	0.0698	9.39	0.00467	1.01955	0.521
55.0	13.58	226.0	8.34	18000.0	0.00490	0.0687	9.00	0.00458	1.01987	0.521
60.0	13.25	230.0	8.11	17100.0	0.00493	0.0678	8.73	0-00451	1-02014	0-526
70.0	12.61	240-0	7 • 68	15600.0	0.00494	0.0663	8.42	0.00444	1.02057	0.541
80.0	12.00	249.0	7.29	14300.0	0.30491	0.0653	8.29	0.00444	1.02085	0.560
90.0	11.43	260.0	6.95	13200.0	0.00483	0.0646	8.26	0.00451	1.02099	0.577
100.0	10.90	270.0	6.65	12400.0	0-00472	0.0643	8 • 29	0.00462	1.02102	0.593
120.0	9.943	293.0	6.16	11200.0	0.00444	0.0644	8.45	0.00497	1.02082	0.615
140.0	9.127	318.0	5.77	10400.0	0.00412	0.0651	8.68	0.00545	1.02040	0.628
160.0	8.431	343.0	5.48	9770.0	0.00382	0.0664	8.94	0.00601	1.01985	0.635
180.0	7 • 833	368.0	5.24	9340.0	0-00354	0.0679	9.22	0.00664	1.01925	0.637
200.0	7.316	394.0	5.05	9000.0	0.00330	0.0696	9.38	0.00733	1.01863	0.630
250.0	6.285	457.0	4.70	8400.0	r.00280	0.0743	10.1	0.00922	1.01711	0.629
300.0	5.516	520.0	4.48	8000.0	C.00244	0.0792	10.9	0-0113	1.01574	0-627
350-0	4-918	582 • 0	4.32	7700.0	0.00216	0.0840	11.6	0.0136	1.01453	0.626
400.0	4.438	644.0	4.21	7480.0	0.00195	0.0887	12.3	0.0160	1.01348	0.626
450.0	4.045	705.0	4.12	7310.0	0.00177	0.0933	13.0	0.0185	1.01255	0.626
500.0	3.716	766.0	4.05	7160.0	0.00163	0-0976	13.7	0.0211	1.01174	0.627
600.0	3-197	888.0	3.95	6950.0	0.00140	0.107	15.1	0.0269	1.01038	0.633
700 0	0 005	4040 0			0.00407				4 00000	0 (70
700.0	2.805	1010.0	3.88	6800.0	0.00123	0.116	16.6	0.0334	1.00929	0.639
800.0	2.498	1130.0	3.83	6680.0	0.00109	0.125	18.1	0.0406	1.00840	0.644
900.0	2-252	1250.0	3.79	6590.0	0.000987	0-135	19.6	0.0483	1.00767	0.647
1000.0	2.050 1.737	1380.0	3.76	6520.0	0.000899	0.144	21.0	0.0567	1.00705	0.650
1400.0	1.507	1620.0	3.72 3.69	6420.0	0.000763	0.179	23.7	0.0752 0.0959	1.00606	
1600-0	1.330	1870.0 2110.0	3.66	6340.0 6290.0	0.000663 0.000586	0.179	26.3 28.8	0.119	1.00532	0.656 0.658
	1.191		3.65			0.212		0.119	1.00473	
1800.0 2000.0	1.191	2360.0 2600.0	3,63	6250.0 6220.0	0.000525 0.000475	0.212	31.3 33.7	0.170	1.00426 1.00388	0.659 0.660
2500.0	0.8705	3220.0	3.61							
2700.0	0.0707	3220.0	3,01	6160.0	0.000385	0.265	39.4	0.246	1.00316	0.661
3000.0	0.7300	3840.0	3.60	6120.0	0.000323	0.301	44.7	0.333	1.00267	0.662

^{*} THD-PHASE BOUNDARY

THERMODYNAMIC PROPERTIES OF HELIUM 4

7000 PSIA ISOBAR

TEMPERATURE	VOLUME	ISOTHERH DERIVATIVE	ISOCHORE OERIVATIVE	INTERNAL ENERGY	ENTHALPY	ENTROPY	CV	CP	VELOCITY OF SOUND
DEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU /	L8 -R	FT/SEC
16.0	0.05960	1910.0	103.0	16.67	93.93	0.4915	0.5736	0.6317	3121.0
17.0	0.05980	1890.0	103.0	17.02	94.53	0.5291	0.5478	0.6108	3128.0
18.0	0.05999	1880.0	105.0	17.35	95.11	0.5639	0.5355	0.6058	3138.0
19-0	0.06020	1860.0	109.0	17.80	95.83	0.6031	0.5356	0.6164	3152.0
20.0	0.06042	1850.0	112.0	18.25	96.56	0.6416	0.5457	0.6374	3164.0
22.0	0.06088	1830.0	117.0	19.23	98.14	0.7182	0.5825	0.6953	3179.0
24.0	0.06137	1810.0	119.0	20.32	99.9	0.7950	0.6246	0-7548	3183.0
26.0	0.06187	1790.0	118.0	21.54	101.7	0.8713	0.6586	0.8018	3181.0
28.0	0.06238	1780.0	117.0	22.69	103.5	0.9387	0.6814	0.8368	3180.0
30.0	0.06289	1760.0	116.0	23.72	105.2	0.998	0.7006	0.8694	3180.0
32.0	0.06342	1740.0	115.0	24.81	107.0	1.055	0.7160	0.8978	3180.0
34.0	0.06396	1720.0	114.0	25.93	108.8	1.110	0.7285	0.9227	3179.0
36.0	0.06450	1700.0	113.0	27.09	110.7	1.163	0.7385	0.9448	3178.0
38.0	0.06506	1690.0	111.0	28.28	112.6	1.215	0.7467	0.9647	3177.0
40.0	0.06562	1670.0	110.0	29.50	114.6	1.265	0.7535	0.9828	3175.0
45.0	0.06706	1630.0	105.0	32.66	119.6	1.383	0.7662	1.022	3169.0
50.0	0.06854	1580.0	101.0	35 - 94	124.8	1.492	0.7751	1.057	3162.0
55.0	0.07006	1540.0	97.0	39.32	130.1	1.595	0.7821	1.087	3152.0
60.0	0.07162	1510.0	92.9	42.80	135.6	1.690	0.7879	1.115	3142.0
70.0	0.07486	1440.0	85.2	50.00	147.0	1.866	0.7973	1.163	3120.0
80.0	0.07825	1390.0	78.1	57 - 46	158.9	2.024	0.8044	1.204	3100.0
90.0	0.08175	1350.0	71.7	65.11	171.1	2.168	0.8098	1.236	3084.0
100.0	0.08536	1320.0	66.0	72.92	183.6	2.299	0.8137	1.261	3074.0
120.0	0.09281	1290.0	56.4	88.83	209.1	2.532	0.8178	1.292	3068.0
140.0	0.1004	1280.0	48.9	104-9	235.1	2.733	0.8185	1.306	3079.0
160.0	0.1082	1300.0	42.9	121.1	261.3	2.907	0.8172	1.309	3103.0
180.0	0.1159	1320.0	38.1	137.2	287.4	3.061	0.8149	1.306	3135.0
200.0	0.1236	1360.0	34.2	153.3	313.5	3.199	0.8120	1.301	3173.0
250.0	0.1428	1450-0	27.2	193.1	378.2	3.487	0.8043	1.286	3282.0
300.0	0.1618	1560.0	22.6	232.4	442.1	3.720	0.7973	1.272	3399.0
350.0	0.1807	1680.0	19.3	271.3	505.5	3.916	0.7914	1.262	3518.0
400.0	0.1995	1790.0	16.9	309.9	568.4	4.084	0.7864	1.255	3638.0
450 • 0	0.2182	1910.0	15.0	348.2	631.0	4.231	0.7824	1.250	3757.0
500.0	0.2369	2030.0	13.5	386.4	693.4	4.363	0.7790	1.246	3875.0
600.0	0.2742	2270.0	11.3	462.3	817.7	4.589	0.7739	1.241	4105.0
700-0	0.3115	2510-0	9-67	537-8	941.6	4.780	0.7702	1.238	4327.0
800.0	0.3489	2760.0	8.48	613.2	1065.0	4.946	0.7674	1.237	4541.0
900.0	0.3863	3010.0	7.55	688.4	1189.0	5.091	0.7653	1.237	4747.0
1000.0	0.4238	3260.0	6.81	763.4	1313.0	5.222	0.7636	1.236	4946.0
1200.0	0.4988	3770-0	5.69	913.4	1560.0	5.447	0.7612	1.236	5326.0
1400.0	0.5740	4280.0	4.89	1063.0	1807.0	5.638	0.7595	1.236	5683.0
1600.0	0.6492	4800.0	4.29	1213.0	2055.0	5.803	0.7583	1.237	6020.0
1800.0	0.7246	5310.0	3 • 82	1363.0	2302.0	5.948	0.7574	1.237	6341.0
2000.0	0.8001	5830.0	3.44	1512.0	2549.0	6.079	0.7566	1.237	6647.0
2500.0	0.9889	7130.0	2.76	1886.0	3168.0	6.355	0.7553	1.238	7360.0
3000.0	1.178	8440.0	2.30	2260.0	3787.0	6.581	0.7544	1.238	8011-0

^{*} TWO-PHASE BOUNDARY

7000 PSIA ISOBAR

TEMPERATU	RE DENSITY	V(DH/DV) _p	V (DP/OU)	-V(DP/DV) _T	(DV/OT)/V		VISCOSITY	THERHAL	DIELECTRIC	PRANOTL
						CONDUCTIVITY		DIFFUSIVITY	CONSTANT	NUMBER
DEG. R	LB/CU FT	BTU/LB	PSIA-CU FT/8	TU PSIA	1/0EG. R	BTU/FT-HR-R		SQ FT/HR		
							X 10E+6			
	44.70	402.0	40 7	70000 0	0.00704	0 0770		0.00000	4 04504	4 00
16.0	16.78	197.0	10.7	32000.0	0.00321	0.0738 0.0754	60 • 3 52 • 2	0.00696	1.01521	1.86
17.0	16-72	188.0	11.2	31700-0	0.00325			0.00739	1.01532	1.52
18.0	16.67	181.0	11.8	31300.0	P.00335	0.0769	45.7	0.00761	1.01543	1.30
19.0	16.61	176.0	12.2	31000.0	0.00351	0.0789	40.5	0.00762	1.01554	1.15
20.0	16.55	174.0	12.4	30600.0	0.00366	0.0789	36.2	0.00748	1.01566	1.05
22.0	16.43	179-0	12.2	30000.0	0.00389	0.0802	29.7	0.00702	1.01590	0.928
24.0	16.29	188.0	11.7	29500.0	0.00402	0.0808	25.2	0.00657	1.01614	0.846
26.0	16.16	197.0	11.1	29000.0	0.00407	0.0811	21.8	0.00626	1.01638	0.777
28.0	16.03	204.0	10.7	28500.0	0.00411	0.0811	19.4	0.00605	1.01661	0.719
30.0	15.90	209.0	10-4	28000.0	0.00416	0.0810	17.5	0.00586	1.01684	0.676
32.0	15.77	214.0	10.2	27500.0	0.00420	0.0806	16.0	0.00569	1.01706	0.642
34.0	15.64	218.0	10.0	26900.0	0.00423	0.0802	14.8	0.00556	1.01728	0.614
36.0	15.50	222.0	9 • 8 4	26400-0	0.00426	0.0797	13.9	0.00544	1.01749	0.592
38.0	15.37	225.0	9.68	25900.0	0.00429	U.0791	13.1	0.00534	1.01770	0.575
40.0	15.24	228.0	9.54	25400.0	0.00431	0.0786	12.5	0.00525	1.01789	0.561
45.0	14.91	235.0	9.23	24200.0	0-00435	0.0772	11.3	0.00506	1.01836	0.537
50.0	14.59	241.0	8.95	23100.0	0.00438	0.0758	10.5	0.00492	1.01878	0.526
55.0	14.27	247.0	8.69	22000.0	0.00440	0.0746	9.95	0.00481	1.01916	0.522
60.0	13.96	252.0	8.45	21000.0	0.00442	0.0735	9.57	0.00472	1.01949	0.523
70.0	13-36	263.0	8.00	19200-0	0.00443	0.0718	9.13	0.00462	1.02005	0.533
80.0	12.78	273.0	7.60	17700.0	0.00441	0.0705	8.91	0.00458	1.02047	0.548
90.0	12.23	284.0	7.24	16500.0	0.00436	0.0697	8.82	0.00461	1.02076	0.563
100.0	11.71	294.0	6.93	15400.0	0.00428	0.0692	8.81	0.00468	1.02093	0.578
120-0	10.77	317.0	6.41	13900.0	0.00407	0.0689	8.91	0.00495	1.02101	0.601
140.0	9.96	341.0	6.00	12800.0	0.00383	0.0694	9.09	0.00534	1.02082	0.616
							,,,,			
160.0	9.246	366.0	5.68	12000.0	0.00357	0.0704	9.32	0.00582	1.02047	0.624
180.0	8.629	391.0	5.42	11400-0	0-00334	0.0717	9.57	0.00636	1.02002	0.628
200.0	8.089	417.0	5.21	11000.0	0.00312	0.0732	9.71	0.00696	1.01952	0.621
250.0	7.002	481.0	4.84	10200.0	0.00267	0.0776	10.4	0.00862	1.01821	0.621
300.0	6.180	544.0	4.58	9660.0	0.00234	0.0821	11.1	0.0104	1.01694	0.620
350.0	5.535	606.0	4.41	9270.0	0.00208	0.0867	11.8	0.0124	1.01578	0.619
400.0	5.014	668.0	4.28	8980.0	0.00188	0.0912	12.5	0.0145	1.01474	0.619
450.0	4.584	729.0	4.18	8750.0	0.00171	0.0955	13.1	0.0167	1.01381	0.619
500.0	4.222	790.0	4.10	8560.0	0.00158	0.100	13.8	0.0189	1.01297	0.620
600.0	3.647	912.0	3.99	8270.0	0.00136	0.108	15.2	0.0239	1.01156	0.627
000.0	3.041	912.0	3. ,,	021000	0.00130	0.100	17.0	0.0239	1.01196	0.021
700.0	3.210	1030.0	3.91	8070.0	0.00120	0.118	16.7	0.0296	1.01041	0.634
800.0	2.866	1150.0	3.86	7910.0	0.00107	0.127	18.2	0.0357	1.00946	0.640
900.0	2.589	1280.0	3.81	7790.0	0.00107	0.136	19.6	0.0424	1.00946	0.644
1000.0	2.360	1400.0	3.78	7700.0	0.000884	0.145		0.0496		
1200.0	2.005	1640.0	3.73	7560.0	0.000753	0.162	21.0	0.0655	1.00799	0.647
1400.0	1.742		3.70			0.179	23.8		1.00691	0.651
		1890.0		7460.0	0.000655		26.4	0.0833	1.00608	0.654
1600-0	1-540	2130-0	3.67	7390.0	0.000580	0.196	28.9	0.103	1.00543	0.656
1800.0 2000.0	1.380	2380.0	3.65	7330.0	0.000520	0.212	31.3	0.124	1.00490	0.658
	1.250	2620.0	3.64	7290.0	0.000472	0.228	33.7	0.147	1.00446	0.659
2500.0	1.011	3240.0	3.61	7210.0	0.000382	0.266	39.4	0.212	1.00365	0.660
7000 0	0.0100	3050 0	7 50	7470 0	0.000751					
3000.0	0.8489	3850.0	3.59	7170.0	0.000321	0.302	44.8	0.287	1.00309	0.661

^{*} THO-PHASE BOUNDARY

THERMODYNAMIC PROPERTIES OF HELIUM 4

8000 PSIA ISOBAR

TEMPERATUR	E VOLUME	ISOTHERM DERIVATIVE	ISOCHORE DERIVATIVE	INTERNAL ENERGY	ENTHALPY	ENTROPY	CV	CP	VELOCITY OF SOUND
DEG. R	CU FT/L8	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU /	LB -R	FT/SEC
18.0	0.05822	2070.0	107.0	19.17	105.4	0.5288	0.5175	0.5805	3282.0
19.0	0.05840	2060.0	112.0	19.58	106.1	0.5661	0.5135	0.5872	3301.0
20.0	0.05860	2040.0	117.0	20.00	106.8	0.6027	0.5224	0.6076	3318.0
22.0	0.05901	2020.0	124.0	20.90	108.3	0.6764	0.5622	0-6694	3341.0
24.0	0.05946	2010-0	127.0	21.93	110.0	0.7515	0.6098	0.7351	3349.0
26.0	0.05991	1990.0	126.0	23.10	111.9	0.8269	0.6488	0.7872	3348.0
28.0	0.06037	1980.0	125.0	24.21	113.6	0.8938	0.6739	0.8238	3348.0
30.0	0.06084	1960.0	125.0	25.20	115.3	0.9518	0.6942	0.8568	3349.0
32.0	0.06131	1940-0	124.0	26.24	117.1	1.008	0.7107	0.8856	3350.0
34.0	0.06179	1930.0	122.0	27 • 32	118.9	1.062	0.7240	0.9107	3351.0
36.0	0.06228	1910.0	121.0	28.44	120.7	1.115	0.7349	0.9329	3351.0
38.0	0.06277	1890.0	119.0	29.60	122.6	1.166	0.7438	0.9528	3351.0
40.0	0.06327	1870.0	118.0	30.78	124.5	1.215	0.7512	0.9708	3350.0
45.0	0.06455	1830.0	114.0	33.85	129.5	1.332	0.7651	1.010	3347.0
50.0	0.06586	1790.0	109.0	37.04	134.6	1-440	0.7752	1.043	3341.0
55 • 0	0.06720	1750.0	105.0	40.35	139.9	1.541	0.7830	1.073	3333.0
60.0	0.06857	1710.0	101.0	43.75	145.3	1.636	0.7896	1.100	3324.0
70.0	0.07139	1640.0	92.9	50.81	156.6	1.809	0.8003	1.147	3303.0
80.0	0.07433	1580.0	85.6	58 - 14	168 - 2	1.965	0.8086	1.187	3282-0
90.0	0.07736	1540.0	79.0	65 • 69	180.3	2.106	0.8150	1.220	3263.0
100.0	0.08047	1500.0	73.0	73.41	192.6	2.236	0.8197	1.246	3249.0
120.0	0.08691	1450.0	62.9	89.19	217.9	2.467	0.8250	1.282	3233.0
140.0	0.09352	1440.0	54.7	105.2	243.8	2.666	0.8265	1.300	3234.0
160.0	0.1002	1440.0	48.2	121.4	269.9	2.840	0.8256	1.307	3249.0
180.0	0.1070	1460.0	43.0	137.5	296.0	2.994	0.8234	1.307	3273.0
200.0	0.1137	1480.0	38.7	153.6	322.1	3.132	0.8205	1.303	3305-0
250.0	0.1305	1570.0	30.8	193.6	386.9	3.421	0.8124	1.289	3400.0
300.0	0.1471	1680.0	25.6	233.1	451.0	3.655	0.8048	1.275	3507.0
350.0	0.1636	1780.0	21.9	272.2	514.5	3.851	0.7982	1.265	3618.0
400.0	0.1800	1900.0	19.1	310.9	577.5	4.019	0.7927	1.257	3731.0
450 • 0	0.1963	2010.0	17.0	349.4	640.2	4.167	0.7881	1.251	3844.0
500.0	0.2126	2130.0	15.3	387.7	702.6	4.298	0.7843	1.246	3956.0
600.0	0.2452	2360.0	12.8	463-8	826.9	4.525	0.7784	1.241	4177.0
700.0	0.2777	2600.0	11.0	539.5	950.9	4.716	0.7741	1.238	4391.0
800.0	0.3103	2850.0	9.64	614.9	1075.0	4.881	0.7709	1.237	4599.0
900.0	0.3429	3090.0	8.59	690.2	1198-0	5.027	0.7685	1.236	4801-0
1000-0	0-3756	3340.0	7.75	765.4	1322.0	5.157	0.7665	1.235	4996.0
1200.0	0.4410	3850.0	6.48	915.5	1569.0	5.382	0.7637	1.235	5368.0
1400.0	0.5066	4350.0	5.57	1065.0	1816.0	5.573	0.7617	1.236	5720.0
1600.0	0.5723	4870.0	4.88	1215.0	2063-0	5 - 738	0.7603	1.236	6053.0
1800-0	0.6381	5380.0	4.35	1365.0	2310.0	5.883	0.7592	1.236	6370.0
2000.0	0.7040	5890.0	3.92	1515.0	2558.0	6.013	0.7584	1.237	6673.0
2500.0	0.8689	7190.0	3.14	1889.0	3176.0	6.289	0.7568	1.237	7380.0
3000-0	1-034	8490-0	2-62	2263.0	3795.0	6.515	0.7558	1.238	8027.0

^{*} TWO-PHASE BOUNDARY

8000 PSIA ISOBAR

TEMPERATU	RE DENSITY	V(0H/0V)	V(DP/DU)	-V(0P/0V)		THERMAL DNDUCTIVITY	VISCOSITY	THERMAL DIFFUSIVITY	DIELECTRIC	PRANOTL NUMBER
DEG. R	LB/CU FT	BTU/LB	PSIA-CU FT/B	TU PSIA	1/0EG. R	BTU/FT-HR-R		SQ FT/HR		
							X 10E+6			
18.0	17.18	192.0	12.1	35600.0	0.00302	0.0839	61.3	0.00842	1.01439	1.53
19.0	17-12	184.0	12.8	35200.0	0.00319	0.0852	53.6	0.00847	1.01450	1.33
20.0	17.07	181.0	13.1	34900.0	0.00335	0.0862	47.4	0.00831	1.01462	1.20
22.0	16.95	186.0	13.0	34300.0	0.00361	0.0874	38.0	0.00771	1.01487	1.05
24.0	16.82	196.0	12.3	33800.0	0.00375	0.0881	31.5	0.00712	1.01513	0-947
26.0	16.69	207-0	11.7	33300.0	0.00380	0.0883	26.9	0.006/2	1.01538	0.863
28.0	16.56	216.0	11.2	32800.0	0.00382	0.0882	23.5	0.00646	1.01563	0.789
30.0	16.44	222.0	10.9	32200.0 31700.0	0.00386 0.00390	0.0879	20.9	0.00624 0.00605	1.01587	0.734
32.0	16.31	227.0	10.7	31/00.0	0.00390	0-00/4	18.9	0.00000	1.01611	0.689
34.0	16.18	232.0	10.4	31200.0	0.00392	0.0869	17.3	0.00589	1.01634	0.654
36.0	16.06	237.0	10.2	30700.0	0.00394	0.0862	16.1	0.00576	1.01657	0.625
38.0	15.93	240.0	10.1	30100.0	0.00396	0.0856	15.0	0.00564	1.01679	0.603
40-0	15.80	244-0	9.92	29600.0	0.00398	0.0849	14.2	0.00553	1.01700	0.584
45.0	15.49	252.0	9.58	28400.0	0.00400	0.0832	12.6	0.00532	1.01751	0.552
50.0	15.18	259.0	9.29	27200.0	0.00402	0.0817	11.6	0.00516	1.01797	0.534
55.0	14.88	266.0	9.01	26100.0	0.00403	0.0803	10.9	0.00503	1.01840	0.526
60-0 70-0	14.58 14.01	272.0 284.0	8.76 8.29	25000.0 23000.0	0.00404	0.0790	10.4 9.83	0.00493 0.00479	1.01878 1.01945	0.523
80.0	13.45	296.0	7.87	21300.0	0.00404	0.0775	9.52	0.00473	1.01997	0.539
90.0	12.93	307.0	7.50	19900.0	0.00398	0.0745	9.37	0.00472	1.02038	0.553
100.0	12.43	318.0	7.17	18600.0	0.00392	0.0738	9.32	0.00476	1.02067	0.567
120.0	11.51	341.0	6.62	16700.0	0.00376	0.0733	9.36	0.00497	1.02097	0.589
140.0	10.69	364.0	6.20	15300.0	0.00357	0.0735	9.50	0.00529	1.02100	0.605
160.0	9.98	389.0	5 • 8 6	14400.0	0.00336	0.0743	9.69	0.00570	1.02083	0.614
180.0	9.348	414.0	5.58	13600.0	0.00315	0.0754	9.92	0.00618	1.02053	0.619
200.0	8.794	440.0	5.36	13100.0	0.00296	0.0768	10.0	0.00670	1.02016	0.613
250.0	7.663	504.0	4.95	12100.0	0.00256	0.0808	10-7	0.00818	1.01906	0.614
300.0 350.0	6.798 6.113	567 · 0 630 · 0	4.68	11400.0 10900.0	0.00225 0.00201	0.0850	11.3 12.0	0.00981 0.0116	1.01791	0.613 0.612
400.0	5.556	691.0	4.35	10500.0	0.00182	0.0936	12.7	0.0134	1.01582	0.612
450.0	5.094	753.0	4.24	10200.0	0-00166	0.0977	13.3	0.0153	1.01490	0.612
500-0	4-704	814.0	4.15	10000.0	0.00153	0.102	13.9	0.0173	1.01407	0.614
600.0	4.079	935.0	4.03	9640.0	0.00133	0.110	15.3	0.0217	1.01263	0.621
700.0	3.601	1060.0	3.94	9370.0	0.00117	0.119	16.8	0.0267	1.01144	0.630
800.0	3.223	1180-0	3.88	9180.0	0.00105	0.128	18.3	0.0321	1.01045	0.636
900.0	2.916	1300.0	3.83	9020.0	0.000952	0.137	19.7	0.0380	1.00960	0.640
1000.0	2.663	1420.0	3.80	8900.0	0.000870	0.146	21.1	0.0443	1.00888	0.644
1200.0	2.267 1.974	1660.0	3.74 3.70	8720.0	C.000743	0.163	23 - 8	0.0583	1.00771	0.649
1400-0	1.747	1910.0 2150.0	3.70	8590.0 8500.0	0.000648 0.000574	0.180	26.4 28.9	0.0739 0.0911	1.00681 1.00610	0.652 0.654
1800.0	1.567	2400.0	3.66	8430.0	0.000516	0.213	31.4	0.110	1.00551	0.656
2000.0	1.420	2640.0	3.64	8370.0	0.000468	0.229	33.7	0-130	1.00503	0.658
2500.0	1.151	3260.0	3.61	8280.0	0.000380	0.266	39.4	0.187	1.00413	0.660
									3	
3000.0	0.9670	3870.0	3.59	8210.0	0.000320	0.302	44.8	0.252	1.00350	0.661

^{*} THO-PHASE 9DUNDARY

THERMOOYNAMIC PROPERTIES OF HELIUM 4

9000 PSIA ISOBAR

TEMPERATURE	VOLUME	ISOTHERM OERIVATIVE	ISOCHORE OERIVATIVE	INTERNAL ENERGY	ENTHALPY	ENTROPY	CV	CP	VELOCITY OF SOUND
OEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB+R	BTU /	LB -R	FT/SEC
19.0	0.05686	2240.0	115.0	21.39	116.1	0.5333	0.4914	U • 5582	3436.0
20.0	0.05703	2230.0	121.0	21.77	116.8	0.5681	0.4990	0.5778	3459.0
22.0	0.05741	2210.0	130.0	22.58	118.3	0.6387	0.5417	0.6439	3489.0
	0.05782	2200.0	134.0	23.55	119.9	0.7120	0.5952	0.7164	3502.0
24.0		2190.0	134.0	24 - 68	121.7	0.7866	0.6396	0.7741	3504.0
26.0	0.05824			25.74		0.8530			
28.0	0.05867	2180.0	133.0		123.5		0.6672	0.8128	3504.0
30.0	0.05909	2160.0	133.0	26.70	125.2	0.9102	0.6885	0.8464	3506.0
32.0	0.05952	2140.0	132.0	27.70	126.9	0.9658	0.7058	0 - 8756	3507.0
34.0	0.05996	2120.0	130.0	28.74	128.7	1.020	0.7200	0.9011	3509.0
36.0	0.06041	2110.0	129.0	29.83	130.5	1.072	0.7316	0.9235	3510.0
38.0	0.06085	2090.0	127.0	30.95	132.4	1.122	0.7411	0.9435	3510.0
40.0	0.06131	2070.0	126.0	32-10	134.3	1.171	0.7491	0.9615	3511.0
45.0	0.06246	2030.0	121.0	35.08	139.2	1.287	0.7643	1.000	3509.0
50.0	0.06364	1990.0	117.0	38.20	144.3	1.394	0.7753	1.033	3506.0
55.0	0.06484	1950.0	113.0	41.44	149.5	1.494	0.7839	1.062	3499.0
60.0	0.06607	1910-0	108.0	44.78	154.9	1.587	0.7912	1.088	3491.0
70.0	0.06858	1840.0	100.0	51.71	166.0	1.759	0.8032	1.135	3472.0
80.0	0.07118	1780.0	92.6	58.93	177.6	1.913	0.8126	1.174	3450.0
90.0	0.07385	1720.0	85.7	66.39	189.5	2.053	0.8199	1.207	3430.0
100.0	0.07659	1680.0	79.5	74.03	201.7	2.182	0.8254	1.234	3412.0
120.0	0.08225	1620.0	68.9	89.69	226.8	2.410	0.8320	1.272	3389.0
140.0	0.08807	1590.0	60.3	105.7	252.5	2.608	0.8342	1.294	3381.0
2,,,,,		23,000			4,40,				
160.0	0.09399	1580.0	53.3	121.8	278-5	2.782	0.8338	1.304	3388.0
180.0	0.1000	1590.0	47.6	138.0	304.6	2.936	0.8317	1.306	3405.0
200.0	0.1059	1610.0	43.0	154.1	330.7	3.073	0.8289	1.304	3430.0
250.0	0.1208	1690.0	34.3	194.2	395.6	3.363	0.8204	1.292	3512.0
300.0	0.1356	1790.0	28.6	233.9	459.8	3.597	0.8122	1.278	3610.0
350.0	0.1502	1890.0	24.4	273.1	523.5	3.793	0.8050	1.267	3714.0
400.0	0.1647	2000.0	21.4	312.0	586.6	3.962	0.7989	1.258	3820.0
450.0	0.1792	2110.0	19.0	350.6	649.3	4-110	0.7939	1.252	3927.0
500.0	0.1937	2220.0	17.1	389.0	711.8	4.241	0.7896	1.247	4034.0
600.0	0.2225	2460.0	14.3	465.3	836.2	4.468	0.7830	1.241	4246.0
700.0	0.2513	2690.0	12.3	541.2	960.1	4.659	0.7781	1.238	4454.0
800.0	0.2802	2930.0	10-8	616 - 8	1084.0	4-824	0.7745	1.236	4656.0
900.0	0.3091	3180.0	9.61	692.1	1207.0	4.970	0.7717	1.235	4852.0
1000.0	0.3380	3420.0	8.67	767.4	1331.0	5.100	0.7695	1.235	5043.0
1200.0	0.3960	3920.0	7 • 26	917.6	1578.0	5.325	0.7662	1.235	5409.0
1400-0	0.4542	4420.0	6 - 24	1068-0	1825.0	5.515	0.7640	1.235	5755.0
1600.0	0.5125	4930.0	5.48	1218.0	2072.0	5.680	0.7623	1.235	6084.0
1800.0	0.5708	5440.0	4 • 88	1367.0	2319.0	5.826	0.7611	1.236	6398.0
2000.0	0.6292	5960.0	4.40	1517.0	2566.0	5.956	0.7601	1.236	6698-0
2500.0	0.7756	7250 - 0	3-53	1892.0	3184.0	6.232	0.7584	1.237	7399.0
3000.0	0.9222	8540.0	2.95	2266.0	3803.0	6 • 457	0.7572	1.237	8042.0

^{*} TWO-PHASE BOUNDARY

9000 PSIA ISOBAR

TENPERATURE	DENSITY	V(DH/DV) _D	V*(DP/DU)_	-V (DP/DV) _T	(DV/DT)_/V		VISCOSITY	THERMAL	DIELECTRIC	PRANDTL
		P		-		ONDUCTIVITY		DIFFUSIVITY	CONSTANT	NUMBER
DEG. R	L8/CU FT	8TU/LB	PSIA-CU FT/8	TU PSIA	1/DEG. R	BTU/FT-HR-R		SQ FT/HR		
							X 10E+6			
19.0	17.59	192.0	13.3	39500.0	0.00291	0.0924	70.5	0.00941	1.01347	1.53
20.0	17.53	187.0	13.8	39100.0	0.00309	0.0934	61.5	0.00922	1.01359	1.37
22.0	17.42	191.0	13.7	38500.0	0.00337	0.0947	48.2	0.00845	1.01386	1.18
24.0	17.29	203.0	13.0	38000.0	0.00352	0.0953	39.2	0.00769	1.01413	1.06
26 - 0	17-17	217-0	12.2	37600.0	0.00357	0.0954	32.8	0.00717	1.01440	0.959
28.0	17.05	226.0	11.7	37100.0	0.00359	0.0952	28.2	0.00687	1.01466	0.868
30.0	16.92	233.0	11.4	36500.0	0.00363	0.0947	24.8	0.00661 0.00640	1.01492	0.798
32.0	16.80	239.0	11.1	36000.0	0.00366		22.2		1.01517	0-743
34-0	16.68	245.0	10.9	35400-0	0.00368	0.0935	20.1	0.00622	1.01541	0.698
36.0	16.55	250.0	10.6	34900.0	0.00370	0.0927	18.5	0.00606	1.01565	0.663
38.0	16.43	254.0	10.5	34300.0	0.00371	0.0919	17.2	0.00593	1.01588	0.634
40.0	16.31	259.0	10.3	33800.0	0.00372	0.0911	16.1	0.00581	1.01611	0.611
4000	10.01	277.0		000000	0.000.5	0.0311	-0	0.0000	1.01011	*****
45.0	16.01	268.0	9.92	32500.0	0.00373	0.0892	14.1	0.00557	1.01665	0.570
50.0	15.71	276.0	9.60	31300.0	0.00374	0.0874	12.8	0.00538	1.01715	0.546
55.0	15.42	284.0	9.31	30100.0	0.00374	0.0857	11.9	0.00523	1.01762	0.532
60.0	15.14	291.0	9.04	29000.0	0.00374	0.0843	11.3	0.00512	1.01804	0.526
70.0	14.58	304.0	8.55	26900.0	0.00373	0.0820	10.5	0.00495	1.01879	0.525
80.0	14.05	317.0	8.11	25000.0	0.00370	0.0803	10.1	0.00487	1.01940	0.534
90.0	13.54	329.0	7.72	23400.0	0.00367	0.0791	9.92	0.00484	1.01990	0.545
100.0	13.06	341.0	7.38	21900.0	0.00362	0.0783	9.81	0.00486	1.02029	0.557
120.0	12.16	364.0	6.81	19700.0	0.00350	0.0775	9.79	0.00501	1.02079	0.579
140.0	11.35	388.0	6.37	18100.0	0.00334	0.0775	9.89	0.00528	1.02100	0.595
160.0	10.64	412.0	6.01	16900.0	0.00316	0.0781	10.1	0.00563	1.02099	0.604
160.0	10.00	437.0	5.73	15900.0	0.00299	0.0791	10.3	0.00605	1.02084	0.610
200.0	9.440	462.0	5.49	15200.0	0.00282	0.0803	10.3	0.00652	1.02058	0.605
250.0	8.277	526.0	5.06	14000.0	0.00245	0.0839	10.9	0.00785	1.01971	0.607
300.0	7.376	590.0	4.77	13200.0	0.00217	0.0879	11.6	0.00932	1.01870	0.606
350.0	6.657	653.0	4.56	12600.0	0.00194	0.0920	12.2	0.0109	1.01770	0.605
400.0	6.070	715.0	4.41	12100.0	0.00176	0.0960	12.8	0.0126	1.01675	0.605
450.0	5.580	776.0	4.29	11800.0	0.00161	0.100	13.4	0.0143	1.01586	0.606
500-0	5-163	837.0	4.20	11500.0	0.00149	0.104	14.0	0.0161	1.01504	0.607
600.0	4.494	958.0	4.06	11000.0	0.00130	0.112	15.4	0.0200	1.01360	0.616
700.0	3.979	1080.0	3.97	10700.0	0.00115	0.120	16.9	0.0245	1.01239	0.625
800.0	3.569	1200.0	3-90	10500.0	0.00103	0.129	18.4	0.0293	1.01136	0.632
900.0	3.235	1320.0	3.85	10300.0	0.000936	0.138	19.8	0.0346	1.01048	0.637
1000.0	2.958	1440.0	3.81	10100.0	0.000857	0.147	21.2	0.0402	1.00972	0.641
1200.0	2.525	1680.0	3.75	9900.0	0.000733	0.164	23.9	0.0527	1-00848	0-646
1400-0	2.202	1930.0	3.71	9740.0	0.000641	0.181	26.5	0.0666	1.00751	0.650
1600.0	1.951	2170.0	3.68	9620.0	0.000569	0.197	29.0	0.0819	1.00674	0.653
1800.0	1.752	2420.0	3.66	9530.0	0.000512	0.213	31.4	0.0986	1.00611	0.655
2000.0	1.589	2660.0	3.64	9460.0	0.000465	0.229	33.8	0-117	1.00559	0.656
2500-0	1.289	3270.0	3.61	9340.0	0.000378	0.267	39.5	0.167	1.00460	0.659
3000.0	1.084	3890.0	3.59	9260.0	0.000318	0.302	44.8	0.225	1.00390	0.660

^{*} TWD-PHASE BOUNDARY

10000 PSIA ISOBAR

TEMPERATUR	E VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	CV	CP	VELOCITY
		OERIVATIVE	OERIVATIVE	ENERGY					OF SOUNO
OEG. R	CU FT/LB	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU /	L9 -R	FT/SEC
20.0	0.05566	2410.0	123.0	23.55	126.6	0.5369	0.4751	0.5475	3587.0
22.0	0.05601	2390-0	135.0	24.28	128.0	0.6344	0.5210	0.6189	3627.0
24.0	0.05640	2390.0	141.0	25.18	129.6	0.6757	0.5807	0.6979	3645.0
26.0	0.05680	2380.0	142.0	26.26	131.4	0.7496	0.6309	0.7619	3649.0
28.0	0.05719	2370.0	141.0	27.29	133.2	0.8155	0.6611	0.8030	3651.0
30.0	0.05758	2350-0	140.0	28.21	134.8	0.8721	0.6832	0.8373	3653.0
32.0	0.05798	2330.0	139.0	29.17	136.5	0.9271	0.7014	0.8671	3654.0
34.0	0.05838	2310.0	138.0	30.18	138.3	0.9805	0.7164	0.8930	3656.0
36.0	0.05879	2300.0	137.0	31.24	140-1	1.032	0.7286	0.9158	3658-0
38-0	0.05920	2280.0	135.0	32.32	142.0	1.082	0.7388	0.9360	3659.0
40.0	0.05962	2260.0	133.0	33.44	143.8	1.131	0.7473	0.9542	3660.0
45.0	0.06068	2220.0	129.0	36.36	148.7	1.245	0.7636	0-9930	3660.0
50 • 0	0.06176	2180.0	124.0	39.41	153.8	1.352	0.7755	1.026	3658.0
55.0	0.06285	2150.0	120.0	42.58	159.0	1.451	0.7849	1.054	3653.0
60.0	0.06396	2110.0	115.0	45.86	164.3	1.544	0.7929	1.080	3646.0
70.0	0.06623	2040.0	107.0	52.69	175.3	1-714	0.8060	1.125	3628.0
80.0	0.06857	1970.0	99.1	59.81	186.8	1.867	0.8164	1.164	3607.0
90.0	0.07097	1910.0	92.1	67.18	198.6	2.006	0.8246	1.197	3585.0
100.0	0.07342	1860.0	85.7	74.75	210.7	2.133	0.8309	1.224	3566.0
120.0	0.07847	1790.0	74.6	90.31	235.6	2.360	0-8386	1.264	3536.0
140.0	0.08366	1750.0	65.6	106.2	261.1	2.557	0.8416	1.288	3521.0
160.0	0.08895	1730.0	58.2	122.3	287.0	2.730	0.8416	1.300	3520.0
180.0	0.09429	1730.0	52.1	138.5	313.1	2.883	0.8398	1.305	3530.0
200.0	0.0996	1740-0	47-1	154.7	339.2	3.021	0.8370	1.305	3549.0
250.0	0.1130	1810.0	37.8	194.9	404.2	3.311	0.8282	1.294	3620.0
300.0	0.1263	1900.0	31.4	234.7	468.6	3.546	0.8195	1.281	3708.0
350.0	0.1394	2000.0	26.9	274.1	532.3	3-742	0.8118	1.269	3805-0
400-0	0.1525	2100.0	23.6	313.2	595.6	3.911	0.8052	1.260	3905.0
450.0	0.1655	2210.0	21.0	351.9	658.4	4.059	0.7996	1.253	4007.0
500.0	0.1785	2320.0	18.9	390.4	720.9	4.191	0.7949	1.248	4110.0
600.0	0.2043	2550.0	15.8	466.9	845.3	4.418	0.7875	1.241	4314.0
700.0	0.2302	2780.0	13.6	542.9	969.2	4.609	0.7821	1.237	4514.0
800.0	0.2561	3020.0	11.9	618.6	1093.0	4.774	0.7781	1.235	4711.0
900.0	0.2820	3260.0	10.6	694.1	1216.0	4.919	0.7749	1-234	4903-0
1000.0	0.3080	3500.0	9 • 59	769 - 4	1340.0	5.049	0.7724	1.234	5089.0
1200.0	0.3600	3990.0	8.03	919.8	1586.0	5.274	0.7688	1.234	5448.0
1400.0	0.4122	4490.0	6.91	1070.0	1833.0	5.464	0.7662	1.234	5790.0
1600.0	0.4645	5000.0	6.06	1220.0	2080.0	5.629	0.7644	1.235	6115-0
1800-0	0.5169	5500 • 0	5 • 40	1370.0	2327.0	5.775	0.7630	1.235	6425.0
2000.0	0.5694	6020.0	4 • 87	1520.0	2574.0	5.905	0.7619	1.236	6722.0
2500.0	0.7038	7300.0	3.91	1894.0	3192.0	6.181	0.7599	1.236	7417.0
3000.0	0.8325	8590.0	3.27	2269.0	3811.0	6 • 406	0.7586	1.237	8056.0

^{*} TWO-PHASE BOUNDARY

10000 PSIA ISOBAR

TEMPERAT	TURE DENSITY	V(OH/OV) _P	V(DP/OU)	-V(OP/DV) $_{\mathrm{T}}$	(DV/OT)/V	THERMAL	VISCOSITY	THERMAL OIFFUSIVITY	DIELECTRIC	PRANOTL NUMBER
OEG.	R LB/CU FT	BTU/LB	PSIA-CU FT/8	TU PSTA	1/DEG. R	BTU/FT-HR-F	LB/FT-SEC	SQ FT/HR		
0201							X 10E+6			
20.0	17.97	192.0	14.5	43300.0	0.00285	0.101	79.3	0.0102	1.01258	1.55
22.0	17.85	196.0	14.5	42700.0	0.00315	0.102	60.8	0.00925	1.01285	1.33
24.0	17.73	210.0	13.7	42300.0	0.00332	0.103	48 - 4	0.00829	1.01314	1.19
26.0	17.61	225.0	12.8	41900.0	0.00338	0.102	39.8	0.00764	1.01343	1.07
28.0	17.49	236.0	12.2	41400.0	0.00340	0.102	33.8	0.00727	1.01370	0.955
30.0	17.37	244.0	11.8	40800.0	0.00344	0.102	29.3	0.00699	1.01397	0.869
32.0	17.25	250.0	11.5	40200-0	0.00346	0.101	25.9	0.00674	1.01423	0.801
34.0	17.13	256.0	11.3	39600.0	0.00348	0.100	23.3	0.00654	1.01449	0.747
36.0	17.01	262.0	11.0	39100.0	0.00350	0.0991	21.2	0.00636	1.01474	0.704
38.0	16.89	267.0	10.8	38500.0	0.00351	0.0982	19.5	0.00621	1.01498	0.669
40-0	16.77	272.0	10.6	38000-0	0.00351	0.0973	18.1	0.00608	1.01522	0.641
45.0	16.48	282.0	10.2	36700.0	0.00352	0.0950	15.7	0.00581	1.01579	0.590
50.0	16.19	292.0	9.91	35400.0	0.00352	0.0929	14.1	0.00560	1.01633	0.559
55.0	15.91	300.0	9.59	34100-0	0.00351	0.0911	13.0	0.00543	1.01682	0.541
60.0	15.63	308.0	9.31	32900.0	0.00350	0.0895	12.2	0.00530	1.01728	0.531
70.0	15.10	323.0	8.79	30700.0	0.00348	0.0868	11.3	0.00511	1.01810	0.525
80.0	14.58	337.0	8.33	28700.0	0.00345	0.0849	10.7	0.00500	1.01879	0.530
90.0	14.09	350.0	7.92	26900.0	0.00342	0.0835	10.5	0.00495	1.01936	0.539
100.0	13.62	363.0	7.57	25400.0	0.00338	0.0825	10.3	0.00495	1.01983	0.550
120.0	12.74	387.0	6.98	22800.0	0.00327	0.0815	10.2	0.00506	1.02049	0.570
140.0	11.95	411.0	6.52	20900.0	0.00314	0.0814	10.3	0.00529	1.02086	0.586
160.0	11.24	435.0	6.15	19500.0	0.00299	0.0818	10.4	0.00560	1.02101	0.596
180.0	10.61	460.0	5.85	18400.0	0.00284	0.0826	10.6	0.00597	1.02099	0.602
200.0	10.04	485.0	5.61	17500.0	0.00269	0.0837	10.7	0.00639	1.02085	0.598
250.0	8.848	549.0	5.15	16000.0	0.00236	0.0870	11.2	0.00760	1.02020	0.601
300.0	7.919	612.0	4.85	15000.0	0.00209	0.0907	11.8	0.00894	1.01934	0.600
350.0	7.172	675.0	4.63	14300.0	0.00188	0.0945	12.4	0.0104	1.01844	0.599
400.0		737.0	4.46	13800.0	0.00171	0.0983	13.0	0.0119	1.01755	0.599
450.0	6.042	799.0	4.34	13400.0	0.00157	0.102	13.6	0.0135	1.01670	0.600
500.0	5.603	860.0	4.24	13000.0	0.00145	0.106	14.1	0.0151	1.01591	0.601
600.0	4.894	981.0	4.10	12500.0	0.00127	0.113	15.5	0.0187	1.01448	0.610
700.0	4.344	1100.0	4.00	12100.0	0.00112	0.122	17.0	0.0227	1.01326	0.620
800.0	3.905	1220.0	3.92	11800.0	0.00101	0.131	18.4	0.0271	1.01221	0.628
900.0	3.546	1340.0	3.87	11600.0	0.000920	0.139	19.9	0.0318	1.01130	0.633
1000.0	3.247	1460.0	3.82	11400.0	0.000844	0.148	21.2	0.0369	1.01051	0.638
1200.0	2.778	1700.0	3.76	11100.0	0.000724	0.165	23.9	0.0482	1.00921	0.644
1400.0	2.426	1950.0	3.72	10900.0	0.000634	0.182	26.5	0.0607	1.00819	0.648
1600.0	2.153	2190.0	3.68	10800.0	0.000564	0.198	29.0	0.0745	1.00736	0.651
1800.0	1.935	2430.0	3.66	10600.0	0.000507	0.214	31.5	0.0896	1.00669	0.654
2000.0	1.756	2680.0	3.64	10600.0	0.000967	0.230	33.8	0.106	1.00612	0.655
2500.0	1.427	3290.0	3.61	10400.0	0.000376	0.267	39.5	0.151	1.00505	0.658
3000.0	1.201	3910.0	3.59	10300.0	0.000317	0.303	44.9	0.204	1.00430	0.660

^{*} THO-PHASE BOUNDARY

15000 PSIA ISOBAR


TEMPERATURE	VOLUME	ISOTHERM	ISOCHORE	INTERNAL	ENTHALPY	ENTROPY	cv	СР	VELOCITY
		OERIVATIVE	OERIVATIVE	ENERGY					OF SOUNO
DEG. R	CU FT/L8	CU FT-PSIA/LB	PSIA/R	BTU/LB	BTU/LB	BTU/LB-R	BTU /	LB -R	FT/SEC
26.0	0.05160	3310.0	168.0	34.18	177.5	0.6001	0.5863	0.6957	4267.0
28.0	0.05191	3310.0	170.0	35.04	179.2	0.6636	0.6323	0.7544	4275.0
30.0	0.05219	3270.0	171.0	35.80	180 - 8	0.7170	0.6591	0.7944	4275.0
32.0	0.05248	3240.0	171.0	36.63	182.4	C.7694	0.6816	0.8293	4276.0
34.0	0.05277	3220.0	171.0	37.50	184.1	0.8206	0.7003	0.8596	4277.0
36.0	0.05307	3190.0	170.0	38.42	185.8	0.8705	0.7160	0.8861	4279.0
38.0	0.05337	3170.0	169.0	39.38	187-6	0.9191	0.7292	0.9093	4281.0
40.0	0.05368	3150.0	167.0	40.37	189.5	€.9662	0.7403	0.9299	4283.0
45.0	0.05445	3110.0	163.0	42.99	194.2	1.078	0.7621	0.9726	4288.0
50.0	0.05523	3070.0	158.0	45.78	199.2	1.183	0.7782	1.007	4291-0
55.0	0.05601	3040.0	152.0	48.70	204.3	1.280	0.7911	1.036	4291.0
60.0	0.05680	3000.0	147.0	51.75	209.5	1.371	0.8020	1.061	4288.0
70.0	0.05839	2930.0	137.0	58 - 17	220.4	1.538	0.8201	1.104	4276.0
80.0	0.06000	2870.0	128.0	64.95	231.6	1.688	0.8347	1.140	4258.0
90.0	0.06161	2800.0	120.0	72.01	243.1	1.824	0.8465	1.170	4237.0
100.0	0.06324	2740.0	112.0	79.32	255.0	1.949	0.8559	1.196	4214.0
120.0	0.06654	2640.0	99.2	94.49	279.3	2.170	0.8686	1.236	4169.0
140.0	0.06990	2550.0	88.5	110.2	304.3	2.363	0.8752	1.264	4131.0
160.0	0.07331	2490.0	79.5	126.2	329.8	2.533	0.8776	1.282	4104.0
180.0	0.07676	2450.0	72.0	142.3	355.6	2.685	0.8771	1.293	4087.0
200.0	0.08025	2420.0	65.6	158.6	381.5	2.521	0.8749	1.299	4080-0
250.0	0.08901	2410.0	53.4	199.3	446.5	3.112	0.8656	1.300	4095.0
300.0	0.09777	2450.0	44.9	239.7	511.3	3.348	0.8550	1.291	4143.0
350.0	0.1065	2520.0	38.6	279.8	575.6	3.546	0.8449	1.279	4208.0
400.0	0.1151	2610.0	33.9	319.5	639.3	3.716	0.8359	1.269	4282.0
450.0	0.1237	2700.0	30.2	358 • 8	702.5	3.865	0.8282	1.260	4362.0
500.0	0.1323	2800.0	27.3	397.9	765.3	3.997	0.8215	1.253	4445.0
600.0	0.1493	3000.0	22.9	475.3	890.0	4.225	0.8107	1.243	4616.0
700-0	0.1663	3210.0	19.7	552.1	1014.0	4.416	0.8026	1.236	4788.0
800.0	0.1832	3430.0	17.4	628.4	1137.0	4.581	0.7964	1.233	4960.0
900.0	0.2002	3650.0	15.5	704.4	1261.0	4.726	0.7915	1.231	5131.0
1000.0	0.2173	3880.0	14.0	780.1	1384.0	4.855	0.7876	1.230	5299.0
1200.0	0.2514	4350.0	11.8	931.2	1630.0	5.080	0.7818	1.230	5628.0
1400.0	0.2858	4820.0	10.2	1082.0	1876.0	5.269	0.7778	1.230	5945.0
1600.0	0.3202	5310.0	8.93	1232.0	2122.0	5.434	0.7748	1.231	6251.0
1800.0	0.3547	5800.0	7 • 97	1383.0	2368.0	5.579	0.7726	1.232	6545.0
2000.0	0.3894	6300.0	7.20	1533.0	2614.0	5.709	0.7708	1.233	6829.0
2500.0	0.4762	7550.0	5.79	1909.0	3231.0	5.984	0.7677	1.234	7498.0
3000.0	0.5632	8820.0	4 • 85	2284.0	3848.0	6.209	0.7657	1.235	8117.0

^{*} TWO-PHASE BOUNDARY

15000 PSIA ISOBAR

		DENSITY	V(DH/DV)	•	-V(DP/DV) _T		DNDUCTIVITY		THERMAL DIFFUSIVITY	DIELECTRIC CONSTANT	PRANDTL NUMBER
0EG.	R	LB/CU FT	BTU/LB	PSIA-CU FT/B	TU PSIA	1/0EG. R	BTU/FT-HR-R	X 10E+6	SQ FT/HR		
26.0		19.38	266.0	14.8	64200.0	0.00262	0.139	97.4	0.0103	1.00883	1.76
28.0		19.26	283.0	14.0	63700.0	0.00267	0.137	76.8	0.00945	1.00916	1.52
30.0		19.16	291.0	13.5	62700.0	0.00273	0.136	62.9	0.00893	1.00946	1.32
32.0		19.05	299.0	13.2	61800.0	0.00277	0.134	52.8	0.00851	1.00975	1.17
34.0		18.95	307.0	12.9	61000.0	0.00280	0.133	45.3	0.00815	1.01005	1.05
36.0		18.84	314.0	12.6	60200.0	0.00283	0.131	39.5	0.00785	1.01034	0.962
38.0		18.74	320.0	12.4	59400.0	0.00284	0.129	35.1	0.00760	1.01062	0.887
40.0		18.63	326.0	12.1	58700.0	0.00285	0.128	31.5	0.00737	1.01091	0.827
45.0		18.37	341.0	11.6	57100-0	0.00285	0.124	25.4	0.00692	1.01159	0.719
50.0		18.11	355.0	11.2	55600.0	0.00284	0.120	21.5	0.00659	1.01224	0.651
55.0		17.85	368.0	10.8	54200.0	0.00281	0.117	19.0	0.00632	1.01286	0.606
60.0		17.60	381.0	10.4	52800.0	0.00279	0.114	17.3	0.00611	1.01343	0.577
70.0		17.13	404.0	9.77	50200-0	0-00273	0.110	15 • 1	0.00580	1.01449	0.546
80.0		16.67	425.0	9.20	47800.0	0.00268	0.106	13.9	0.00561	1.01543	0.534
90.0		16.23	445.0	8.71	45500.0	0.00263	0.104	13.2	0.00548	1.01626	0.532
100.0		15.81	462.0	8.29	43400.0	0.00259	0.102	12.7	0.00542	1.01699	0.535
120.0		15.03	494 • 0	7.60	39600.0	0.00250	0.100	12.3	0.00540	1.01820	0.545
140.0		14.31	521.0	7.06	36500.0	0.00242	0.0993	12.1	0.00550	1.01912	0.556
160.0		13.64	547.0	6.64	33900.0	0.00234	0.0991	12.1	0.00567	1.01981	0.565
180.0		13.03	572.0	6.30	31900.0	0.00226	0.0993	12.2	0.00589	1.02031	0.571
200.0		12.46	597.0	6.02	30200.0	0.00218	0.100	12.1	0.00616	1.02065	0.569
250.0		11.23	659.0	5.49	27100.0	0.00197	0.102	12.5	0.00697	1.02101	0.573
300.0		10.23	722.0	5.13	25100.0	0.00179	0.104	12.9	0.00790	1.02091	0.573
350.0		9.391	785.0	4.87	23700.0	0.00163	0.107	13.3	0.00891	1.02056	0.572
400-0		8.686	848.0	4.67	22700.0	0.00150	0.110	13.7	0.0100	1.02007	0.572
450.0		8.083	910.0	4.52	21800.0	0.00139	0.112	14.2	0.0110	1.01952	0.573
500.0		7.560	971.0	4.39	21100.0	0.00129	0.115	14.6	0.0122	1.01893	0.574
600.0		6.698	1090.0	4.21	20100-0	0-00114	0.121	15.9	0.0146	1.01776	0.585
700.0		6.014	1210.0	4.09	19300.0	0.00102	0.129	17.4	0.0174	1.01665	0.598
800.0		5.457	1330.0	3.99	18700.0	P.000927	0.137	18.8	0.0204	1.01563	0.608
900.0		4.994	1450.0	3.92	18200.0	0.000850	0.145	20.2	0.0236	1.01469	0.616
1000.0		4-603	1570.0	3 - 87	17900.0	0.000785	0.153	21.5	0.0271	1.01385	0.622
1200.0		3.977	1810.0	3.79	17300.0	C.000681	0.170	24.2	0.0347	1.01239	0.632
1400.0		3.499	2050.0	3.73	16900.0	0.000602	0.186	26.8	0.0431	1.01118	0.638
1600.0		3.123	2290.0	3.69	16600.0	0.000539	0.202	29.2	0.0524	1.01018	0.643
1800-0		2.819	2530.0	3.66	16400.0	0.000487	0.217	31.7	0.0625	1.00933	0.647
2000.0		2.568	2770.0	3.64	16200.0	0.000445	0.232	34.0	0.0734	1.00861	0.649
2500.0		2.100	3380.0	3.59	15900.0	0.000365	0.269	39.6	0.104	1.00720	0.654
3000-0		1.775	3990.0	3.57	15700.0	0-000310	0.305	45.0	0.139	1.00619	0.656

^{*} TWO-PHASE BOUNDARY



DRM NBS-114A (1-71)							
U.S. DEPT. OF COMM. BIBLIOGRAPHIC DATA	1. PUBLICATION OR REPORT NO.	2. Gov't Accession No.	3. Recipient's Accession No.				
SHEET	NBS TN-622	· ·					
TITLE AND SUBTITLE			5. Publication Date				
Thermophysic	September 1972						
with Pressure	6. Performing Organization Code						
AUTHOR(S) Robert D	. McCarty		8. Performing Organization				
PERFORMING ORGANIZAT	10. Project/Task/Work Unit No.						
NATIONAL DI	UDEAU OF CTANDARDS Position I	a b a	2750426				
	NATIONAL BUREAU OF STANDARDS, Boulder Labs. DEPARTMENT OF COMMERCE						
	Colorado 80302						
. Sponsoring Organization Na	13. Type of Report & Period						
National Aero	Covered						
Manned Space	Manned Spacecraft Center						
Houston, Texa			14. Sponsoring Agency Code				
SUPPLEMENTARY NOTES							
ABSTRACT (A 200-word or bibliography or literature su	less factual summary of most significant rvey, mention it here.)	information. If docume	nt includes a significant				


Tables of thermophysical properties of helium 4 are presented for temperatures from 4 to 3000 Rankine for pressures to 15000 psia. The tables include, entropy, enthalpy, internal energy, density, volume, speed of sound, specific heat, thermal conductivity, viscosity, thermal diffusivity, Prandtl number and the dielectric constant for 74 isobars. Also included in the isobaric tables are quantities of special utility in heat transfer calculations: (3P/3V)T, (3P/3T)0, $V(\partial H/\partial V)_{P}$, $V(\partial P/\partial U)_{V}$, $-V(\partial P/\partial V)_{T}$, $1/V(\partial V/\partial T)_{P}$.

In addition to the isobaric tables, tables for the saturated vapor and liquid are given which include all of the above properties, plus the surface tension. Tables for the PoT of the freezing liquid, PoT of the lambda line, index of refraction and the derived Joule-Thomson inversion curve are also presented.

7. KEY WORDS (Alphabetical order, separated by semicolons)

Density; dielectric constant; enthalpy; entropy; equation of state; fixed points; heat transfer coefficients; helium 4; index of refraction; Joule-Thomson coefficient; lambda line; latent heat; melting point; Prandtl number; specific heats; speed of sound; surface tension; thermal conductivity; thermal diffusivity; vapor pressure; viscosity; volume.

AVAILABILITY STATEMENT	19. SECURITY CLASS (THIS REPORT)	21. NO. OF PAGES
X UNLIMITED.		146
ONDINITED.	UNCL ASSIFIED	
FOR OFFICIAL DISTRIBUTION. DO NOT RELEASE TO NTIS.	20. SECURITY CLASS (THIS PAGE)	22. Price
		\$1.25
	UNCLASSIFIED	



PERIODICALS

JOURNAL OF RESEARCH reports National Bureau of Standards research and development in physics, mathematics, and chemistry. Comprehensive scientific papers give complete details of the work, including laboratory data, experimental procedures, and theoretical and mathematical analyses. Illustrated with photographs, drawings, and charts. Includes listings of other NBS papers as issued.

Published in two sections, available separately:

• Physics and Chemistry

Papers of interest primarily to scientists working in these fields. This section covers a broad range of physical and chemical research, with major emphasis on standards of physical measurement, fundamental constants, and properties of matter. Issued six times a year. Annual subscription: Domestic, \$9.50; \$2.25 additional for foreign mailing.

Mathematical Sciences

Studies and compilations designed mainly for the mathematician and theoretical physicist. Topics in mathematical statistics, theory of experiment design, numerical analysis, theoretical physics and chemistry, logical design and programming of computers and computer systems. Short numerical tables. Issued quarterly. Annual subscription: Domestic, \$5.00; \$1.25 additional for foreign mailing.

TECHNICAL NEWS BULLETIN

The best single source of information concerning the Bureau's measurement, research, developmental, cooperative, and publication activities, this monthly publication is designed for the industry-oriented individual whose daily work involves intimate contact with science and technology—for engineers, chemists, physicists, research managers, product-development managers, and company executives. Includes listing of all NBS papers as issued. Annual subscription: Domestic, \$3.00; \$1.00 additional for foreign mailing.

Bibliographic Subscription Services

The following current-awareness and literaturesurvey bibliographies are issued periodically by the Bureau: Cryogenic Data Center Current Awareness Service (weekly), Liquefied Natural Gas (quarterly), Superconducting Devices and Materials (quarterly), and Electromagnetic Metrology Current Awareness Service (monthly). Available only from NBS Boulder Laboratories. Ordering and cost information may be obtained from the Program Information Office, National Bureau of Standards, Boulder, Colorado 80302.

NONPERIODICALS

Applied Mathematics Series. Mathematical tables, manuals, and studies.

Building Science Series. Research results, test methods, and performance criteria of building materials, components, systems, and structures.

Handbooks. Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies.

Special Publications. Proceedings of NBS conferences, bibliographies, annual reports, wall charts, pamphlets, etc.

Monographs. Major contributions to the technical literature on various subjects related to the Bureau's scientific and technical activities.

National Standard Reference Data Series. NSRDS provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated.

Product Standards. Provide requirements for sizes, types, quality, and methods for testing various industrial products. These standards are developed cooperatively with interested Government and industry groups and provide the basis for common understanding of product characteristics for both buyers and sellers. Their use is voluntary.

Technical Notes. This series consists of communications and reports (covering both other-agency and NBS-sponsored work) of limited or transitory interest.

Federal Information Processing Standards Publications. This series is the official publication within the Federal Government for information on standards adopted and promulgated under the Public Law 89–306, and Bureau of the Budget Circular A–86 entitled, Standardization of Data Elements and Codes in Data Systems.

Consumer Information Series. Practical information, based on NBS research and experience, covering areas of interest to the consumer. Easily understandable language and illustrations provide useful background knowledge for shopping in today's technological marketplace.

CATALOGS OF NBS PUBLICATIONS

NBS Special Publication 305, Publications of the NBS. 1966-1967. When ordering, include Catalog No. C13.10:305. Price \$2.00; 50 cents additional for foreign mailing.

NBS Special Publication 305, Supplement 1, Publications of the NBS, 1968-1969. When ordering, include Catalog No. C13.10:305/Suppl. 1. Price \$4.50; \$1.25 additional for foreign mailing.

NBS Special Publication 305, Supplement 2, Publications of the NBS, 1970. When ordering, include Catalog No. C13.10:305/Suppl. 2. Price \$3.25; 85 cents additional for foreign mailing.

Order NBS publications (except Bibliographic Subscription Services) from: Superintendent of Documents, Government Printing Office, Washington, D.C. 20402.

U.S. DEPARTMENT OF COMMERCE National Bureau of Standards Washington, D.C. 20234

OFFICIAL BUSINESS

Penalty for Private Use, \$300

POSTAGE AND FEES PAID U.S. DEPARTMENT OF COMMERCE 2 15

